



2726 OAK RIDGE COURT, SUITE 503  
FORT MYERS, FL 33901-9356  
OFFICE 239.278.3090  
FAX 239.278.1906

TRAFFIC ENGINEERING  
TRANSPORTATION PLANNING  
SIGNAL SYSTEMS/DESIGN

## TRAFFIC IMPACT STATEMENT

FOR

### VINTAGE COMMERCE CENTER CPD COMPREHENSIVE PLAN AMENDMENT & REZONING

(PROJECT NO. 1809.01)

**PREPARED BY:**

TR Transportation Consultants, Inc.  
Certificate of Authorization Number: 27003  
2726 Oak Ridge Court, Suite 503  
Fort Myers, Florida 33901-9356  
(239) 278-3090

Revised:  
January 28, 2019

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018\_10022



## CONTENTS

- I. INTRODUCTION
- II. EXISTING CONDITIONS
- III. COMPREHENSIVE PLAN AMENDMENT ANALYSIS
- IV. ZONING ANALYSIS
- V. INTERSECTION ANALYSIS
- VI. LAND USE CONVERSION TABLE
- VII. CONCLUSION

OCT 2018-10022  
**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

5001 2105 100



## I. INTRODUCTION

TR Transportation Consultants, Inc. has conducted a traffic impact statement to fulfill requirements set forth by the Lee County Department of Community Development for projects seeking an amendment to the Comprehensive Land Use Plan and re-zoning approval. The subject site is located at the northeast corner of Alico Road and Three Oaks Parkway in Lee County, Florida. **Figure 1** illustrates the approximate location of the subject site.

The analysis in this report will determine the impacts of change in land use designation on the approximately 34 acre subject site from Industrial Commercial Interchange to General Interchange to permit the development of the site with a residential option of up to 400 multi-family residential dwelling units. The analysis will also determine the impacts of the proposed rezoning from the permitted 300,000 square feet of commercial uses to the requested 350,000 square feet of commercial uses. Note, 350,000 square feet of retail is the most intense use in terms of trip generation that is being requested as part of the rezoning application. The transportation related impacts of the proposed Comprehensive Plan amendment will be assessed based on the comparison between the currently allowed uses and the requested use on the subject site. The transportation related impacts of the proposed rezoning will be evaluated based on the estimated build-out year of the project and the impacts the proposed rezoning will have on the surrounding roadway infrastructure. Access to the subject site is proposed to be provided to Alico Road via a right-in only entrance and to Three Oaks Parkway via one right-in/right-out only site access drive and one full site access drive.

This report examines the impact of the development on the surrounding roadways. Trip generation and assignments to the various roadways within the study area will be completed and analysis conducted to determine the impacts of the development on the surrounding roadways.

**RECEIVED**  
FEB 13 2019



F1809010

PROJECT SITE

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCT 2018-10022





## II. EXISTING CONDITIONS

The subject site is currently vacant. This subject site is bordered by vacant land to the north, Three Oaks Parkway to the west, Alico Road to the south and by I-75 southbound ramp to the east.

**Alico Road** is an east/west six-lane divided arterial roadway that borders the subject site to the south. Alico Road has a posted speed limit of 45 mph. Alico Road is under the jurisdiction of the Lee County Department of Transportation to the west of Three Oaks Parkway and under the jurisdiction of Florida Department of Transportation (FDOT) to the east of Three Oaks Parkway.

**Three Oaks Parkway** is a four-lane divided arterial roadway adjacent to the subject site. Three Oaks Parkway, north of Alico Road currently extends for approximately 1.2 miles where it terminates. Lee County has future plans to extend Three Oaks Parkway to the north and intersect Daniels Parkway. This improvement is funded in the Lee County's Five Year Adopted Capital Improvement Plan. The intersection with Three Oaks Parkway and Alico Road currently operates under signalized conditions. Three Oaks Parkway, south of Alico Road is under the jurisdiction of the Lee County Department of Transportation and is being conveyed to Lee County north of Alico Road.

## III. COMPREHENSIVE PLAN AMENDMENT ANALYSIS

The proposed Map Amendment would change the future land use designation on the approximate 34 acre subject site from Industrial Commercial Interchange to General Interchange to permit the development of the site with a residential option of up to 400 multi-family residential dwelling units. In terms of roadway impacts, the existing future land use category of Industrial Commercial Interchange permits the development of other intense uses such as commercial and office uses. These permitted commercial uses on site are more intense in terms of trip generation potential than the proposed 400 multi-family residential development option. Therefore, the existing 2040 Long Range Transportation

**RECEIVED**  
FEB 13 2010  
**COMMUNITY DEVELOPMENT**



Plan as adopted by the Lee County Metropolitan Planning Organization (MPO), will not be impacted as a result of the requested change to the General Interchange land use designation to allow the development of the site with up to 400 multi-family residential dwelling units. Hence, no changes to the adopted long range transportation plan nor the Lee County's Five Year Capital Improvement Program (CIP) are required as result of the proposed land use change.

To emphasize, the main intent of the requested future land use change is to allow the site to be developed with a residential option. The existing future land use designation and existing zoning currently allow for more intense uses than those being requested as part of the Comprehensive Plan Amendment application. Therefore, the proposed request will not result in any additional roadway impacts from what is currently approved. However, for information purposes only and as requested, a long range and short range transportation Level of Service analysis on the surrounding roadway network was completed. Attached **Table 1A** and **Table 2A** reflect the Level of Service analysis based on the 2040 conditions (long range). Attached **Table 3A** and **Table 4A** reflect the Level of Service analysis based on the 2024 conditions (short range). The methodology used to complete each analysis is indicated within each table.

It is important to note that the extension of Three Oaks Parkway from Alico Road to Daniels Parkway was not considered in the short range transportation analysis since this improvement is projected to be completed after the year of 2024. Based on the discussion with the County Staff, the extension of Three Oaks Parkway will be divided into multiple phases. The initial phase will consist of constructing a crossing of the Fiddlesticks Canal for which the construction is projected to begin in 2019. The next phase will consist of the extension of Three Oaks Parkway from Fiddlestick Canal to south of Indian Pony Drive for which the construction is projected to begin in 2021. The last phase will consist of the extension of Three Oaks Parkway from south of Indian Pony Drive to Daniels Parkway for which the construction is projected to begin in 2023.

**RECEIVED**  
FEB 13 2019



#### IV. ZONING ANALYSIS

The subject site is currently governed by Zoning Resolution No. Z-05-019 which permits the development of the overall Vintage Commerce Center CPD with up to 300,000 square feet of commercial uses. The proposed rezoning request would allow the approximately 34 acre subject site to be developed with up to 350,000 square feet of commercial uses. **Table 1** summarizes the land uses that could be constructed under the existing zoning designation and the intensity of uses under the proposed zoning request. Note, the Zoning Schedule of Uses also includes multi-family residential option and a hotel option. However, should the residential and lodging options be constructed, the amount of commercial floor area would be reduced. The “worst case” scenario in terms of trip generation for the rezoning application is to analyze the site developed entirely as retail uses.

**Table 1**  
**Land Uses**  
**Vintage Commerce Center CPD**

Existing/ Proposed	Land Use Category	Intensity
Existing	Commercial	300,000 Square Feet
Proposed	Commercial	350,000 Square Feet

Access to the subject site is proposed to be provided to Alico Road via a right-in only entrance and to Three Oaks Parkway via one right-in/right-out only site access drive and one full site access drive.

#### Trip Generation

The trip generation for the proposed rezoning request was determined by referencing the Institute of Transportation Engineer's (ITE) report, titled *Trip Generation*, 10<sup>th</sup> Edition. Land Use Code 820 (Shopping Center) was utilized for the trip generation purposes of the proposed retail uses. **Table 2** outlines the anticipated weekday AM and PM peak hour trip generation based on the proposed rezoning request.

**RECEIVED**  
FEB 13 2019



**Table 2**  
**Trip Generation Based on Rezoning Request**  
**Vintage Commerce Center CPD**

Land Use	Weekday AM Peak Hour			Weekday PM Peak Hour			Daily (2-way)
	In	Out	Total	In	Out	Total	
Shopping Center (350,000 Sq. Ft.)	203	124	327	659	714	1,373	14,092

The trips shown for the proposed retail use in Table 2 will not all be new trips added to the adjacent roadway system. ITE estimates that retail uses may attract a significant amount of its traffic from vehicles already traveling on the adjoining roadway system. This traffic, called “pass-by” traffic, reduces the development’s overall impact on the surrounding roadway system but does not decrease the actual driveway volumes. The current version of the ITE *Trip Generation Handbook*, 3<sup>rd</sup> Edition, indicates that the weekday PM peak hour pass-by rate for Land Use Code 820 is thirty-four (34%). However, Lee County only permits a maximum reduction in trips due to “pass-by” traffic for shopping centers of thirty percent (30%). Therefore, thirty percent (30%) pass-by reduction was utilized for the proposed shopping center uses. Table 3 summarizes the total external trips that will be generated by the site as a result of the proposed zoning request.

**Table 3**  
**Trip Generation– New Trips**  
**Vintage Commerce Center CPD**

Land Use	Weekday A.M. Peak Hour			Weekday P.M. Peak Hour			Daily (2-way)
	In	Out	Total	In	Out	Total	
Total Trips	203	124	327	659	714	1,373	14,092
Less 30% Pass-By Trips	-49	-49	-98	-206	-206	-412	-4,228
New Trips	154	75	229	453	508	961	9,864

#### Trip Distribution

**RECEIVED**  
The trips the proposed development is anticipated to generate, as shown in the Table 3, were then assigned to the surrounding roadway network. The net new trips anticipated to be added to the surrounding roadway network were assigned based upon the routes  
**FEB 13 2019**



drivers are anticipated to utilize to approach the subject site. **Figure A-1**, included in the Appendix of this report, illustrates the percent project traffic distribution and assignment of the net new project trips. **Figure A-2**, included in the Appendix of this report, illustrates the percent project traffic distribution and assignment of pass-by trips. **Figure 2** illustrates the resulting assignment of all project related trips (net new + pass-by). However, the County staff also requested an alternative analysis with the proposed access to Alice Road not being granted. **Figure 3** illustrates the resulting assignment of all project related trips without a direct access to Alice Road scenario (**Figure A-3 + Figure A-4**).


There was no project traffic assigned to/from north of the subject site on Three Oaks Parkway as the extension of Three Oaks Parkway to Daniels Parkway will not be completed within the next few years. Based on the discussion with the County Staff, the extension of Three Oaks Parkway will be divided into multiple phases. The initial phase will consist of constructing a crossing of the Fiddlesticks Canal for which the construction is projected to begin in 2019. The next phase will consist of the extension of Three Oaks Parkway from Fiddlesticks Canal to south of Indian Pony Drive for which the construction is projected to begin in 2021. The last phase will consist of the extension of Three Oaks Parkway from south of Indian Pony Drive to Daniels Parkway for which the construction is projected to begin in 2023.

In order to determine which roadway segments surrounding the site will be significantly impacted as outlined in the Lee County Traffic Impact Statement Guidelines, **Table 5A**, contained in the Appendix, was created. This table indicates which roadway links will experience a significant impact as a result of the added development traffic. Significant impact is defined as any roadway projected to experience greater than 10% of the Peak Hour – Peak Direction Level of Service “C” volumes.

**RECEIVED**  
FEB 13 2019

**COMMUNITY DEVELOPMENT**

F1809.01



COMMUNITY DEVELOPMENT

DCI 2018-10022


ASSIGNMENT OF ALL SITE RELATED TRIPS  
NET NEW + PASS-BY TRIPS  
VINTAGE COMMERCE CENTER CPD

**TR** TRANSPORTATION  
CONSULTANTS, INC.


Figure 2

F1809.01

THREE OAKS PKWY.



ALICO RD.



SITE

LEGEND  
→ 000 WEEKDAY AM PEAK HOUR TRAFFIC  
← (000) WEEKDAY PM PEAK HOUR TRAFFIC

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT  
NOV 2018 10022  
VINTAGE COMMERCE CENTER CPD  
Figure 3



The Level of Service Threshold volumes for I-75 were obtained from the Florida Department of Transportation *Generalized Peak Hour Directional Volumes for Florida's Urbanized Areas*, Table 7. For all other roadways, the Level of Service Threshold volumes were obtained from the Lee County *Generalized Peak Hour Directional Service Volumes* table. Both aforementioned tables are attached to the Appendix of this report for reference. Based on the information contained within Table 5A, Oriole Road and Lee Road are shown to experience a significant impact due to the addition of the project traffic. Therefore, the Level of Service Analysis was conducted on Oriole Road and Lee Road as well as on the immediate adjacent roadways within the vicinity of the subject site.


#### Level of Service Analysis

The future Level of Service analysis was based on a 5-year horizon, or year 2024. Based on this horizon year analysis, the surrounding roadway network was analyzed under 2024 traffic conditions. A growth rate was applied to the existing traffic conditions for all roadway links and intersections that could be significantly impacted by this development. For the Alice Road and Three Oaks Parkway, the existing and historical traffic data was obtained from the 2017 *Lee County Traffic Count Report*. For Oriole Road and Lee Road, the existing and historical traffic data was obtained from the 2017 FDOT *Florida Traffic Online* webpage.

Table 6A in the Appendix of the report indicates the methodology utilized to obtain the year 2024 build-out traffic volumes as well as the growth rate utilized for each roadway segment analyzed. The existing 2017 peak hour peak season peak direction volumes for all roadways were obtained from the 2018 *Lee County Public Facilities Level of Service and Concurrency Report*.

**RECEIVED**  
FEB 13 2019

Figure 4 indicates the year 2024 peak hour – peak direction traffic volumes and Level of Service for the various roadway links within the study area. Noted on Figure 4 is the peak hour – peak direction volume and Level of Service of each link should no development occur on the subject site and the peak hour – peak direction volume and Level of Service





for the weekday A.M and P.M, peak hours with the development traffic added to the roadways. Figure 4 is derived from Table 6A contained in the Appendix.

As can be seen from Figure 4, all analyzed roadway links except for Alico Road between Three Oaks Parkway and I-75 interchange, are anticipated to maintain their minimum recommended Level of Service standards as contained in the Lee County Comprehensive Plan. Alico Road, between Three Oaks Parkway and I-75 interchange, is shown to operate at a Level of Service "F" both with and without the addition of the project traffic in the year 2024. Therefore, this segment of Alico Road is considered as a future transportation deficiency that this project should not be responsible for mitigating. Hence, no roadway capacity improvements will be warranted as a result of the additional traffic to be generated by the proposed development.

## V. INTERSECTION ANALYSIS

An intersection analysis was conducted utilizing the latest version of the program *SYNCHRO*® to determine the operational characteristics of the signalized intersection of Alico Road with Three Oaks Parkway during the weekday A.M. and P.M. peak hours. Intersection analysis was also conducted at the proposed site access drives to Three Oaks Parkway during the weekday A.M. and P.M. peak hours utilizing the *Highway Capacity Software* (HCS®). As requested, an alternative intersection analysis without the proposed site access to Alico Road was also conducted at all aforementioned locations.

Peak hour turning movement counts were conducted by TR Transportation at the intersection of Alico Road with Three Oaks Parkway in January of 2019, after the start of Lee County public schools. The peak hour turning movements were adjusted for peak season conditions based on peak season factor data as provided by FDOT in their Traffic Information Online resource. The FDOT peak season correction factor is included in the Appendix of this report for reference. The existing peak season traffic volumes were then increased by a growth rate factor to determine the projected 2024 background turning movement volumes. Note, the intersection analysis was also conducted with a

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

SOCIAL WORKS INC  
DCI 2018-10022



conservative scenario as it included the future traffic that is projected to travel to/from north of Three Oaks Parkway as a result of this roadway being extended from Alico Road to Daniels Parkway. The through traffic projected to travel on the Three Oaks Parkway extension was obtained from the attached illustration titled *Year 2027 E+C Network + Three Oaks Extension*, which was provided by the Lee County Staff. The turning volumes at the intersection of Three Oaks Parkway and Alico Road were then reasonably adjusted for this Three Oaks Parkway extension as shown in the attached spreadsheets titled *Development of Future Year Background Turning Volumes*. The total projected 2024 background turning movement volumes were then determined.


**Figure 5** illustrates the total projected 2024 background turning volumes. The turning volumes projected to be added to the intersection as illustrated on Figure 2 were then added to the 2024 background volumes to estimate the future 2024 traffic volumes with the project. **Figure 6** illustrates the projected 2024 background plus project turning volumes (Figure 5 + Figure 2). As previously mentioned, the County Staff requested an additional analysis scenario without the proposed access to Alico Road. **Figure 7** illustrates the projected 2024 background plus project turning volumes without the proposed access to Alico Road scenario (Figure 5 + Figure 3). These figures were then used to evaluate intersections. The raw volumes utilized can be found in attached spreadsheets titled *Development of Future Year Background Turning Volumes*. Note, due to extension of Three Oaks Parkway, the existing signal timings were optimized by the SYNCHRO program. Additionally, the intersection analysis at the proposed northernmost site access drive also took into consideration the projected build-out traffic volumes as a result of the attached Three Oaks Marketplace MPD (DCI2015-00033).

The HCS summary sheets, attached to this report for reference, indicate that all of the major approaches at the proposed site access drives on Three Oaks Parkway will operate at an acceptable LOS in 2024 both with and without the proposed site access to Alico Road in the weekday A.M. and P.M. peak hours. Therefore, no intersection improvements will be warranted at the proposed site access drives to Three Oaks Parkway.


**RECEIVED**  
FEB 19 2019

**COMMUNITY DEVELOPMENT**


F1809.01



F1809.01



F1809.01





The *SYNCHRO*<sup>®</sup> summary sheets, attached to this report for reference, indicate that the signalized intersection of Alico Road with Three Oaks Parkway will operate at an acceptable LOS in 2024 both with and without the project trips in the weekday A.M. peak hours regardless of the access to Alico Road being granted or not. In the P.M. peak hour conditions, the intersection is shown to operate at a LOS "E" without the project traffic added to the intersection. With the project traffic added to the intersection in the P.M. peak hour conditions, the intersection was shown to operate a LOS "F" both with and without the proposed site access to Alico Road. However, the intersection of Alico Road and Three Oaks Parkway is an off-site intersection. Hence this project will be responsible for the payment of the road impact fees, which will be used to mitigate any off-site impacts. Therefore, no intersection improvements will be warranted. Further analysis of the Alico Road with Three Oaks Parkway intersection as well as the turn lane improvements will be evaluated at the time the project seeks a Development Order approval.

## VI. LAND USE CONVERSION TABLE

As previously mentioned, the proposed rezoning request would allow the approximately 34 acre subject site to be developed with up to 350,000 square feet of commercial uses. However, the proposed Zoning Schedule of Uses will also permit other uses such as multi-family residential, hotel and office uses. Therefore, should other options besides the retail be constructed on the subject site, the amount of commercial floor area would be reduced per land use conversions shown in **Table 4** below or based the most recent ITE Trip Generation Manual available at the time of each DO application on this site. Note, Table 4 was formulated using the average rates obtained from LUC 820 (Shopping Center), LUC 310 (Hotel) and LUC 220 (Multi-Family Low-Rise).

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT



Table 4  
Land Use Conversion Table  
Vintage Commerce Center CPD

Land Use Conversion Table			
	Retail (SF)	General Office (SF)	Medical Office (SF)
Retail (1,000 SF)	1,000	2,300	770
Hotel (1 Room)	270	630	210
Multi-Family (1 DU)	210	490	150

\*Was formulated utilizing the average rates.

## VII. CONCLUSION

The proposed project is located at the northeast corner of Alico Road and Three Oaks Parkway in Lee County, Florida. As discussed in the report, the existing future land use category of Industrial Commercial Interchange permits more intense uses in terms of trip generation potential than the proposed 400 multi-family residential development option as part of the requested land use change to General Interchange. Therefore, the 2040 Financially Feasible Roadway network and the short term 5-year Capital Improvement Program currently in place in Lee County will not require modification in order to accommodate the proposed Land Use change.

Based upon the roadway link Level of Service analysis conducted as a part of the proposed rezoning, all roadway links except for Alico Road between Three Oaks Parkway and I-75 interchange, are anticipated to maintain their minimum recommended Level of Service standards as contained in the Lee County Comprehensive Plan. Alico Road, between Three Oaks Parkway and I-75 interchange, is shown to operate at a Level of Service "F" prior to the addition of the project traffic in the year 2024. Therefore, this segment of Alico Road is considered as a future transportation deficiency that this project should not be responsible for mitigating. Therefore, no roadway capacity improvements are necessary to accommodate the proposed development.

**RECEIVED**  
FEB 13 2019



The proposed Zoning Schedule of Uses will also permit other uses such as multi-family residential, hotel and office uses. Should other options besides the retail be constructed on the subject site, the amount of commercial floor area would be reduced per land use conversions shown in Table 4 or based the most recent ITE Trip Generation Manual available at the time of each DO application on this site.

The results of the intersection analysis at the proposed site access drives to Three Oaks Parkway indicate that all of the major approaches on Three Oaks Parkway will operate at an acceptable LOS in 2024 both with and without the proposed site access to Alico Road in the weekday A.M. and P.M. peak hours. Therefore, no intersection improvements will be warranted at the proposed site access drives to Three Oaks Parkway.

The results of the analysis at the intersection of Alico Road with Three Oaks Parkway indicate that the intersection will operate at an acceptable LOS in 2024 both with and without the project trips in the weekday A.M. peak hours regardless of the access to Alico Road being granted or not. In the P.M. peak hour conditions, the intersection is shown to operate at a LOS "E" without the project traffic added to the intersection. With the project traffic added to the intersection in the P.M. peak hour conditions, the intersection was shown to operate a LOS "F" both with and without the proposed site access to Alico Road. However, the intersection of Alico Road and Three Oaks Parkway is an off-site intersection. Hence this project will be responsible for the payment of the road impact fees, which will be used to mitigate any off-site impacts. Therefore, no intersection improvements will be warranted.

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

# APPENDIX

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT  
DCI 2018-10022

**TABLES 1A & 2A  
20-YEAR (LONG RANGE)  
LOS ANALYSIS**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

**TABLE 1A**  
**LEVEL OF SERVICE THRESHOLDS**  
**2040 LONG RANGE TRANSPORTATION ANALYSIS - VINTAGE COMMERCE CENTER CPD**

ROADWAY	ROADWAY SEGMENT		2040 E+C NETWORK LANES		GENERALIZED SERVICE VOLUMES				
	FROM	TO	# Lanes	Roadway Designation	LOS A	LOS B	LOS C	LOS D	LOS E
Three Oaks Pkwy	Daniels Pkwy	Alico Rd	4LD	Class I - Arterial	0	250	1,840	1,960	1,960
	Alico Rd.	San Carlos Blvd	4LD	Class I - Arterial	0	250	1,840	1,960	1,960
	San Carlos Blvd	Estero Pkwy	4LD	Class I - Arterial	0	250	1,840	1,960	1,960
Alico Rd	US 41	Gator Rd	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
	Gator Rd	Lee Blvd	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
	Lee Blvd	Oriole Rd	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
	Oriole Rd	Three Oaks Pkwy	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
	Three Oaks Pkwy	I-75	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
	I-75	Ben Hill Griffin Pkwy	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
	Ben Hill Griffin Pkwy	Airport Haul Rd	4LD	Class I - Arterial	0	250	1,840	1,960	1,960
Ben Hill Griffin Pkwy	Terminal Access Rd.	Alico Rd.	4LD	Class I - Arterial	0	250	1,840	1,960	1,960
	Alico Rd.	College Club Dr.	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
I-75	Corkscrew Rd	Alico Rd	6LF	Freeway	0	3,360	5,030	6,240	6,500
	Alico Road	Daniels Parkway	6LF	Freeway	0	3,360	5,030	6,240	6,500
Oriole Rd.	Alico Rd	San Carlos Blvd	2LU	Major Collector	0	0	310	660	740
Lee Rd	Alico Rd	San Carlos Blvd	2LU	Major Collector	0	0	310	660	740
San Carlos Blvd	Three Oaks Pkwy	Oriole Rd	2LU	Major Collector	0	0	310	660	740
Michael G. Rippe Pkwy	Six Mile Cypress Pkwy	Alico Rd.	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
US-41	Six Mile Cypress Pkwy	Alico Rd.	6LD	Class I - Arterial	0	400	2,840	2,940	2,940
	Alico Rd.	San Carlos Blvd	6LD	Class I - Arterial	0	400	2,840	2,940	2,940

  - Denotes the LOS Standard for each roadway segment

\* Level of Service Thresholds for Lee County arterials/collectors taken from the Generalized Peak Hour Directional Service Volume tables for Urbanized Areas (dated April 2016)

\* Level of Service Thresholds for I-75 were taken from FDOT's Generalized Peak Hour Directional Volumes for Florida's Urbanized Areas Table 7.

DCI 2018-10022

**RECEIVED**

FEB 13 2019

COMMUNITY DEVELOPMENT

**TABLE 2A.**  
**2040 ROADWAY LINK LEVEL OF SERVICE CALCULATIONS**  
**VINTAGE COMMERCE CENTER CPD**

ROADWAY	ROADWAY SEGMENT		2040 FSUTMS		MOCF FACTOR <sup>1</sup>	AADT BACKGROUND: TRAFFIC	K-100 FACTOR	100TH HIGHEST HOUR PK DIR: 2-WAY VOLUME	D FACTOR	2040 PEAK DIRECTION	
	FROM	TO	PSWDT	FDOT SITE #						PEAK VOLUME	LOS
Three Oaks Pkwy	Daniels Pkwy	Alico Rd	14,316	124414	0.91	13,028	0.090	1,172	0.532	NORTH .624	C
	Alico Rd.	San Carlos Blvd	29,569	124414	0.91	26,908	0.090	2,422	0.532	SOUTH 1,133	C
	San Carlos Blvd	Estero Pkwy	32,355	124414	0.91	29,443	0.090	2,650	0.532	SOUTH 1,240	C
Alico Rd	US 41	Gator Rd	51,436	124177	0.91	46,807	0.090	4,213	0.549	WEST 1,900	C
	Gator Rd	Lee Blvd	54,154	124177	0.91	49,280	0.090	4,435	0.549	WEST 2,000	C
	Lee Blvd	Oriole Rd	58,978	124177	0.91	53,670	0.090	4,830	0.549	WEST 2,178	C
	Oriole Rd	Three Oaks Pkwy	68,239	124177	0.91	62,097	0.090	5,589	0.549	WEST 2,521	C
	Three Oaks Pkwy	I-75	70,983	126010	0.91	64,595	0.090	5,814	0.524	WEST 2,767	C
	I-75	Ben Hill Griffin Pkwy	32,599	126053	0.91	29,665	0.090	2,670	0.532	WEST 1,250	C
	Ben Hill Griffin Pkwy	Airport Haul Rd	30,369	120118	0.91	27,636	0.090	2,487	0.549	WEST 1,122	C
Ben Hill Griffin Pkwy	Terminal Access Rd.	Alico Rd.	18,172	126060	0.91	16,537	0.090	1,488	0.552	NORTH 821	C
	Alico Rd.	College Club Dr.	38,593	124514	0.91	35,120	0.090	3,161	0.532	NORTH 1,682	C
I-75	Corkscrew Rd	Alico Rd	85,420	120055	0.91	77,732	0.090	6,996	0.581	NORTH 4,065	C
	Alico Road	Daniels Parkway	121,226	120184	0.91	110,316	0.090	9,928	0.598	NORTH 5,937	D
Oriole Rd.	Alico Rd	San Carlos Blvd	11,318	120181	0.91	10,299	0.090	927	0.532	SOUTH 434	D
Lee Rd	Alico Rd	San Carlos Blvd	11,874	121219	0.91	10,805	0.090	972	0.532	SOUTH 455	D
San Carlos Blvd	Three Oaks Pkwy	Oriole Rd	7,627	124617	0.91	6,941	0.090	625	0.532	WEST 293	C
Michael G. Rippe Pkwy	Six Mile Cypress Pkwy	Alico Rd.	43,590	125036	0.91	39,867	0.090	3,570	0.532	NORTH 1,899	C
US 41	Six Mile Cypress Pkwy	Alico Rd.	69,016	120067	0.95	65,565	0.090	5,901	0.532	NORTH 3,139	F
	Alico Rd.	San Carlos Blvd	60,819	120066	0.95	57,778	0.090	5,200	0.532	NORTH 2,766	C

<sup>1</sup> Model Output Conversion Factor was utilized to obtain the AADT Volumes for all roadways.

The K-100 and D factors for currently unconstructed segment of Three Oaks Pkwy from Alico Rd to Daniels Pkwy were obtained from FDOT station 124414, which represents Three Oaks Pkwy, south of Alico Rd.

The K-100 and D factors for all roadways were obtained from Florida Traffic Online resource.

**TABLES 3A & 4A  
5-YEAR (SHORT RANGE)  
LOS ANALYSIS**

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018-10022

**TABLE 3A**  
**LEVEL OF SERVICE THRESHOLDS**  
**VINTAGE COMMERCE CENTER CPD**

<b>ROADWAY</b>	<b>SEGMENT</b>	<b>ROADWAY</b>	<b>LOS A</b>	<b>LOS B</b>	<b>LOS C</b>	<b>LOS D</b>	<b>LOS E</b>
		<b>CLASS</b>	<b>VOLUME</b>	<b>VOLUME</b>	<b>VOLUME</b>	<b>VOLUME</b>	<b>VOLUME</b>
Three Oaks Pkwy	S. of Alico Rd	4LD	0	250	1,840	1,960	1,960
	S. of San Carlos Blvd	4LD	0	250	1,840	1,960	1,960
Alico Rd	E. of US 41	6LD	0	400	2,840	2,940	2,940
	E. Gator Rd.	6LD	0	400	2,840	2,940	2,940
	E. of Lee Blvd.	6LD	0	400	2,840	2,940	2,940
	E. of Oriole Rd.	6LD	0	400	2,840	2,940	2,940
	E. of Three Oaks Pkwy.	6LD	0	400	2,840	2,940	2,940
	E. of I-75	6LD	0	400	2,840	2,940	2,940
	E. of Ben Hill Griffin Pkwy	2LU	130	420	850	1,210	1,640
Ben Hill Griffin Pkwy	N. of Alico Rd.	4LD	0	250	1,840	1,960	1,960
	S. of Alico Rd.	6LD	0	400	2,840	2,940	2,940
I-75	N. of Alico Rd.	6LF	0	3,360	5,030	6,240	6,500
	S. of Alico Rd.	6LF	0	3,360	5,030	6,240	6,500
Oriole Rd.	S. of Alico Rd.	2LU	0	0	310	660	740
Lee Blvd	S. of Alico Rd.	2LU	0	0	310	660	740
San Carlos Blvd	W. of Three Oaks Pkwy	2LU	0	0	310	660	740
Michael G. Rippe Pkwy	N. of Alico Rd.	6LD	0	400	2,840	2,940	2,940
US 41	N. of Alico Rd.	6LD	0	400	2,840	2,940	2,940
	S. of Alico Rd.	6LD	0	400	2,840	2,940	2,940

The Level of Service thresholds were for all roadways were obtained from the Lee County Generalized Service Volume Table.

The Level of Service thresholds for I-75 were obtained from FDOT's Generalized Peak Hour Directional Volumes for Florida's Urbanized Areas Table 7.

RECEIVED  
 FEB 13 2019  
 COMMUNITY DEVELOPMENT  
 ROADWAY

**TABLE 4A**  
**LEE COUNTY TRAFFIC COUNTS AND CALCULATIONS**  
**VINTAGE COMMERCE CENTER CPD.**

	<u>FDOT Sta. #</u>	<u>K</u>	<u>D</u>
	120184	0.090	0.598
	120055	0.090	0.581
	125036	0.090	0.532
	120067	0.090	0.532
	120066	0.090	0.532

	<u>SEGMENT</u>	<u>LCDOT PCS OR BASE YR</u>	2016/2017		2024		<u>PK.HR</u>	<u>PK.HR</u>	<u>PK SEASON</u>
			<u>2017</u>	<u>YRS OF</u>	<u>ANNUAL</u>	<u>PK SEASON</u>			
			<u>FDOT SITE #</u>	<u>ADT</u>	<u>ADT</u>	<u>GROWTH.<sup>1</sup></u>	<u>RATE</u>	<u>PEAK DIR.<sup>2</sup></u>	<u>VOLUME</u>
Three Oaks Pkwy	S. of Alico Rd	414	9,500	14,100	7	5.80%	715	1,061	C 0.54
	S. of San Carlos Blvd	414	9,500	14,100	7	5.80%	715	1,061	C 0.54
Alico Rd	E. of US 41	204	19,500	22,100	8	2.00%	1,035	1,189	C 0.40
	E. Gator Rd.	204	19,500	22,100	8	2.00%	1,035	1,189	C 0.40
	E. of Lee Blvd.	204	19,500	22,100	8	2.00%	1,035	1,189	C 0.40
	E. of Oriole Rd.	204	19,500	22,100	8	2.00%	1,035	1,189	C 0.40
	E. of Three Oaks Pkwy.	10	26,600	44,800	8	6.73%	2,285	3,606	F 1.23
	E. of I-75	53	20,800	24,600	8	2.12%	1,154	1,336	C 0.45
	E. of Ben Hill Griffin Pkwy	205	7,500	8,500	2	6.46%	366	567	C 0.35
Ben Hill Griffin Pkwy	N. of Alico Rd.	126060	23,769	19,700	8	2.00%	1,033	1,187	C 0.61
	S. of Alico Rd.	124514	29,000	23,000	8	2.00%	1,101	1,265	C 0.43
I-75	N. of Alico Rd.	120184	54,500	102,014	8	8.15%	5,490	10,277	F 1.65
	S. of Alico Rd.	120055	70,000	101,500	8	4.75%	5,307	7,696	F 1.23
Oriole Rd.	S. of Alico Rd.	120181	3,100	2,900	2	2.00%	139	160	C 0.22
Lee Rd	S. of Alico Rd.	121219	7,100	7,100	2	2.00%	544	625	D 0.84
San Carlos Blvd	W. of Three Oaks Pkwy	124617	5,300	8,800	6	8.82%	421	761	F 1.03
Michael G. Rippe Pkwy	N. of Alico Rd.	125036	16,800	24,000	4	9.33%	1,149	2,145	C 0.73
US 41	N. of Alico Rd.	120067	56,500	52,000	8	2.00%	2,490	2,860	D 0.97
	S. of Alico Rd.	120066	42,500	49,500	8	2.00%	2,370	2,722	C 0.93

<sup>1</sup>AGR for all roadways was calculated based the historical traffic data obtained from Lee County Traffic Count Report and Florida Traffic Online webpage.

<sup>2</sup> Current peak hour peak season peak direction traffic volumes for all County roadways were obtained from the 2018 Lee County Public Facilities Level of Service and Concurrency Report.

<sup>2</sup> Current peak hour peak season peak direction traffic volumes for all FDOT roadways were obtained by adjusting the 2017 AADT by the appropriate K and D factors.

**TABLES 5A & 6A**

**REZONING**

**2024 LOS ANALYSIS**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

DEPARTMENT OF CITY GOVERNMENT

**RECEIVED**  
FEB 13 2019

**TABLE 5A**  
**PEAK DIRECTION PROJECT TRAFFIC VS. 10% LOS C LINK VOLUMES**  
**VINTAGE COMMERCE CENTER CPD**

TOTAL AM PEAK HOUR PROJECT TRAFFIC =	229 VPH	IN=	154	OUT=	75
TOTAL PM PEAK HOUR PROJECT TRAFFIC =	961 VPH	IN=	453	OUT=	508

<u>ROADWAY</u>	<u>SEGMENT</u>	<u>ROADWAY</u>	PERCENT							
			<u>CLASS</u>	<u>VOLUME</u>	<u>VOLUME</u>	<u>VOLUME</u>	<u>VOLUME</u>	<u>VOLUME</u>	<u>TRAFFIC</u>	<u>TRAFFIC</u>
Alico Rd.	W. of Lee Rd.	6LD	0	400	2,840	2,940	2,940	20%	102	3.6%
	W. of Oriole Rd.	6LD	0	400	2,840	2,940	2,940	30%	152	5.4%
	W. of Three Oaks Pkwy.	6LD	0	400	2,840	2,940	2,940	40%	203	7.2%
	E. of Three Oaks Pkwy.	6LD	0	400	2,840	2,940	2,940	30%	152	5.4%
	E. of I-75	6LD	0	400	2,840	2,940	2,940	15%	76	2.7%
	E. of Ben Hill Griffin Pkwy.	2LU	130	420	850	1,210	1,640	1%	5	0.6%
Three Oaks Pkwy.	S. of Alico Rd.	4LD	0	250	1,840	1,960	1,960	30%	152	8.3%
	S. of San Carlos Blvd.	4LD	0	250	1,840	1,960	1,960	20%	102	5.5%
I-75	N. of Alico Rd.	6LF	0	3,660	5,030	6,240	6,500	10%	51	1.0%
	S. of Alico Rd.	6LF	0	3,660	5,030	6,240	6,500	5%	25	0.5%
Ben Hill Griffin Pkwy.	N. of Alico Rd.	4LD	0	250	1,840	1,960	1,960	5%	25	1.4%
	S. of Alico Rd.	6LD	0	400	2,840	2,940	2,940	10%	51	1.8%
Oriole Rd.	S. of Alico Rd.	2LU	0	0	310	660	740	10%	51	16.4%
Lee Rd.	S. of Alico Rd.	2LU	0	0	310	660	740	10%	51	16.4%
U.S. 41	N. of Alico Rd.	6LD	0	400	2,840	2,940	2,940	5%	25	0.9%
	S. of Alico Rd.	6LD	0	400	2,840	2,940	2,940	10%	51	1.8%

\* Level of Service thresholds were obtained from the Lee County Generalized Level of Service Volumes on Arterials.

For I-75, FDOT Q/LOS Handbook, Table 7 (3/14/2018) service volumes were utilized

**TABLE 6A**  
**LEE COUNTY TRAFFIC COUNTS AND CALCULATIONS**  
**VINTAGE COMMERCE CENTER CPD**

TOTAL PROJECT TRAFFIC AM =	229	VPH	IN =	154	OUT=	75
TOTAL PROJECT TRAFFIC PM =	961	VPH	IN=	453	OUT=	508

ROADWAY	SEGMENT	PCS#	BASE YR	2017		2024		2024		2024			
				ADT	YRS OF	ANNUAL	PK SEASON	PEAK DIRECTION	PROJECT	AM PROJ	PM PROJ	+ AM PROJ	
				ADT	GROWTH	RATE	PEAK DIR. <sup>1</sup>	VOLUME	LOS	TRAFFIC	TRAFFIC	VOLUME	
Alico Rd.	W. of Three Oaks Pkwy.	204	19,500	22,100	8	2.00%	1,035	1,189	C	40%	62	203	1,250
	E. of Three Oaks Pkwy.	10	26,600	44,800	8	6.73%	2,285	3,606	F	30%	46	152	3,652
	E. of I-75	53	20,800	24,600	8	2.12%	1,154	1,336	C	15%	23	76	1,360
Three Oaks Pkwy.	S. of Alico Rd.	414	9,500	14,100	7	5.80%	715	1,061	C	30%	46	152	1,107
Oriole Rd.	S. of Alico Rd.	120181	3,100	2,900	2	2.00%	139	160	C	10%	15	51	175
Lee Rd.	S. of Alico Rd.	121219	7,100	7,100	2	2.00%	544	625	D	10%	15	51	640
													676

<sup>1</sup> Current peak hour peak season peak direction traffic volumes for all roadways were obtained from the 2018 Lee County Public Facilities Level of Service and Concurrency Report. AGR for Alico Road and Three Oaks Parkway was calculated based the historical traffic data obtained from 2017 Lee County Traffic Count Report.

\* AGR for Oriole Road and Lee Road was calculated based the historical traffic data obtained from Florida Traffic Online webpage.

## **SUPPLEMENTAL FIGURES**


**A-1, A-2, A-3 & A-4**

RECEIVED  
FEB 13 2019


COMMUNITY DEVELOPMENT

DCI 2018-10022

F1809.01



F1809.01



RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

TR TRANSPORTATION CONSULTANTS, INC

ASSIGNMENT & DISTRIBUTION OF  
PASS-BY PROJECT TRIPS  
VINTAGE COMMERCE CENTER CPD







Figure A-2

F1809:01



F1809.01

THREE OAKS PKWY.



LEGEND

- ↑ 000 WEEKDAY AM PEAK HOUR TRAFFIC
- ↑(000) WEEKDAY PM PEAK HOUR TRAFFIC
- 20% ONE-WAY TRIP DISTRIBUTION

**FDOT GENERALIZED PEAK HOUR  
DIRECTIONAL VOLUMES FOR  
FLORIDA'S URBANIZED AREAS**

**TABLE 7**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

TABLE 7

**Generalized Peak Hour Directional Volumes for Florida's  
Urbanized Areas<sup>1</sup>**

03/14/2018

<b>INTERRUPTED FLOW FACILITIES</b>					<b>UNINTERRUPTED FLOW FACILITIES</b>									
<b>STATE SIGNALIZED ARTERIALS</b>					<b>FREways</b>									
<b>Principal (1 signal per half mile)</b>					<b>FREeways</b>									
Lanes	Median	B	C	D	E	2	2,510	3,410	4,230					
1	Undivided	*	200	690	930	3	3,660	5,030	6,240					
2	Divided	50	1,350	1,790	1,870	4	4,820	6,670	8,310					
3	Divided	80	2,040	2,690	2,820	5	6,580	9,240	10,840					
<b>Minor (1 signal per quarter mile)</b>					<b>Freeway Adjustments</b>									
Lanes	Median	B	C	D	E	Auxiliary Lane	Ramp Metering							
1	Undivided	*	*	210	710	+ 1,000	+ 5%							
2	Divided	*	470	1,390	1,840									
3	Divided	*	880	2,190	2,780									
<b>Non-State Signalized Roadway Adjustments</b>														
(Alter corresponding state volumes by the indicated percent.)														
Non-State Signalized Roadways - 10%														
<b>Median &amp; Turn Lane Adjustments</b>														
Lanes	Median	Exclusive Left Lanes	Exclusive Right Lanes	Adjustment Factors	<b>UNINTERRUPTED FLOW HIGHWAYS</b>									
1	Divided	Yes	No	+5%	Lanes	Median	B	C	D					
1	Undivided	No	No	-20%	1	Undivided	610	930	1,260					
Multi	Undivided	Yes	No	-5%	2	Divided	1,840	2,660	3,350					
Multi	Undivided	No	No	-25%	3	Divided	2,770	3,990	5,020					
-	-	-	Yes	+ 5%	<b>Uninterrupted Flow Highway Adjustments</b>									
<b>One-Way Facility Adjustment</b>														
Multiply the corresponding directional volumes in this table by 1.2														
<b>BICYCLE MODE<sup>2</sup></b>														
(Multiply motorized vehicle volumes shown below by number of directional roadway lanes to determine two-way maximum service volumes.)														
Paved Shoulder/Bicycle														
Lane Coverage		B	C	D	E	Values shown are presented as peak hour directional volumes for levels of service and are for the automobile/truck modes unless specifically stated. This table does not constitute a standard and should be used only for general planning applications. The computer models from which this table is derived should be used for more specific planning applications. The table and deriving computer models should not be used for corridor or intersection design, where more refined techniques exist. Calculations are based on planning applications of the Highway Capacity Manual and the Transit Capacity and Quality of Service Manual.								
0-49%		*	150	390	1,000									
50-84%		110	340	1,000	>1,000									
85-100%		470	1,000	>1,000	**									
<b>PEDESTRIAN MODE<sup>2</sup></b>														
(Multiply motorized vehicle volumes shown below by number of directional roadway lanes to determine two-way maximum service volumes.)														
Sidewalk Coverage		B	C	D	E									
0-49%		*	*	140	480									
50-84%		110	80	440	800									
85-100%		200	540	880	>1,000									
<b>BUS MODE (Scheduled Fixed Route)<sup>3</sup></b>														
(Buses in peak hour in peak direction)														
Sidewalk Coverage		B	C	D	E									
0-34%		> 5	$\geq 4$	$\geq 3$	$\geq 2$									
85-100%		> 4	$\geq 3$	$\geq 2$	$\geq 1$									

COMMUNITY DEVELOPMENT

DCI 2018-10022

**LEE COUNTY GENERALIZED PEAK  
HOUR DIRECTIONAL SERVICE  
VOLUMES TABLE**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

Lee County  
Generalized Peak Hour Directional Service Volumes  
Urbanized Areas

April 2016

c:\input5

Uninterrupted Flow Highway						
Level of Service						
Lane	Divided	A	B	C	D	E
1	Undivided	130	420	850	1,210	1,640
2	Divided	1,060	1,810	2,560	3,240	3,590
3	Divided	1,600	2,720	3,840	4,860	5,380
Arterials						
Class I (40 mph or higher posted speed limit)						
Level of Service						
Lane	Divided	A	B	C	D	E
1	Undivided	*	140	800	860	860
2	Divided	*	250	1,840	1,960	1,960
3	Divided	*	400	2,840	2,940	2,940
4	Divided	*	540	3,830	3,940	3,940
Class II (35 mph or slower posted speed limit)						
Level of Service						
Lane	Divided	A	B	C	D	E
1	Undivided	*	*	330	710	780
2	Divided	*	*	710	1,590	1,660
3	Divided	*	*	1,150	2,450	2,500
4	Divided	*	*	1,580	3,310	3,340
Controlled Access Facilities						
Level of Service						
Lane	Divided	A	B	C	D	E
1	Undivided	*	160	880	940	940
2	Divided	*	270	1,970	2,100	2,100
3	Divided	*	430	3,050	3,180	3,180
Collectors						
Level of Service						
Lane	Divided	A	B	C	D	E
1	Undivided	*	*	310	660	740
1	Divided	*	*	330	700	780
2	Undivided	*	*	730	1,440	1,520
2	Divided	*	*	770	1,510	1,600

Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode, and bus mode should be from FDOT's most current version of LOS Handbook.

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT  
DCI 2018-10022

**TRAFFIC DATA**  
**FDOT FLORIDA TRAFFIC ONLINE**

DCI 2018:10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 6055 - SR 93/I 75, SOUTH OF ALICO ROAD

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2007	10100 C	N 50500	S 51000	9.00	58.10	9.90
2016	100500 C	N 50000	S 50500	9.00	58.10	9.10
2015	93000 C	N 46000	S 47000	9.00	56.80	11.20
2014	84500 C	N 42500	S 42000	9.00	56.40	9.40
2013	81500 C	N 41000	S 40500	9.00	57.70	8.00
2012	74000 C	N 37500	S 36500	9.00	56.40	10.50
2011	70000 C	N 35000	S 35000	9.00	55.80	9.50
2010	70500 C	N 35000	S 35500	9.64	55.58	9.70
2009	70000 S	N 35500	S 34500	9.40	55.84	13.60
2008	71000 F	N 36000	S 35000	9.07	55.79	17.00
2007	72000 C	N 36500	S 35500	9.29	52.37	17.00
2006	78000 C	N 39000	S 39000	8.72	54.35	17.00
2005	76000 C	N 38000	S 38000	8.90	52.90	13.10
2004	67500 C	N 33500	S 34000	9.20	51.40	13.10
2003	64500 C	N 32000	S 32500	9.60	52.50	13.10
2002	65500 F	N 32500	S 33000	9.80	55.70	13.10

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; G = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

RECEIVED  
2018  
COMMUNITY DEVELOPMENT

FLORIDA DEPARTMENT OF TRANSPORTATION  
 TRANSPORTATION STATISTICS OFFICE  
 2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 6060 - BEN HILL GRIFFIN PKWY, S OF MIDFIELD TERMINAL RD, PTMS 2060, LCPR 60 SIS

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	19700 F	0	0	9.00	55.20	4.30
2016	19784 C	N 10512	S 9272	9.50	56.10	4.90
2015	25500 F	N 11613	S 0	9.50	53.40	5.20
2014	25322 C	N 13756	S 11566	9.50	53.40	3.00
2013	25076 C	N 13289	S 11787	9.50	53.40	4.20
2012	23983 C	N 12455	S 11528	9.50	53.70	3.90
2011	24144 C	N 12544	S 11600	9.50	54.70	3.10
2010	23565 C	N 12207	S 11358	10.70	54.88	3.40
2009	23769 C	N 12319	S 11450	11.41	56.94	4.30
2008	24426 C	N 12712	S 11714	11.06	58.89	3.30

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2019

DCI U 18\_10022

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 4514 - BEN HILL GRIFFIN PKWY, S OF ALICO RD LC 514

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	23000 C	N 11000	S 12000	9.00	53.20	3.20
2016	32000 S	N 18000	S 14000	9.00	56.10	2.10
2015	33500 F	N 19000	S 14500	9.00	55.50	2.10
2014	32000 C	N 18000	S 14000	9.00	52.00	2.10
2013	26000 S	N 15000	S 11000	9.50	54.60	1.90
2012	25000 F	N 14500	S 10500	9.50	52.80	1.90
2011	25000 C	N 14500	S 10500	9.50	53.20	1.90
2010	28000 S	N 16000	S 12000	10.28	55.69	2.10
2009	29000 F	N 16500	S 12500	10.29	55.14	2.10
2008	30000 C	N 17000	S 13000	10.77	53.61	2.10

RECEIVED  
FEB 13 2018  
COMMUNITY DEVELOPMENT

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 0118 - ALICO RD, E OF BEN HILL GRIFFIN PKWY

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	7400 F	E 3700	W 3700	9.00	54.90	52.70
2016	7000 C	E 3500	W 3500	9.00	54.80	52.70
2015	4200 C	E 2100	W 2100	9.00	55.50	42.10

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR - STARTING WITH YEAR 2011 IS STANDARD K, PRIOR YEARS ARE K30 VALUES

COMMUNITY DEVELOPMENT

RECEIVED

FEB 13 2019

OCT 2018 10022

DCI

COUNTY: 12 - LEE  
2018  
2002  
RECEIVED  
COMMUNITY DEVELOPMENT

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

SITE: 0184 - SR 93/I-75, 1.7 MI S OF DANIELS PKWY U/P, LEE CO

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	102014 C	N 50580	S 51434	9.00	59.80	9.40
2016	98964 C	N 49086	S 49878	9.00	59.80	9.10
2015	89417 C	N 44274	S 45143	9.00	58.40	9.10
2014	77211 C	N 38722	S 38489	9.00	58.40	8.40
2013	73894 C	N 35681	S 36113	9.00	58.40	8.40
2012	71268 C	N 35966	S 35902	9.00	56.20	8.30
2011	70160 C	N 35176	S 34984	9.00	55.60	8.40
2010	67723 C	N 33359	S 34364	9.78	54.70	8.60
2009	54000 F	0	0	9.40	55.84	13.60
2008	54884 C	N 28740	S 26144	8.79	56.75	16.50
2007	55702 C	N 29310	S 26392	8.79	56.75	16.50
2006	56478 C	N 29511	S 26967	8.79	56.75	16.50
2005	54009 C	N 28021	S 25988	8.80	54.70	15.30
2004	50801 C	N 26584	S 24217	9.70	57.80	9.00
2003	48500 F	N 25500	S 23000	9.70	57.80	9.00
2002	46667 C	N 24674	S 21993	9.70	57.80	13.10

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR; STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 6053 - ALICO RD, 1800' W OF BEN HILL GRIFFIN PKWY/E OF I-75, PTMS 2053, LCPR 53 SIS

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	23500 F	0	0	9.00	53.20	4.30
2016	23925 C	E 12202	W 11723	9.50	56.10	4.90
2015	24802 C	E 12550	W 12252	9.50	52.40	5.20
2014	27924 C	E 14105	W 13819	9.50	52.40	3.00
2013	27139 C	E 13558	W 13581	9.50	52.40	4.20
2012	25846 C	E 12282	W 13564	9.50	54.50	3.90
2011	26264 C	E 12202	W 14062	9.50	55.30	3.10
2010	25233 C	E 11580	W 13653	10.08	54.76	3.40
2009	20800 F	0	0	10.29	55.14	4.30
2008	21150 C	E 10077	W 11073	10.77	53.61	7.00

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2019  
DCI 2018-10022

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

DCT

2

COUNTY: 02 - LEE

SITE: 6010 - ALICO RD 1000' W OF I-75 PTMS: 2010 LCPR: 10

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	44000	F 0	0	9.00	52.40	4.30
2016	43896	C E 22423	W 21473	9.00	52.40	4.90
2015	37919	C E 18433	W 19482	9.00	59.80	5.20
2014	28000	F E	W	9.00	59.80	3.00
2013	29223	C E 12064	W 17149	9.00	59.80	4.20
2012	27081	C E 9725	W 17359	9.00	57.50	3.90
2011	25406	F E 10942	W 14464	9.00	57.50	3.10
2010	26061	C E 11693	W 14368	10.10	57.46	3.40
2009	27337	C E 12407	W 14930	10.19	54.58	4.30
2008	25881	C E 11650	W 14181	10.77	53.61	8.50

RECEIVED  
FEB 24 2018

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
 V = FIFTH YEAR ESTIMATE; G = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES.

FLORIDA DEPARTMENT OF TRANSPORTATION  
 TRANSPORTATION STATISTICS OFFICE  
 2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 4177 - ALICO ROAD, EAST OF S.R. 45 / U.S. 41

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	22500 T	E 11500	W 11000	9.00	54.90	4.40
2016	21500 S	E 11000	W 10500	9.00	54.80	8.30
2015	20500 F	E 10500	W 10000	9.00	55.50	8.30
2014	19700 C	E 10000	W 9700	9.00	55.20	8.30
2013	21500 S	E 10500	W 11000	9.00	55.00	4.00
2012	21500 F	E 10500	W 11000	9.00	55.30	4.20
2011	21500 C	E 10500	W 11000	9.00	55.20	4.20

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

DCI 2018\_10022

RECEIVED

FEB 13 2019

DCI

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 0067 - SR 45/US 41, NORTHWEST OF ALICO ROAD

LC420

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	52000 C	N 25500	S 26500	9.00	53.20	4.60
2016	53000 C	N 26500	S 26500	9.00	56.20	4.30
2015	58500 C	N 29000	S 29500	9.00	54.50	3.70
2014	52000 C	N 25500	S 26500	9.00	54.60	3.50
2013	60000 C	N 24500	S 25500	9.00	59.70	4.20
2012	60500 C	N 30500	S 30000	9.00	54.30	4.80
2011	63000 C	N 31500	S 31500	9.00	55.00	4.40
2010	62000 C	N 31500	S 30500	10.32	57.60	4.00
2009	66500 C	N 28500	S 28000	10.24	54.47	4.60
2008	59000 C	N 30000	S 29000	10.37	58.94	5.10
2007	55000 C	N 28500	S 26500	10.16	54.76	5.40
2006	61500 C	N 31500	S 30000	10.23	54.38	5.40
2005	59500 C	N 30000	S 29500	10.30	54.10	8.20
2004	61500 C	N 31500	S 30000	9.90	54.30	8.20
2003	57500 C	N 29500	S 28000	9.80	55.60	8.20
2002	51500 C	N 26500	S 25000	10.20	57.20	5.60

RECEIVED  
COMMUNITY DEVELOPMENT  
FEB 13 2018

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; G = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 0066 - SR 45/US 41, SOUTHEAST OF ALICO ROAD

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	49500 C	N 24500	S 25000	9.00	53.20	4.00
2016	50000 C	N 25000	S 25000	9.00	56.20	4.60
2015	48000 C	N 24000	S 24000	9.00	54.50	4.30
2014	43000 C	N 21500	S 21500	9.00	54.60	3.50
2013	41000 C	N 20500	S 20500	9.00	59.70	4.50
2012	41000 C	N 20500	S 20500	9.00	54.30	5.10
2011	43000 C	N 21000	S 22000	9.00	55.00	3.90
2010	42500 C	N 21000	S 21500	10.32	57.60	3.60
2009	42500 C	N 21000	S 21500	10.24	54.47	4.40
2008	46500 C	N 23000	S 23500	10.37	58.94	4.80
2007	53000 F	N 26500	S 26500	10.16	54.76	4.60
2006	50000 C	N 25000	S 25000	10.23	54.38	4.60
2005	59000 F	N 29500	S 29500	10.30	54.10	6.20
2004	55000 C	N 27500	S 27500	9.90	54.30	6.20
2003	44500 C	N 22500	S 22000	9.80	55.60	6.20
2002	45000 C	N 22000	S 23000	10.20	57.20	8.00

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2019  
DCI 2018-10022

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

DCI

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 4414 - THREE CAKES PKWY, S OF ALICO RD LC 414

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	1900 T	N 7800	S 6700	9.00	53.20	4.00
2016	14500 S	N 8100	S 7000	9.00	56.10	3.90
2015	1100 E	N 7700	S 6700	9.00	55.50	3.90
2014	14400 D	N 6300	S 5600	9.00	52.00	3.90
2013	1900 C	N 6000	S 5400	9.00	54.60	3.50
2012	14400 F	N 6000	S 5400	9.00	52.80	3.50
2011	1400 C	N 5700	S 5400	9.00	53.20	3.50
2010	1100 S	N 5800	S 5500	10.28	55.69	5.60
2009	1300 R	N 6000	S 5700	10.29	55.14	5.60
2008	11700 C	N 6000	S 5700	10.77	53.61	5.60

RECEIVED  
FEB 13 2019  
COMMUNITY DEVELOPMENT

2018-10022

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARD, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION  
 TRANSPORTATION STATISTICS OFFICE  
 2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 4617 - E. CARLOS BLVD., EAST OF S.R. 45 / U.S. 41

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	8800 T	E 4300	W 4500	9.00	53.20	4.20
2016	8600 S	E 4200	W 4400	9.00	60.30	4.40
2015	9000 F	E 4400	W 4600	9.00	55.50	4.40
2014	8600 C	E 4200	W 4400	9.00	55.20	4.40
2013	5300 S	0	0	9.00	55.00	3.30
2012	5300 F	0	0	9.00	55.30	2.90
2011	5300 C	E 0	W 0	9.00	55.20	2.80

COMMUNITY DEVELOPMENT

**RECEIVED**

DCI 2018-10022  
 FEB 13 2019

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

DCI 2018-10022

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 LEE

SITE: 1219 - SANIBEL BLVD, BTWN PHLOX DR AND SUNFLOWER RD

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	7100 S	N 3500	S 3600	9.00	53.20	7.40
2016	6900 E	N 3400	S 3500	9.00	55.50	7.00
2015	7100 C	N 3500	S 3600	9.00	55.50	5.90

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2019

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES.

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 0181 - ORIOLE RD, S OF ALICO RD

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	2900 S	N 1400	S 1500	9.00	53.20	4.20
2016	2900 F	N 1400	S 1500	9.00	60.30	4.00
2015	3100 C	N 1500	S 1600	9.00	55.50	2.50

COMMUNITY DEVELOPMENT

RECEIVED

FEB 13 2019

DCI 2018-10022

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

OCT 2018  
FEB 2022

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2022

FLORIDA DEPARTMENT OF TRANSPORTATION  
TRANSPORTATION STATISTICS OFFICE  
2017 HISTORICAL AADT REPORT

COUNTY: 12 - LEE

SITE: 5046 - SR-739/MICHAEL G RIPPE PKWY- S OF BRIARCLIFF RD - FT MYERS

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2017	24000 C	N 13000	S 11000	9.00	53.20	5.20
2016	23500 C	N 12500	S 11000	9.00	57.90	6.70
2015	21500 C	N 11500	S 10000	9.00	58.40	6.10
2014	21000 C	N 11000	S 10000	9.00	56.40	6.70
2013	16800 C	N 8600	S 8200	9.00	64.00	5.60

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE  
S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE  
V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

\*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES.

2017 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL  
 CATEGORY: 1275 LEE I75

MOCF: 0.91

WEEK	DATES	SF	PSCF
1	01/01/2017 - 01/07/2017	0.96	1.05
2	01/08/2017 - 01/14/2017	0.96	1.05
3	01/15/2017 - 01/21/2017	0.96	1.05
* 4	01/22/2017 - 01/28/2017	0.94	1.03
* 5	01/29/2017 - 02/04/2017	0.93	1.02
* 6	02/05/2017 - 02/11/2017	0.91	1.00
* 7	02/12/2017 - 02/18/2017	0.89	0.98
* 8	02/19/2017 - 02/25/2017	0.89	0.98
* 9	02/26/2017 - 03/04/2017	0.88	0.97
*10	03/05/2017 - 03/11/2017	0.88	0.97
*11	03/12/2017 - 03/18/2017	0.88	0.97
*12	03/19/2017 - 03/25/2017	0.89	0.98
*13	03/26/2017 - 04/01/2017	0.91	1.00
*14	04/02/2017 - 04/08/2017	0.92	1.01
*15	04/09/2017 - 04/15/2017	0.94	1.03
*16	04/16/2017 - 04/22/2017	0.96	1.05
17	04/23/2017 - 04/29/2017	0.98	1.08
18	04/30/2017 - 05/06/2017	1.00	1.10
19	05/07/2017 - 05/13/2017	1.02	1.12
20	05/14/2017 - 05/20/2017	1.04	1.14
21	05/21/2017 - 05/27/2017	1.05	1.15
22	05/28/2017 - 06/03/2017	1.07	1.18
23	06/04/2017 - 06/10/2017	1.08	1.19
24	06/11/2017 - 06/17/2017	1.10	1.21
25	06/18/2017 - 06/24/2017	1.09	1.20
26	06/25/2017 - 07/01/2017	1.09	1.20
27	07/02/2017 - 07/08/2017	1.09	1.20
28	07/09/2017 - 07/15/2017	1.09	1.20
29	07/16/2017 - 07/22/2017	1.09	1.20
30	07/23/2017 - 07/29/2017	1.09	1.20
31	07/30/2017 - 08/05/2017	1.09	1.20
32	08/06/2017 - 08/12/2017	1.09	1.20
33	08/13/2017 - 08/19/2017	1.10	1.21
34	08/20/2017 - 08/26/2017	1.14	1.25
35	08/27/2017 - 09/02/2017	1.19	1.31
36	09/03/2017 - 09/09/2017	1.23	1.35
37	09/10/2017 - 09/16/2017	1.28	1.41
38	09/17/2017 - 09/23/2017	1.22	1.34
39	09/24/2017 - 09/30/2017	1.16	1.27
40	10/01/2017 - 10/07/2017	1.11	1.22
41	10/08/2017 - 10/14/2017	1.05	1.15
42	10/15/2017 - 10/21/2017	1.00	1.10
43	10/22/2017 - 10/28/2017	0.99	1.09
44	10/29/2017 - 11/04/2017	0.98	1.08
45	11/05/2017 - 11/11/2017	0.97	1.07
46	11/12/2017 - 11/18/2017	0.96	1.05
47	11/19/2017 - 11/25/2017	0.96	1.05
48	11/26/2017 - 12/02/2017	0.96	1.05
49	12/03/2017 - 12/09/2017	0.96	1.05
50	12/10/2017 - 12/16/2017	0.96	1.05
51	12/17/2017 - 12/23/2017	0.96	1.05
52	12/24/2017 - 12/30/2017	0.96	1.05
53	12/31/2017 - 12/31/2017	0.96	1.05

\* PEAK SEASON

02-MAR-2018 15:35:05

830UPD

i\_1275\_pkseason.txt  
 DCI 2018\_10022

RECEIVED  
 FEB 13 2019

COMMUNITY DEVELOPMENT

2017 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL  
 CATEGORY: 1201 US41

MOCF: 0.95  
 PSCE

WEEK	DATES	SF	
1	01/01/2017 - 01/07/2017	0.97	1.02
2	01/08/2017 - 01/14/2017	0.98	1.03
3	01/15/2017 - 01/21/2017	0.98	1.03
* 4	01/22/2017 - 01/28/2017	0.97	1.02
* 5	01/29/2017 - 02/04/2017	0.96	1.01
* 6	02/05/2017 - 02/11/2017	0.94	0.99
* 7	02/12/2017 - 02/18/2017	0.93	0.98
* 8	02/19/2017 - 02/25/2017	0.93	0.98
* 9	02/26/2017 - 03/04/2017	0.93	0.98
*10	03/05/2017 - 03/11/2017	0.92	0.97
*11	03/12/2017 - 03/18/2017	0.92	0.97
*12	03/19/2017 - 03/25/2017	0.93	0.98
*13	03/26/2017 - 04/01/2017	0.95	1.00
*14	04/02/2017 - 04/08/2017	0.96	1.01
*15	04/09/2017 - 04/15/2017	0.97	1.02
*16	04/16/2017 - 04/22/2017	0.98	1.03
17	04/23/2017 - 04/29/2017	0.99	1.04
18	04/30/2017 - 05/06/2017	0.99	1.04
19	05/07/2017 - 05/13/2017	1.00	1.05
20	05/14/2017 - 05/20/2017	1.01	1.06
21	05/21/2017 - 05/27/2017	1.03	1.08
22	05/28/2017 - 06/03/2017	1.06	1.12
23	06/04/2017 - 06/10/2017	1.08	1.14
24	06/11/2017 - 06/17/2017	1.10	1.16
25	06/18/2017 - 06/24/2017	1.10	1.16
26	06/25/2017 - 07/01/2017	1.09	1.15
27	07/02/2017 - 07/08/2017	1.09	1.15
28	07/09/2017 - 07/15/2017	1.08	1.14
29	07/16/2017 - 07/22/2017	1.07	1.13
30	07/23/2017 - 07/29/2017	1.06	1.12
31	07/30/2017 - 08/05/2017	1.06	1.12
32	08/06/2017 - 08/12/2017	1.05	1.11
33	08/13/2017 - 08/19/2017	1.04	1.09
34	08/20/2017 - 08/26/2017	1.07	1.13
35	08/27/2017 - 09/02/2017	1.11	1.17
36	09/03/2017 - 09/09/2017	1.14	1.20
37	09/10/2017 - 09/16/2017	1.17	1.23
38	09/17/2017 - 09/23/2017	1.13	1.19
39	09/24/2017 - 09/30/2017	1.09	1.15
40	10/01/2017 - 10/07/2017	1.04	1.09
41	10/08/2017 - 10/14/2017	1.00	1.05
42	10/15/2017 - 10/21/2017	0.96	1.01
43	10/22/2017 - 10/28/2017	0.96	1.01
44	10/29/2017 - 11/04/2017	0.97	1.02
45	11/05/2017 - 11/11/2017	0.97	1.02
46	11/12/2017 - 11/18/2017	0.97	1.02
47	11/19/2017 - 11/25/2017	0.97	1.02
48	11/26/2017 - 12/02/2017	0.97	1.02
49	12/03/2017 - 12/09/2017	0.97	1.02
50	12/10/2017 - 12/16/2017	0.97	1.02
51	12/17/2017 - 12/23/2017	0.97	1.02
52	12/24/2017 - 12/30/2017	0.98	1.03
53	12/31/2017 - 12/31/2017	0.98	1.03

\* PEAK SEASON

02-MAR-2018 15:35:04

830UPD

1\_1201\_PKSEASON.TXT

RECEIVED  
 FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018-10022

2017 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL  
 CATEGORY: 1200 LEE COUNTYWIDE

WEEK	DATES	SF	MOCF: 0.91
			PSCF
1	01/01/2017 - 01/07/2017	1.05	1.15
2	01/08/2017 - 01/14/2017	1.01	1.11
3	01/15/2017 - 01/21/2017	0.96	1.05
* 4	01/22/2017 - 01/28/2017	0.95	1.04
* 5	01/29/2017 - 02/04/2017	0.93	1.02
* 6	02/05/2017 - 02/11/2017	0.91	1.00
* 7	02/12/2017 - 02/18/2017	0.90	0.99
* 8	02/19/2017 - 02/25/2017	0.89	0.98
* 9	02/26/2017 - 03/04/2017	0.89	0.98
*10	03/05/2017 - 03/11/2017	0.88	0.97
*11	03/12/2017 - 03/18/2017	0.87	0.96
*12	03/19/2017 - 03/25/2017	0.89	0.98
*13	03/26/2017 - 04/01/2017	0.90	0.99
*14	04/02/2017 - 04/08/2017	0.91	1.00
*15	04/09/2017 - 04/15/2017	0.93	1.02
*16	04/16/2017 - 04/22/2017	0.94	1.03
17	04/23/2017 - 04/29/2017	0.96	1.05
18	04/30/2017 - 05/06/2017	0.97	1.07
19	05/07/2017 - 05/13/2017	0.99	1.09
20	05/14/2017 - 05/20/2017	1.00	1.10
21	05/21/2017 - 05/27/2017	1.02	1.12
22	05/28/2017 - 06/03/2017	1.04	1.14
23	06/04/2017 - 06/10/2017	1.07	1.18
24	06/11/2017 - 06/17/2017	1.09	1.20
25	06/18/2017 - 06/24/2017	1.08	1.19
26	06/25/2017 - 07/01/2017	1.08	1.19
27	07/02/2017 - 07/08/2017	1.08	1.19
28	07/09/2017 - 07/15/2017	1.08	1.19
29	07/16/2017 - 07/22/2017	1.08	1.19
30	07/23/2017 - 07/29/2017	1.08	1.19
31	07/30/2017 - 08/05/2017	1.08	1.19
32	08/06/2017 - 08/12/2017	1.08	1.19
33	08/13/2017 - 08/19/2017	1.08	1.19
34	08/20/2017 - 08/26/2017	1.13	1.24
35	08/27/2017 - 09/02/2017	1.19	1.31
36	09/03/2017 - 09/09/2017	1.24	1.36
37	09/10/2017 - 09/16/2017	1.29	1.42
38	09/17/2017 - 09/23/2017	1.25	1.37
39	09/24/2017 - 09/30/2017	1.22	1.34
40	10/01/2017 - 10/07/2017	1.18	1.30
41	10/08/2017 - 10/14/2017	1.15	1.26
42	10/15/2017 - 10/21/2017	1.11	1.22
43	10/22/2017 - 10/28/2017	1.10	1.21
44	10/29/2017 - 11/04/2017	1.09	1.20
45	11/05/2017 - 11/11/2017	1.07	1.18
46	11/12/2017 - 11/18/2017	1.06	1.16
47	11/19/2017 - 11/25/2017	1.06	1.16
48	11/26/2017 - 12/02/2017	1.06	1.16
49	12/03/2017 - 12/09/2017	1.05	1.15
50	12/10/2017 - 12/16/2017	1.05	1.15
51	12/17/2017 - 12/23/2017	1.02	1.12
52	12/24/2017 - 12/30/2017	0.99	1.09
53	12/31/2017 - 12/31/2017	0.96	1.05

\* PEAK SEASON

02-MAR-2018 15:35:04

830UPD

1\_1200\_PKSEASON.TXT

DCI 2018\_10022

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

# **TRAFFIC DATA FROM THE 2017 LEE COUNTY TRAFFIC COUNT REPORT**

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT  
**DCI 2018-10022**

UPDATED 18-Apr-2018		Station #	Daily Traffic Volume (AADT)										
STREET	LOCATION		2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	Sqd
A & W BULB RD	N OF GLADIOLUS DR	215		6400	7700		6800		6600		7100	37	
ALABAMA RD	N OF IMMOKALEE RD	201	6100	5700	5700				6800		7100	6	
ALABAMA RD	S OF HOMESTEAD RD	200	8800	9000	9100	8800	11100	9000	9300	10300	11000		6
ALICO RD	E OF US 41	204	18100	19500	21400	21800	21700	23400	19900	21900	24100	22100	10
ALICO RD	E OF LEE RD	207	20100	19900	22700								10
ALICO RD	W OF I-75	10	28300	26600	26100	25800	27200	29100	38400	41100	43600	44800	
ALICO RD	E OF I-75	53	12300	20800	25700	26200	26000	26900	28400	25600	24300	24600	
ALICO RD	E OF BEN HILL GRIFFIN PKWAY	205	5800	3600	2600			7500		8500		53	
ALICO RD	N OF CORKSCREW RD	206	2000	1400	1500								53
ARROYAL ST	N OF BONITA BEACH RD	496	4700	4000									42
BABCOCK RD	E OF US 41	461	1400	1300	1200								25
BALLARD RD	W OF ORTIZ AV	504	4100	3500	3400								20
BARRETT RD	S OF PINE ISLAND RD	509	2600	2300									49
BASS RD	N OF SUMMERLIN RD	216	9100	10400	10000	8200		8400		8200		11500	36

**DCI**  
**RECEIVED**  
 FEB 13 2019  
 2018-10022

COMMUNITY DEVELOPMENT

DCI 2 U

UPDATED 18-Apr-2018

30001

RECEIVED

FEB 13 2019

TU022

COMMUNITY DEVELOPMENT

STREET	LOCATION	Station #	Daily Traffic Volume (AADT)										Area
			2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	
SUNRISE BLVD	E OF BELL BLVD	480	800	700	900								6
SUNSHINE BLVD	N OF IMMOKALEE RD	413	3600	2800	3000			3900	4000		3900		22
SUNSHINE BLVD	S OF LEE BLVD	406	5300	5700	6500			6100	7100		7500		22
SUNSHINE BLVD	N OF LEE BLVD (CR 884)	412	9100	8600	9600			10300	8300		10100		22
SUNSHINE BLVD	N OF W 12TH ST	479	6200	5200									22
TERMINAL ACCESS RD	E OF TREELINE AVE	59	23800	23400	23800	24000	23300	23500	26400				
THREE OAKS PKWY	S OF CORKSCREW RD	525	17700	15700	16700	16100	18700	18800		20900	21800	25100	25
THREE OAKS PKWY	N OF CORKSCREW RD	415		15100	13200	14700	20200	19900					25
THREE OAKS PKWY	S OF ESTERO PKWY	72						16000	16600	16500	16800	17900	
THREE OAKS PKWY	S OF ALICO RD	414			9500	9500	12700	13700	11800	12300	13100	14100	25
TICE ST	W OF ORTIZ AV	417	2900	2500	2600								20
TICE ST	W OF I 75	416	2600	2200	2400				3000		3500		20
TREELINE AVE	S OF COLONIAL BLVD	453		8800	7300								61
TREELINE AVE	S OF PELICAN COLONY BLVD	62	5600	6900	6600	7300	8200	8900	9700	10800	11600	11800	
TREELINE AVE	N OF DANIELS PKWY	454	5600	4500	5400								61
TREELINE AVE	S OF DANIELS PKWY	502	23500	25900	22100								61
TREELINE AVE	N OF AIRPORT TERMINAL	61	25500	25100	24000	23600	23800	24500	25500	23800	25000	23800	
12 ST W	E OF GUNNERY RD	472	3100	3200	3400				4100				22
23RD ST SW	E OF GUNNERY RD	469	8700	9400	10100			10200	11000		11800	12700	22

**TRAFFIC DATA FROM 2018 LEE  
COUNTY PUBLIC FACILITIES  
LEVEL OF SERVICE AND  
CONCURRENCY REPORT**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

55001-3105 100

evaluate future state highway system needs in the LRTP.<sup>18</sup> Modifications and capacity improvements to the state highway system are under the jurisdiction of FDOT.

Table 18: Existing and Future Roadway LOS on County-Maintained Arterials in Unincorporated Areas

ROADWAY LINK				100TH HIGHEST HOUR DIRECTIONAL VOLUMES						
				STANDARD		2017		2022		NOTES
NAME	FROM	TO	TYPE	LOS	MAX	LOS	EXISTING	LOS	FUTURE	
ALABAMA RD	SR 82	MILWAUKEE BLVD	2LN	E	990	C	387	C	406	
	MILWAUKEE BLVD	HOMESTEAD RD	2LN	E	990	C	424	D	445	
ALEX-ANDER BELL BLVD	SR 82	MILWAUKEE BLVD	2LN	E	990	D	545	D	572	
	MILWAUKEE BLVD	LEELAND HEIGHTS	2LN	E	990	D	545	D	638	Shadow Lakes
ALICO RD	US 41	DUSTY RD	4LD	E	1,980	B	1,035	B	1,106	
	DUSTY RD	LEE RD	6LD	E	2,960	B	1,035	B	1,396	Alico Business Park
	LEE RD	THREE OAKS PKWY	6LD	E	2,960	B	1,035	B	1,283	Three Oaks Regional Center
	THREE OAKS PKWY	I-75	6LD	E	2,960	B	2,285	B	2,401	v/c = 0.77/0.81
	I-75	BEN HILL GRIFFIN BLVD	6LD	E	2,960	B	1,154	B	1,301	
	BEN HILL GRIFFIN BLVD	AIRPORT HAUL RD	2LN/4LD	E	1,100/1,840	C	366	C	770	4 Ln constr 2018
	AIRPORT HAUL RD	GREEN MEADOW DR	2LN	E	1,100	C	366	C	384	
	GREEN MEADOW DR	CORKSCREW RD	2LN	E	1,100	B	131	B	224	
BEN HILL GRIFFIN PKWY	ESTERO PKWY	FGCU ENTRANCE	4LD	E	2,000	B	1,169	B	1,228	
	FGCU ENTRANCE	COLLEGE CLUB DR	4LD	E	2,000	B	1,169	B	1,275	
	COLLEGE CLUB DR	ALICO RD	6LD	E	3,000	B	1,101	B	1,193	
	ALICO RD	TERMINAL ACCESS RD	4LD	E	1,980	A	1,033	A	1,086	
BUCKINGHAM RD	SR 82	GUNNERY RD	2LN	E	990	D	442	D	465	
	GUNNERY RD	ORANGE RIVER BLVD	2LN	E	990	D	490	D	515	
	ORANGE RIVER BLVD	SR 80	2LN	E	990	D	509	F	1,178	v/c = 0.51/1.19 Buckingham 345 & Portico
COLLEGE PKWY	McGREGOR BLVD	WINKLER RD	6LD	E	2,980	D	2,292	D	2,409	v/c = 0.77/0.81
	WINKLER RD	WHISKEY CREEK DR	6LD	E	2,980	D	1,998	D	2,099	
	WHISKEY CREEK DR	SUMMERLIN RD	6LD	E	2,980	D	1,998	D	2,099	
	SUMMERLIN RD	US 41	6LD	E	2,980	D	1,772	D	1,862	
CORKSCREW RD	BELLA TERRA BLVD	ALICO RD	2LN	E	1,140	B	235	E	628	Corkscrew Shores
	ALICO RD	6 L's FARMS RD	2LN	E	1,140	B	246	C	552	The Place
	6 L's FARMS RD	COUNTY LINE	2LN	E	1,140	B	182	C	509	

RECEIVED FEB 13 2019 18 Op. Cl. MPO Long Range Transportation Plan

Table 18 (cont.): Existing and Future Roadway LOS on County-Maintained Arterials in Unincorporated Areas

ROADWAY LINK				100TH HIGHEST HOUR DIRECTIONAL VOLUMES						
				STANDARD		2017		2022		NOTES
NAME	FROM	TO	TYPE	LOS	MAX	LOS	EXISTING	LOS	FUTURE	
SUNSHINE BLVD	SR 82	23RD ST SW	2LN	E	1,010	C	314	C	330	
	23RD ST SW	LEE BLVD	2LN	E	1,010	C	314	C	330	
	LEE BLVD	W 12TH ST	2LN	E	1,010	D	633	D	666	
	W 12TH ST	W 75TH ST	2LN	E	860	D	633	D	666	
THREE OAKS PKWY	ESTERO PKWY	SAN CARLOS BLVD	4LD	E	1,940	B	1,127	B	1,236	
	SAN CARLOS BLVD	ALICO RD	4LD	E	1,940	B	715	B	1,058	
TREELINE AVE	TERMIMAL ACCESS RD	DANIELS PKWY	4LD	E	1,980	A	1,385	B	1,623	v/c = 0.70/0.82 Harley Davidson
	DANIELS PKWY	AMBERWOOD RD	4LD	E	1,980	A	760	A	799	
WINKLER RD	SUMMERLIN RD	GLADIOLUS DR	4LD	E	1,520	C	348	C	366	
	GLADIOLUS DR	BRANDYWINE CIR	2LN	E	880	B	593	B	625	
	BRANDYWINE CIR	CYPRESS LAKE DR	2LN	E	880	B	666	B	700	
	CYPRESS LAKE DR	COLLEGE PKWY	4LD	E	1,780	D	759	D	798	old count projection
	COLLEGE PKWY	McGREGOR BLVD	2LN	E	800	B	350	B	395	old count projection
0.8 < v/c < 0.9	= 100 <sup>th</sup> hour directional volume v/c ratio between 80 and 90 percent of capacity									
0.9 < v/c < 1.0	= 100 <sup>th</sup> hour directional volume v/c ratio between 90 and 100 percent of capacity									
F	= Does not meet the County adopted LOS standard (NOTE: Below LOS standard is acceptable on constrained roads)									



DCI 2018\_10022

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

Table 19: Existing and Future Roadway LOS on County-Maintained Collectors in Unincorporated Areas

ROADWAY LINK				100TH HIGHEST HOUR DIRECTIONAL VOLUMES						
				STANDARD		2017		2022		NOTES
NAME	FROM	TO	TYPE	LOS	MAX	LOS	EXISTING	LOS	FUTURE	
A & W BULB RD	GLADIOLUS DR	McGREGOR BLVD	2LN	E	860	C	358	C	376	
BARRETT RD	PONDELLA RD	PINE ISLAND RD	2LN	E	860	C	103	C	116	old count projection
BASS RD	SUMMERLIN RD	GLADIOLUS DR	4LN	E	1,790	C	612	C	870	
BETH STACEY BLVD	23RD ST	HOMESTEAD RD	2LN	E	860	C	408	D	610	
BRANTLEY RD	SUMMERLIN RD	US 41	2LN	E	860	C	249	C	262	
BRIARCLIFF RD	US 41	TRIPLE CROWN CT	2LN	E	860	C	148	C	169	
BROADWAY RD (ALVA)	SR 80	N. RIVER RD	2LN	E	860	C	181	C	204	old count projection
BROADWAY RD (FT MYERS)	CARRELL RD	HANSON ST	2LN	E	860	C	217	C	228	
CAPTIVA DR	BLIND PASS	SOUTH SEAS	2LN	E	860	C	267	C	302	Constrained, old count
CEMETERY RD	BUCKINGHAM RD	HIGGINS AVE	2LN	E	860	C	284	C	298	
CHAMBERLIN PKWY	AIRPORT ENT	DANIELS PKWY	4LN	E	1,790	C	105	C	150	Port Authority maintained
CONSTITUTION BLVD	US 41	CONSTITUTION CIR	2LN	E	860	C	217	C	245	old count projection
COUNTRY LAKES BLVD	LUCKETT RD	TICE ST	2LN	E	860	C	143	C	162	old count projection
CRYSTAL DR	US 41	METRO PKWY	2LN	E	860	F	889	F	935	v/c = 1.03/1.09
	METRO PKWY	PLANTATION RD	2LN	E	860	C	345	C	362	
DANLEY DR	US 41	METRO PKWY	2LN	E	860	C	346	C	377	
DAVIS RD	McGREGOR BLVD	IONA RD	2LN	E	860	C	15	C	29	old count projection
EAST 21ST ST	JOEL BLVD	GRANT AVE	2LN	E	860	C	20	C	21	
FIDDLESTICKS BLVD	GUARDHOUSE	DANIELS PKWY	2LN	E	860	C	321	C	354	
GASPARILLA BLVD	FIFTH ST	COUNTY LINE	2LN	E	860	C	264	C	292	Constrained
GREENBRIAR BLVD	RICHMOND AVE	JOEL BLVD	2LN	E	860	C	60	C	68	
HART RD	SR 78	TUCKER LANE	2LN	E	860	C	347	C	364	
IDLEWILD ST	METRO PKWY	RANCHETTE RD	2LN	E	860	C	196	C	206	
IONA RD	DAVIS RD	McGREGOR BLVD	2LN	E	860	C	366	C	445	
ISLAND PARK RD	PARK RD	US 41	2LN	E	860	C	89	C	261	
JOHN MORRIS RD	SUMMERLIN RD	IONA RD	2LN	E	860	C	250	C	263	
KELLY RD	McGREGOR BLVD	SAN CARLOS BLVD	2LN	E	860	C	255	C	268	
	SAN CARLOS BLVD	PINE RIDGE RD	2LN	E	860	C	106	C	120	old count projection
LAUREL DR	BUS 41	BREEZE DR	2LN	E	860	C	324	C	340	
LEE RD	SAN CARLOS BLVD	ALICO RD	2LN	E	860	C	544	C	614	old count projection
LEONARD BLVD	GUNNERY RD	WESTGATE BLVD	2LN	E	860	C	655	C	711	v/c = 0.76/0.83
LUCKETT RD	I-75	COUNTRY LAKES DR	2LN	E	860	C	318	C	334	old count projection
MILWAUKEE BLVD	ALABAMA BLVD	BELL BLVD	2LN	E	860	C	201	C	212	
	BELL BLVD	COLUMBUS BLVD	2LN	E	860	C	201	C	214	
MOODY RD	HANCOCK B. PKWY	TONDELLA RD	2LN	E	860	C	182	C	206	old count projection
NALLE GRADE RD	SLATER RD	NALLE RD	2LN	E	860	C	73	C	77	
NALLE RD	SR 78	NALLE GRADE RD	2LN	E	860	C	141	C	161	old count projection
NEAL RD	ORANGE RIVER BLVD	BUCKINGHAM RD	2LN	E	860	C	130	C	136	

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2019

Table 19 (cont.): Existing and Future Roadway LOS on County-Maintained Collectors in Unincorporated Areas

ROADWAY LINK				100TH HIGHEST HOUR DIRECTIONAL VOLUMES							
				STANDARD		2017		2022		NOTES	
NAME	FROM	TO	TYPE	LOS	MAX	LOS	EXISTING	LOS	FUTURE		
ORANGE GROVE BLVD	CLUB ENTR.	4 LANE END	2LN	E	860	C	393	C	488	old count	
	4 LANE END	HANCOCK B. PKWY	4LN	E	1,790	C	393	C	488	old count	
	HANCOCK B. PKWY	RONDELLA RD	4LN	E	1,790	C	506	C	532		
ORIOLE RD	SAN CARLOS BLVD	ALICO RD	2LN	E	860	C	139	C	146		
PALOMINO LN	DANIELS PKWY	PENZANCE BLVD	2LN	E	860	C	393	C	416		
PARK MEADOWS DR	SUMMERLIN RD	US 41	2LN	E	860	C	206	C	216		
PENZANCE BLVD	RANCHETTE RD	SIX MILE PKWY	2LN	E	860	C	124	C	136		
PINE RIDGE RD	SAN CARLOS BLVD	SUMMERLIN RD	2LN	E	860	C	593	D	639		
	SUMMERLIN RD	GLADIOLUS DR	2LN	E	860	C	282	C	541	Heritage Isle	
	GLADIOLUS DR	McGREGOR BLVD	2LN	E	860	C	262	C	276		
PLANTATION RD	SIX MILE PKWY	DANIELS PKWY	2LN	E	860	C	350	C	479	Intermed Park	
	DANIELS PKWY	IDLEWILD ST	2LN	E	860	D	723	D	760	v/c = 0.83/0.88 FDOT Metro Pkwy 6-laning	
	IDLEWILD ST	COLONIAL BLVD	4LN	E	1,790	C	760	C	799		
PRITCHETT PKWY	SR 78	RICH RD	2LN	E	860	C	73	C	541	old count, Stoneybrook North	
RICH RD	SLATER RD	PRITCHETT PKWY	2LN	E	860	C	55	C	62	old count projection	
RICHMOND AVE	LEELAND HEIGHTS	E 12TH ST	2LN	E	860	C	74	C	86		
	E 12TH ST	GREENBRIAR BLVD	2LN	E	860	C	74	C	78		
SAN CARLOS BLVD	US 41	THREE OAKS PKWY	2LN	E	860	C	421	C	443		
SANIBEL BLVD	US 41	LEE RD	2LN	E	860	C	340	C	357		
SHELL POINT BLVD	McGREGOR BLVD	PALM ACRES	2LN	E	860	C	269	C	283		
SOUTH POINTE BLVD	CYPRESS LAKE DR	COLLEGE PKWY	2LD	E	910	C	565	C	594		
STALEY RD	TICE	ORANGE RIVER BLVD	2LN	E	860	C	189	C	215		
SW 23RD ST	GUNNERY RD	SUNSHINE BLVD	2LN	E	860	D	655	D	688	v/c = 0.76/0.80	
TICE ST	SR 80	ORTIZ AVE	2LN	E	860	C	163	C	171	old count	
	ORTIZ AVE	STALEY RD	2LN	E	860	C	198	D	711	Elementary U.	
WESTGATE BLVD	SW 23RD ST	LEE BLVD	2LN	E	860	C	618	C	674		
WHISKEY CREEK DR	COLLEGE PKWY	SAUTERN DR	2LD	E	910	C	340	C	357		
	SAUTERN DR	McGREGOR BLVD	2LD	E	910	C	340	C	357		
WILLIAMS AVE	LEE BLVD	W. 6TH ST	2LN	E	860	D	763	D	802	v/c = 0.89/0.93	
WINKLER RD	STOCKBRIDGE DR	SUMMERLIN RD	2LN	E	860	C	461	D	537	old count	
WOODLAND BLVD	US 41	AUSTIN ST	2LN	E	860	C	266	C	300	old count projection	
W. 6TH ST	WILLIAMS AVE	JOEL BLVD	2LN	E	860	C	196	C	206	old count projection	
W. 12TH ST	GUNNERY RD	SUNSHINE BLVD	2LN	E	860	C	239	C	252		
	SUNSHINE BLVD	WILLIAMS AVE	2LN	E	860	C	76	C	168	old count projection	
	WILLIAMS AVE	JOEL BLVD	2LN	E	860	C	92	C	104	old count projection	
W. 14TH ST	SUNSHINE BLVD	RICHMOND AVE	2LN	E	860	C	48	C	564	old count projection	
0.8 < v/c < 0.9	= 100 <sup>th</sup> hour directional volume v/c ratio between 80 and 90 percent of capacity										
0.9 < v/c < 1.0	= 100 <sup>th</sup> hour directional volume v/c ratio between 90 and 100 percent of capacity										
F	= Does not meet the County adopted LOS standard (NOTE: Below LOS standard is acceptable on constrained roads)										

DCI 2018-10-022

RECEIVED  
FEB 13 2019

**TRAFFIC STUDY FOR THREE OAKS  
MARKETPLACE MPD  
(DCI2015-00033)**

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT  
**DCI 2018-10022**

DCI 2015-00033

T  
R TRANSPORTATION  
CONSULTANTS, INC.

## TRAFFIC IMPACT STATEMENT

FOR

### THREE OAKS MARKETPLACE MPD

(PROJECT NO. 1509.13)

PREPARED BY:

TR Transportation Consultants, Inc.  
2726 Oak Ridge Court, Suite 503  
Fort Myers, Florida 33901  
239-278-3090

October 26, 2015

DCI 2018\_10022



RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

6001-8108 130

F150913

DCI 2015-00033



**RECEIVED**  
FEB 13 2019

LEGEND

- ↑ 000 WEEKDAY AM PEAK HOUR SITE TRAFFIC
- ↑(000) WEEKDAY PM PEAK HOUR SITE TRAFFIC

COMMUNITY DEVELOPMENT  
TRANSPORTATION  
CONSULTANTS, INC.

SITE TRAFFIC ASSIGNMENT  
NET NEW + PASS-BY TRIPS  
THREE OAKS MARKETPLACE MPD

DCI 2018-10022

Figure 2

**INTERSECTION TURNING  
MOVEMENT TRAFFIC COUNT DATA**

DCI 2018\_10022  
**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018-1

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2019

## Alico Rd @ Three Oaks Pkwy 1-24-2019 (AM)

File Name: Alico Rd @ Three Oaks Pkwy 1-24-2019 (AM)

Location: Fort Myers

Site Code:

Study Date: 01/24/2019

All Vehicles

Time	Three Oaks Pkwy Southbound					Alico Rd Westbound					Three Oaks Pkwy Northbound					Alico Rd Eastbound					
	Right	Thru	Left	U-Turn	Appr Total	Right	Thru	Left	U-Turn	Appr Total	Right	Thru	Left	U-Turn	Appr Total	Right	Thru	Left	U-Turn	Appr Total	Int Total
07:00	0	1	0	0	1	1	314	38	0	353	67	0	66	0	133	19	281	0	0	300	787
07:15	0	1	0	0	1	0	317	59	0	376	100	1	84	0	185	28	279	1	0	308	870
07:30	0	0	0	0	0	1	338	72	0	411	110	0	91	0	201	24	317	1	0	342	954
07:45	0	0	1	0	1	0	324	56	0	380	141	0	95	0	236	34	347	0	0	381	998
Total	0	2	1	0	3	2	1293	225	0	1520	418	1	336	0	755	105	1224	2	0	1331	3609
08:00	0	1	0	0	1	1	299	50	0	350	93	1	65	0	159	35	280	1	0	316	826
08:15	0	0	1	0	1	0	304	77	0	381	87	0	64	0	151	39	266	1	0	306	839
08:30	0	0	0	0	0	0	261	54	0	315	91	0	68	0	159	33	324	1	0	358	832
08:45	0	0	0	0	0	1	279	58	0	338	84	0	71	0	155	28	295	1	0	324	817
Total	0	1	1	0	2	2	1143	239	0	1384	355	1	268	0	624	135	1165	4	0	1304	3314
Grand Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Appr %	00.0	60.0	40.0	00.0		00.1	83.9	16.0	00.0		56.1	00.1	43.8	00.0		09.1	90.7	00.2	00.0		
Total %	00.0	00.0	00.0	00.0		00.1	35.2	66.7	00.0		11.2	00.0	86.7	00.0		03.5	34.5	00.1	00.0		
Trucks	-	00.0	00.0	-	00.0	00.0	00.0	00.0	-	00.0	00.0	00.0	00.0	-	00.0	00.0	00.0	-	00.0	00.0	
AM Pk Hr	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15	07:15		
AM Pk Vol	0	2	1	0	3	2	1278	237	0	1517	444	2	335	0	781	121	1223	3	0	1347	3648
AM PHF	Nan	0.500	0.250	Nan	0.750	0.500	0.945	0.823	Nan	0.923	0.787	0.500	0.882	Nan	0.827	0.864	0.881	0.750	Nan	0.884	0.914

# Alico Rd @ Three Oaks Pkwy 1-24-2019 (AM)



File Name: Alico Rd. @ Three Oaks Pkwy 1-24-2019 (AM)

Location: Fort Myers



Site Code:

Study Date: 01/24/2019

All Vehicles



AM Peak Hour Statistics  
AM Peak Hour Begins: 07:15  
AM Peak Hour Volume: 3648  
AM Peak Hour Factor: 0.914



RECEIVED  
FEB 13 2019  
2018-100

COMMUNITY DEVELOPMENT

DCI

2018  
10022

COMMUNITY DEVELOPMENT

RECEIVED  
FEB 13 2019

## Alico Rd @ Three Oaks Pkwy 1-24-2019 (PM)

File Name: Alico Rd @ Three Oaks Pkwy 1-24-2019 (PM)

Location: Fort Myers

Site Code:

Study Date: 01/24/2019

All Vehicles

Time	Three Oaks Pkwy Southbound					Alico Rd Westbound					Three Oaks Pkwy Northbound					Alico Rd Eastbound					
	Right	Thru	Left	U-Turn	Appr Total	Right	Thru	Left	U-Turn	Appr Total	Right	Thru	Left	U-Turn	Appr Total	Right	Thru	Left	U-Turn	Appr Total	Int Total
16:00	1	0	0	0	1	0	374	70	0	444	83	1	70	0	154	29	295	1	0	325	924
16:15	1	0	1	0	2	1	349	104	0	454	100	1	63	0	164	36	341	1	0	378	998
16:30	0	0	3	0	3	2	371	96	0	469	96	0	53	0	149	32	351	2	0	385	1006
16:45	0	0	1	0	1	1	410	112	0	523	90	0	50	0	140	35	346	2	0	383	1047
Total	2	0	5	0	7	4	1504	382	0	1890	369	2	236	0	607	132	1333	6	0	1471	3975
17:00	4	0	0	0	4	0	403	89	0	492	96	1	63	0	160	19	373	0	0	392	1048
17:15	0	0	0	0	0	0	406	135	0	541	97	0	55	0	152	35	425	1	0	461	1154
17:30	0	0	0	0	0	1	350	146	0	497	91	0	49	0	140	33	380	0	0	413	1050
17:45	2	0	0	0	2	1	344	104	0	449	77	0	50	0	127	44	327	1	0	372	950
Total	6	0	0	0	6	2	1503	474	0	1979	361	1	217	0	579	131	1505	2	0	1638	4202
Grand Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Appr %	8	0	5	0	13	6	3007	856	0	3869	730	3	453	0	1186	263	2838	8	0	3109	8177
Total %	61.5	00.0	38.5	00.0		00.2	77.7	22.1	00.0		61.6	00.3	38.2	00.0		08.5	91.3	00.3	00.0		
% Trucks	00.1	00.0	00.1	00.0		00.1	36.8	10.5	00.0		08.9	00.0	05.5	00.0		03.2	34.7	00.1	00.0		
PM Pk Hr	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	16:45	
PM Pk Vol	4	0	1	0	5	2	1569	482	0	2053	374	1	217	0	592	122	1524	3	0	1649	4299
PM PHF	0.250	NaN	0.250	NaN	0.313	0.500	0.957	0.825	NaN	0.949	0.964	0.250	0.861	NaN	0.925	0.871	0.896	0.375	NaN	0.894	0.931

# Alico Rd @ Three Oaks Pkwy 1-24-2019 (PM)



File Name: Alico Rd @ Three Oaks Pkwy 1-24-2019 (PM)

Location: Fort Myers



Site Code:

Study Date: 01/24/2019

All Vehicles



PM Peak Hour Statistics  
PM Peak Hour Begins: 16:45  
PM Peak Hour Volume: 4299  
PM Peak Hour Factor: 0.931



COMMUNITY DEVELOPMENT

RECEIVED

FEB 13 2019


DOC 2018-100


2

# 2040 E+C NETWORK VOLUMES

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT  
DCI 2018-10022






**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018-10022

2040 LRTP COST FEASIBLE ROADWAY NETWORK LANES AND VOLUMES (Pg. 2/3)

Michael G. Ruppe Ph.D.



OCL 2018-10022


**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

**YEAR 2027 E+C NETWORK + THREE  
OAKS PKWY EXTENSION PROVIDED  
BY LEE COUNTY**

**RECEIVED**  
FEB 13 2019

**COMMUNITY DEVELOPMENT  
DCI 2018\_10022**



(Licensed to Florida Department of Transportation)

# **DEVELOPMENT OF FUTURE YEAR TRAFFIC VOLUMES**

350018105130  
**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT  
**DCI 2018\_10022**

## Development of Future Year Background Turning Volumes (With Alico Access)

Intersection  
Count Date  
Build-Out Year

### Alico Road at Three Oaks Parkway

January 24th, 2019  
2024

	AM Peak Hour											
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
RAW Turning Movement Counts	335	2	444	1	2	0	3	1,223	121	237	1,278	2
Peak Season Correction Factor	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04
Current Peak Season Volumes	348	2	462	1	2	0	3	1,272	126	246	1,329	2
Growth Rate	5.80%	0.00%	5.80%	0.00%	0.00%	0.00%	0.00%	2.00%	2.00%	6.73%	6.73%	0.00%
Years to Build-out	5	0	5	0	0	0	0	5	5	5	5	5
2024 Background Turning Volumes	461	2	612	1	2	0	3	1,404	139	341	1,841	2
Turning Volumes Adjustment for 3 Oaks Ext.	-46	136	-92	241	63	162	129	-14	-14	-51	197	
2024 Total Background Turning Volumes	415	138	520	242	65	162	132	1,404	125	290	1,841	199
Project Turning Volumes	-2	56	-8	53	.22	49	84	-22		-5	19	
2024 Background + Project	413	194	512	295	87	211	216	1,382	125	290	1,836	218

	PM Peak Hour											
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
RAW Turning Movement Counts	217	1	374	1	0	4	3	1,524	122	482	1,569	2
Peak Season Correction Factor	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04
Current Peak Season Volumes	226	1	389	1	0	4	3	1,585	127	501	1,632	2
Growth Rate	5.80%	0.00%	5.80%	0.00%	0.00%	0.00%	0.00%	2.00%	2.00%	6.73%	6.73%	0.00%
Years to Build-out	5	0	5	0	0	0	0	5	5	5	5	5
2024 Background Turning Volumes	300	1	516	1	0	4	3	1,750	140	694	2,260	2
Turning Volumes Adjustment for 3 Oaks Ext.	-30	106	-77	210	118	136	142	-14	-14	-104	215	
2024 Total Background Turning Volumes	270	107	439	211	118	140	145	1,750	126	590	2,260	217
Project Turning Volumes	-9	177	-32	277	152	285	274	-93		-22	63	
2024 Background + Project	261	284	407	488	270	425	419	1,657	126	590	2,238	280

COMMUNITY DEVELOPMENT

RECEIVED

FEB 13 2019

2018  
1002

DCI 2018-002

Intersection  
Count Date  
Build-out Year**RECEIVED**

FEB 13 2019

COMMUNITY DEVELOPMENT

## Development of Future Year Background Turning Volumes (Without Alico Access)

**Alico Road at Three Oaks Parkway**  
 January 24th, 2019  
 2024

	NBL	NBT	NBR	SBL	SBT	AM Peak Hour			WBL	WBT	WBR
						SBR	EBL	EBT			
RAW Turning Movement Counts	335	2	444	1	2	0	3	1,223	121	237	1,278
Peak Season Correction Factor	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04
Current Peak Season Volumes	348	2	462	1	2	0	3	1,272	126	246	1,329
Growth Rate	5.80%	0.00%	5.80%	0.00%	0.00%	0.00%	0.00%	2.00%	2.00%	6.73%	6.73%
Years to Build-out	5	0	5	0	0	0	0	5	5	5	5
2024 Background Turning Volumes	461	2	612	1	2	0	3	1,404	139	341	1,841
Turning Volumes Adjustment for 3 Oaks Ext.	-46	136	-92	241	63	162	129	-14	-14	-51	197
2024 Total Background Turning Volumes	415	138	520	242	65	162	132	1,404	125	290	1,841
Project Turning Volumes	-2	56	-8	53	22	49	84	-22	-22	-17	63
2024 Background + Project	413	194	512	295	87	211	216	1,382	125	290	1,824
	NBL	NBT	NBR	SBL	SBT	PM Peak Hour			WBL	WBT	WBR
						SBR	EBL	EBT			
RAW Turning Movement Counts	217	1	374	1	0	4	3	1,524	122	482	1,569
Peak Season Correction Factor	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04
Current Peak Season Volumes	226	1	389	1	0	4	3	1,585	127	501	1,632
Growth Rate	5.80%	0.00%	5.80%	0.00%	0.00%	0.00%	0.00%	2.00%	2.00%	6.73%	6.73%
Years to Build-out	5	0	5	0	0	0	0	5	5	5	5
2024 Background Turning Volumes	300	1	516	1	0	4	3	1,750	140	694	2,260
Turning Volumes Adjustment for 3 Oaks Ext.	-30	106	-77	210	118	136	142	-14	-14	-104	215
2024 Total Background Turning Volumes	270	107	439	211	118	140	145	1,750	126	590	2,260
Project Turning Volumes	-9	177	-32	277	152	285	274	-93	-93	-72	208
2024 Background + Project	261	284	407	488	270	425	419	1,657	126	590	2,188

**SIGNAL TIMINGS  
ALICO ROAD @ THREE OAKS  
PARKWAY**

DCI 2018 10022  
**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

Lee County, FL



Solutions that Move the World™

702 - Alico Rd &amp; Three Oaks Pkwy -- Econolite Type - ASC/3

## Controller Timing Plan (MM) 2-1

Plan 1

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Direction	EBLT	WB	SBLT	NB	WBLT	EB	NBLT	SB								
Min Green	5	20	7	8	5	20	8	7	0	0	0	0	0	0	0	0
Bk Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CS Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk	0	7	0	7	0	7	0	7	0	0	0	0	0	0	0	0
Walk2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear	0	35	0	38	0	36	0	36	0	0	0	0	0	0	0	0
Ped Clear 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped CO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Vehicle Ext	2.0	5.0	2.0	2.0	2.0	5.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vehicle Ext 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max1	7	50	20	25	50	50	25	20	0	0	0	0	0	0	0	0
Max2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Max3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DYM Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dym Step	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow	4.0	5.0	4.0	4.0	4.0	5.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Red Clear	2.5	2.0	2.5	2.5	2.5	2.0	2.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Revert	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Act B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sec/Act	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max Int	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Wt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STPTDuc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TTReduc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

130

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018\_10022

Lee County, FL



Solutions that Move the World™

702 - Alico Rd &amp; Three Oaks Pkwy -- Econolite Type - ASC/3

**Coordination Pattern Data****Coordinator Pattern Data (MM) 3-2****Coordinator Pattern # 41 - AM Peak Hour**

Split Pattern	41	TS2 (Pat-Off)	13-2	Splits In	Percent
Cycle	120	Std (COS)	12	Offsets In	Percent
Offset Value	73%	Dwell/Add Time	0		
Actuated Coord	Yes	Timing Plan	0		
Actuated Walk Rest	No	Sequence	0		
Phase Reserve	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description	EBLT	WB	SBLT	NB	WBLT	EB	NBLT	SB								
Splits (Split Pat 41)	12	58	12	18	25	45	18	12	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext.	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	100%	100%	0%	0%

Misc. Data  
 Veh Perm 1 .0 Veh Perm 2 0 Veh Perm 2 Disp 0  
 Split Demand Pat 1 .0 Split Demand Pat 2 0 Crossing Arterial Pat 0

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Function Outputs																

DCI 2018\_10022

 RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

**Coordinator Pattern # 43**

Split Pattern	43	TS2 (Pat-Off)	14-1	Splits In	Percent
Cycle	120	Std (COS)	156	Offsets In	Percent
Offset Value	73%	Dwell/Add Time	0		
Actuated Coord	Yes	Timing Plan	0		
Actuated Walk Rest	No	Sequence	0		
Phase Reserve	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description	EBLT	WB	SBLT	NB	WBLT	EB	NBLT	SB								
Splits (Split Pat 43)	12	58	12	18	25	45	18	12	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	100%	100%	0%	0%

## Misc. Data

Veh Perm 1 0 Veh Perm 2 0 Veh Perm 2 Disp 0  
 Split Demand Pat 1 0 Split Demand Pat 2 0 Crossing Arterial Pat 0

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Function Outputs																

**Coordinator Pattern # 61 ~ PM Peak Hour**

Split Pattern	61	TS2 (Pat-Off)	0-0	Splits In	Percent
Cycle	130	Std (COS)	14	Offsets In	Percent
Offset Value	70%	Dwell/Add Time	0		
Actuated Coord	Yes	Timing Plan	0		
Actuated Walk Rest	No	Sequence	0		
Phase Reserve	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description	EBLT	WB	SBLT	NB	WBLT	EB	NBLT	SB								
Splits (Split Pat 61)	11	60	11	18	26	45	18	11	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	100%	100%	0%	0%

## Misc. Data

Veh Perm 1 0 Veh Perm 2 0 Veh Perm 2 Disp 0  
 Split Demand Pat 1 0 Split Demand Pat 2 0 Crossing Arterial Pat 0

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Function Outputs																

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

**LEE PLAN MAP 3K**  
**ALICO ROAD ACCESS PLAN**  
**ORIOLE ROAD TO BEN HILL**  
**GRIFFIN PARKWAY**

DCT 2018 10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT



# HCS SUMMARY SHEETS

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

100-100-100

**THREE OAKS PARKWAY**

(@)

**SOUTH SITE ACCESS**

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT  
DCI 2018\_10022

## **AM PEAK HOUR CONDITIONS**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019


COMMUNITY DEVELOPMENT

# HCS7 Two-Way Stop-Control Report

## General Information

General Information		Site Information	
Analyst.	YB	Intersection	Three Oaks Pkwy/South Acc
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	South Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	AM Pk Hr (W/ Alico Ac.)	Peak Hour Factor	0.91
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Movement																
Priority	10	11	12		7	8	9		1U	1	2	3	4U	4	5	6
Number of Lanes	0	0	0		0	0	1		0	0	2	1	0	0	0	0
Configuration									R			T	R			
Volume, V (veh/h)								18				525	103			
Percent Heavy Vehicles (%)								3								
Proportion Time Blocked																
Percent Grade (%)							0									
Right Turn Channelized	No				No				No			No		No		
Median Type/Storage					Undivided											

## Critical and Follow-up Headways

Base Critical Headway (sec)						6.9										
Critical Headway (sec)							6.96									
Base Follow-Up Headway (sec)								3.3								
Follow-Up Headway (sec)									3.33							

## Delay, Queue Length, and Level of Service

Flow Rate, v (veh/h)						20										
Capacity, c (veh/h)							706									
v/c Ratio								0.03								
95% Queue Length, Q95 (veh)								0.1								
Control Delay (s/veh)									10.2							
Level of Service, LOS										B						
Approach Delay (s/veh)						10.2										
Approach LOS	COMMUNITY DEVELOPMENT					B										


# HCS7 Two-Way Stop-Control Report

## General Information

## Site Information

Analyst	YB	Intersection	Three Oaks Pkwy/South Acc
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	South Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	AM Pk Hr (W/O Alico Ac.)	Peak Hour Factor	0.91
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Movement																
Priority		10	11	12		7	8	9	1U	1	2	3	4U	4	5	6
Number of Lanes		0	0	0		0	0	1	0	0	2	1	0	0	0	0
Configuration									R		T	R				
Volume, V (veh/h)									18				540	132		
Percent Heavy Vehicles (%)									3							
Proportion Time Blocked																
Percent Grade (%)									0							
Right Turn Channelized		No				No				No			No			
Median Type/Storage					Undivided											

## Critical and Follow-up Headways

Base Critical Headway (sec)		6.9														
Critical Headway (sec)			6.96													
Base Follow-Up Headway (sec)				3.3												
Follow-Up Headway (sec)					3.33											

## Delay, Queue Length, and Level of Service

Flow Rate, v (veh/h)		20														
Capacity, c (veh/h)			697													
v/c Ratio				0.03												
95% Queue Length, Q <sub>95</sub> (veh)					0.1											
Control Delay (s/veh)						10.3										
Level of Service, LOS							B									
Approach Delay (s/veh)			10.3													
Approach LOS				B												

DCI 2018\_10022

RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

## **PM PEAK HOUR CONDITIONS**

SS0013100

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT


**DCI 2018\_10022**

# HCS7 Two-Way Stop-Control Report

## General Information

		Site Information	
Analyst	YB	Intersection	Three Oaks Pkwy/South Acc
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	South Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	PM Pk Hr (W/ Alico Ac.)	Peak Hour Factor	0.93
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Movement																
Priority		10	11	12		7	8	9	1U	1	2	3	4U	4	5	6
Number of Lanes		0	0	0		0	0	1	0	0	2	1	0	0	0	0
Configuration								R			T	R				
Volume, V (veh/h)								107			649	334				
Percent Heavy Vehicles (%)								3								
Proportion Time Blocked																
Percent Grade (%)								0								
Right Turn Channelized		No				No				No			No			
Median Type/Storage					Undivided											

## Critical and Follow-up Headways

Base Critical Headway (sec)							6.9									
Critical Headway (sec)							6.96									
Base Follow-Up Headway (sec)							3.3									
Follow-Up Headway (sec)							3.33									

## Delay, Queue Length, and Level of Service

Flow Rate, v (veh/h)							115									
Capacity, c (veh/h)							644									
v/c Ratio							0.18									
95% Queue Length, Q <sub>95</sub> (veh)							0.6									
Control Delay (s/veh)							11.8									
Level of Service, LOS							B									
Approach Delay (s/veh)							11.8									
Approach LOS							B									

DCI 2018-10022

RECEIVED

FEB 13 2019


COMMUNITY DEVELOPMENT

# HCS7 Two-Way Stop-Control Report

## General Information

General Information		Site Information	
Analyst	YB	Intersection	Three Oaks Pkwy/South Acc.
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	South Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	PM Pk Hr (W/O Alico Ac.)	Peak Hour Factor	0.93
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
Movement	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Priority		10	11	12		7	8	9	1U	1	2	3	4U	4	5	6
Number of Lanes		0	0	0		0	0	1	0	0	2	1	0	0	0	0
Configuration									R			T	R			
Volume, V (veh/h)								107				700	428			
Percent Heavy Vehicles (%)								3								
Proportion Time Blocked																
Percent Grade (%)							0									
Right Turn Channelized		No				No				No			No			
Median Type/Storage		Undivided														

## Critical and Follow-up Headways

Base Critical Headway (sec)					6.9											
Critical Headway (sec)					6.96											
Base Follow-Up Headway (sec)						3.3										
Follow-Up Headway (sec)						3.33										

## Delay, Queue Length, and Level of Service

Flow Rate, v (veh/h)					115											
Capacity, c (veh/h)					619											
v/c Ratio					0.19											
95% Queue Length, Q <sub>95</sub> (veh)					0.7											
Control Delay (s/veh) <b>RECEIVED FEB 13 2019</b>					12.1											
Level of Service, LOS					B											
Approach Delay (s/veh) <b>COMMUNITY DEVELOPMENT</b>					12.1											
Approach LOS					B											

**THREE OAKS PARKWAY**

⑧

**NORTH SITE ACCESS**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

## AM PEAK HOUR CONDITIONS

50018100

**RECEIVED**  
FEB 13 2019


COMMUNITY DEVELOPMENT

DCI 2018-10022

# HCS7 Two-Way Stop-Control Report

General Information		Site Information	
Analyst	YB	Intersection	Three Oaks Pkwy/North Acc
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	North Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	AM Pk Hr (W/ Alico Ac.)	Peak Hour Factor	0.91
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Movement																
Priority	10	11	12		7	8	9	1U	1	2	3	4U	4	5	6	
Number of Lanes	0	1	1		0	1	1	0	1	2	1	0	1	2	1	
Configuration	LT		R		LT		R		L	T	R		L	T	R	
Volume, V (veh/h)	0	0	21		106	0	0	18	49	469	56		0	469	0	
Percent Heavy Vehicles (%)	3	3	3		3	3	3	3	3					3		
Proportion Time Blocked																
Percent Grade (%)	0				0											
Right Turn Channelized	No				No				No			No				
Median Type/Storage	Left Only								2							

## Critical and Follow-up Headways

Base Critical Headway (sec)	7.5	6.5	6.9		7.5	6.5	6.9	6.4	4.1				4.1			
Critical Headway (sec)	7.56	6.56	6.96		7.56	6.56	6.96	6.46	4.16				4.16			
Base Follow-Up Headway (sec)	3.5	4.0	3.3		3.5	4.0	3.3	2.5	2.2				2.2			
Follow-Up Headway (sec)	3.53	4.03	3.33		3.53	4.03	3.33	2.53	2.23				2.23			

## Delay, Queue Length, and Level of Service

DCI 2018\_10022

Flow Rate, v (veh/h)	0	23		116		0		74					0			
Capacity, c (veh/h)	0		738		342		738		896				986			
v/c Ratio			0.03		0.34		0.00		0.08				0.00			
95% Queue Length, Q <sub>95</sub> (veh)			0.1		1.5		0.0		0.3				0.0			
Control Delay (s/veh)	5.0		10.0		20.8		9.9		9.4				8.7			
Level of Service, LOS	A	B		C		A		A					A			
Approach Delay (s/veh)	10.0			20.8			1.1			0.0						
Approach LOS	B			C												

RECEIVED  
FEB 13 2019


COMMUNITY DEVELOPMENT

# HCS7 Two-Way Stop-Control Report

## General Information

Analyst	YB	Intersection	Three Oaks Pkwy/North Acc
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	North Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	AM Pk Hr (W/O Alico Ac.)	Peak Hour Factor	0.91
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Movement																
Priority	10	11	12		7	8	9	1U	1	2	3	4U	4	5	6	
Number of Lanes	0	1	1		0	1	1	0	1	2	1	0	1	2	1	
Configuration	LT		R		LT		R		L	T	R		L	T	R	
Volume, V (veh/h)	0	0	21		106	0	0	18	49	469	71		0	469	0	
Percent Heavy Vehicles (%)	3	3	3		3	3	3	3	3				3			
Proportion Time Blocked																
Percent Grade (%)	0				0											
Right Turn Channelized	No				No				No			No				
Median Type/Storage		Left Only								2						

## Critical and Follow-up Headways

Base Critical Headway (sec)		7.5	6.5	6.9		7.5	6.5	6.9	6.4	4.1				4.1		
Critical Headway (sec)		7.56	6.56	6.96		7.56	6.56	6.96	6.46	4.16				4.16		
Base Follow-Up Headway (sec)		3.5	4.0	3.3		3.5	4.0	3.3	2.5	2.2				2.2		
Follow-Up Headway (sec)		3.53	4.03	3.33		3.53	4.03	3.33	2.53	2.23				2.23		

## Delay, Queue Length, and Level of Service

Flow Rate, v (veh/h)	0	23		116		0		74					0			
Capacity, c (veh/h)	0	738		342		738		896					972			
v/c Ratio	0.03		0.34		0.00		0.08						0.00			
95% Queue Length, Q <sub>95</sub> (veh)	0.1		1.5		0.0		0.3						0.0			
Control Delay (s/veh)	5.0	10.0		20.8		9.9		9.4					8.7			
Level of Service, LOS	A	B		C		A		A					A			
Approach Delay (s/veh)	100			20.8			1.0						0.0			
Approach LOS	B			C												

RECEIVED

FEB 13 2019

COMMUNITY DEVELOPMENT

## **PM PEAK HOUR CONDITIONS**

DCI 2018\_10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT


# HCS7 Two-Way Stop-Control Report

## General Information

## Site Information

Analyst	YB	Intersection	Three Oaks Pkwy/North Acc
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	North Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	PM Pk Hr (W/ Alico Ac.)	Peak Hour Factor	0.93
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Movement																
Priority	10	11	12		7	8	9	1U	1	2	3	4U	4	5	6	
Number of Lanes	0	1	1		0	1	1	0	1	2	1	0	1	2	1	
Configuration	LT		R		LT		R		L	T	R		L	T	R	
Volume, V (veh/h)	0	0	124		607	0	0	107	260	469	180		0	469	0	
Percent Heavy Vehicles (%)	3	3	3		3	3	3	3						3		
Proportion Time Blocked																
Percent Grade (%)	0				0											
Right Turn Channelized	No				No				No				No			
Median Type/Storage	Left Only								2							

## Critical and Follow-up Headways

Base Critical Headway (sec)		7.5	6.5	6.9		7.5	6.5	6.9	6.4	4.1				4.1		
Critical Headway (sec)		7.56	6.56	6.96		7.56	6.56	6.96	6.46	4.16				4.16		
Base Follow-Up Headway (sec)		3.5	4.0	3.3		3.5	4.0	3.3	2.5	2.2				2.2		
Follow-Up Headway (sec)		3.53	4.03	3.33		3.53	4.03	3.33	2.53	2.23				2.23		


## Delay, Queue Length, and Level of Service

Flow Rate, v (veh/h)		0	133		653		0		395					0		
Capacity, c (veh/h)		0	745		82		745		838					888		
v/c Ratio			0.18		7.94		0.00		0.47					0.00		
95% Queue Length, Q <sub>95</sub> (veh)			0.6		74.6		0.0		2.6					0.0		
Control Delay (s/veh)		5.0	10.9		3220.7		9.8		13.1					9.1		
Level of Service, LOS	A	B	F		A	B								A		
Approach Delay (s/veh)	10.9				3220.7				4.7				0.0			
Approach LOS	B				F											

# HCS7 Two-Way Stop-Control Report

General Information		Site Information	
Analyst	YB	Intersection	Three Oaks Pkwy/North Acc
Agency/Co.	TR Transportation Cons.	Jurisdiction	Lee County
Date Performed	1/28/2019	East/West Street	North Access
Analysis Year	2024	North/South Street	Three Oaks Pkwy
Time Analyzed	PM Pk Hr (W/O Alico Ac.)	Peak Hour Factor	0.93
Intersection Orientation	North-South	Analysis Time Period (hrs)	0.25
Project Description	F1809.01		

## Lanes



## Vehicle Volumes and Adjustments

Approach	Eastbound				Westbound				Northbound				Southbound			
	U	L	T	R	U	L	T	R	U	L	T	R	U	L	T	R
Movement																
Priority	10	11	12		7	8	9		1U	1	2	3	4U	4	5	6
Number of Lanes	0	1	1		0	1	1		0	1	2	1	0	1	2	1
Configuration	LT		R		LT		R		L	T	R		L	T	R	
Volume, V (veh/h)	0	0	124		607	0	0		107	260	469	231		0	469	0
Percent Heavy Vehicles (%)	3	3	3		3	3	3		3	3				3		
Proportion Time Blocked																
Percent Grade (%)	0				0											
Right Turn Channelized	No				No				No				No			
Median Type/Storage	Left Only								2							

## Critical and Follow-up Headways

Base Critical Headway (sec)	7.5	6.5	6.9		7.5	6.5	6.9	6.4	4.1				4.1			
Critical Headway (sec)	7.56	6.56	6.96		7.56	6.56	6.96	6.46	4.16				4.16			
Base Follow-Up Headway (sec)	3.5	4.0	3.3		3.5	4.0	3.3	2.5	2.2				2.2			
Follow-Up Headway (sec)	3.53	4.03	3.33		3.53	4.03	3.33	2.53	2.23				2.23			

## Delay, Queue Length, and Level of Service

DCI 2018-10022

Flow Rate, v (veh/h)	0	133	653	0	395											
Capacity, c (veh/h)	0	745	82	745	838											
v/c Ratio		0.18	7.94	0.00	0.47								0.00			
95% Queue Length, Q <sub>95</sub> (veh)		0.6	74.6	0.0	2.6								FEB 13 2019			
Control Delay (s/veh)	5.0	10.9	3220.7	9.8	13.1								9.3			
Level of Service, LOS	A	B	F	A	B								COMMUNITY DEVELOPMENT			
Approach Delay (s/veh)	10.9			3220.7			4.5			0.0						
Approach LOS	B			F												

RECEIVED  
FEB 13 2019

# **SYNCHRO SUMMARY SHEETS**

**RECEIVED**  
FEB 13 2019

**COMMUNITY DEVELOPMENT**

**DCI 2018\_10022**

**ALICO ROAD**

(a)

**THREE OAKS PARKWAY**

DCI 2018\_10022  
**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

## AM PEAK HOUR CONDITIONS

ssouri 65 130

**RECEIVED**

FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018\_10022

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 AM Total Background  
01/28/2019

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	1	1	1	1	1	1	1	1	1	1	1	1
Traffic Volume (vph)	132	1404	125	290	1841	199	415	138	520	242	65	162
Future Volume (vph)	132	1404	125	290	1841	199	415	138	520	242	65	162
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	385		385	650		490	570		240	478		0
Storage Lanes	1		1	2		1	2		1	2		1
Taper Length (ft)	50			50			50			50		
Lane Util. Factor	1.00	0.91	1.00	0.97	0.91	1.00	0.97	0.95	1.00	0.97	0.95	1.00
Frt				0.850		0.850			0.850			0.850
Flt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Right Turn on Red				Yes			Yes			Yes		Yes
Satd. Flow (RTOR)				179			216			183		183
Link Speed (mph)		45			45			45			45	
Link Distance (ft)		1327			1351			1319			1127	
Travel Time (s)		20.1			20.5			20.0			17.1	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Adj. Flow (vph)	143	1526	136	315	2001	216	451	150	565	263	71	176
Shared Lane Traffic (%)												
Lane Group Flow (vph)	143	1526	136	315	2001	216	451	150	565	263	71	176
Turn Type	Prot	NA	Perm									
Protected Phases	7	4		3	8		5	2		2	1	6
Permitted Phases			4			8						6
Detector Phase	7	4	4	3	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Minimum Split (s)	11.5	25.0	25.0	11.5	25.0	25.0	11.5	24.5	24.5	11.5	24.5	24.5
Total Split (s)	18.3	55.8	55.8	22.5	60.0	60.0	32.6	43.9	43.9	17.8	29.1	29.1
Total Split (%)	13.1%	39.9%	39.9%	16.1%	42.9%	42.9%	23.3%	31.4%	31.4%	12.7%	20.8%	20.8%
Maximum Green (s)	11.8	48.8	48.8	16.0	53.0	53.0	26.1	37.4	37.4	11.3	22.6	22.6
Yellow Time (s)	4.0	5.0	5.0	4.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0
All-Red Time (s)	2.5	2.0	2.0	2.5	2.0	2.0	2.5	2.5	2.5	2.5	2.5	2.5
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.5	7.0	7.0	6.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
Lead/Lag	Lead	Lag	Lag									
Lead-Lag Optimize?	Yes											
Vehicle Extension (s)	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Recall Mode	None	C-Max	C-Max	None	C-Max	C-Max						
Walk Time (s)		7.0	7.0		7.0	7.0		7.0	7.0		7.0	7.0
Flash Dont Walk (s)		11.0	11.0		11.0	11.0		11.0	11.0		11.0	11.0
Pedestrian Calls (#/hr)		0	0		0	0		0	0		0	0
Act Effct Green (s)	11.8	49.2	49.2	15.6	53.0	53.0	22.9	37.4	37.4	11.3	25.8	25.8
Actuated g/C Ratio	0.08	0.35	0.35	0.11	0.38	0.38	0.16	0.27	0.27	0.09	0.18	0.18
v/c Ratio	0.96	0.85	0.20	0.83	1.04	0.29	0.80	0.16	1.01	0.95	0.11	0.40
Control Delay	126.7	47.9	2.2	79.1	73.9	4.6	67.7	39.8	75.9	105.9	49.5	9.0
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	126.7	47.9	2.2	79.1	73.9	4.6	67.7	39.8	75.9	105.9	49.5	9.0

DCI 20181022

RECEIVED FEB 13 2019

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 AM Total Background

01/28/2019



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
LOS	F	D	A	E	E	A	E	D	E	F	D	A
Approach Delay		50.7			68.6			68.1				64.6
Approach LOS			D		E			E				E
Queue Length 50th (ft)	132	472	0	146	-718	0	205	55	-399	125	28	0
Queue Length 95th (ft)	#273	537	19	#214	#812	53	261	85	#645	#213	53	61
Internal Link Dist (ft)		1247			1271			1239				1047
Turn Bay Length (ft)	385		385	650		490	570		240	478		
Base Capacity (vph)	149	1788	672	392	1925	733	640	945	557	277	651	441
Starvation Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Reduced v/c Ratio	0.96	0.85	0.20	0.80	1.04	0.29	0.70	0.16	1.01	0.95	0.11	0.40

Intersection Summary

Area Type: Other

Cycle Length: 140

Actuated Cycle Length: 140

Offset: 0 (0%), Referenced to phase 2:NBT and 6:SBT, Start of Green

Natural Cycle: 140

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.04

Intersection Signal Delay: 62.8

Intersection LOS: E

Intersection Capacity Utilization 82.9%

ICU Level of Service E

Analysis Period (min) 15


~ Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 3: Three Oaks Pkwy & Alico Rd



**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

Baseline

DCI 2018\_10022

Synchro 9 Report  
Page 2

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 AM Total Background + Project (W/ Alico Access)

01/28/2019

Lane Group	EBL	EBT	EBC	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑↑	↑	↑	↑↑↑	↑	↑↑	↑↑	↑	↑↑	↑↑↑	↑
Traffic Volume (vph)	216	1382	125	290	1836	218	413	194	512	295	87	211
Future Volume (vph)	216	1382	125	290	1836	218	413	194	512	295	87	211
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	385		385	650		490	570		240	478		0
Storage Lanes	1		1	2		1	2		1	2		1
Taper Length (ft)	50			50			50			50		
Lane Util. Factor	1.00	0.91	1.00	0.97	0.91	1.00	0.97	0.95	1.00	0.97	0.95	1.00
Fr <sub>f</sub>				0.850		0.850			0.850			0.850
Filt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Filt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Right Turn on Red				Yes			Yes			Yes		Yes
Satd. Flow (RTOR)				193			237			229		224
Link Speed (mph)		45			45			45			45	
Link Distance (ft)		1327			1351			1319			1127	
Travel Time (s)		20.1			20.5			20.0			17.1	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Adj. Flow (vph)	235	1502	136	315	1996	237	449	211	557	321	95	229
Shared Lane Traffic (%)												
Lane Group Flow (vph)	235	1502	136	315	1996	237	449	211	557	321	95	229
Turn Type	Prot	NA	Perm									
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases			4			8						6
Detector Phase	7	4	4	3	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Minimum Split (s)	11.5	25.0	25.0	11.5	25.0	25.0	11.5	24.5	24.5	11.5	24.5	24.5
Total Split (s)	23.0	55.2	55.2	21.8	54.0	54.0	26.6	34.6	34.6	18.4	26.4	26.4
Total Split (%)	17.7%	42.5%	42.5%	16.8%	41.5%	41.5%	20.5%	26.6%	26.6%	14.2%	20.3%	20.3%
Maximum Green (s)	16.5	48.2	48.2	15.3	47.0	47.0	20.1	28.1	28.1	11.9	19.9	19.9
Yellow Time (s)	4.0	5.0	5.0	4.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0
All-Red Time (s)	2.5	2.0	2.0	2.5	2.0	2.0	2.5	2.5	2.5	2.5	2.5	2.5
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.5	7.0	7.0	6.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
Lead/Lag	Lead	Lag	Lag									
Lead-Lag Optimize?	Yes											
Vehicle Extension (s)	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Recall Mode	None	C-Max	C-Max	None	C-Max	C-Max						
Walk Time (s)		7.0	7.0		7.0	7.0		7.0	7.0		7.0	7.0
Flash Don't Walk (s)		11.0	11.0		11.0	11.0		11.0	11.0		11.0	11.0
Pedestrian Calls (#/hr)	0	0		0	0		0	0	0		0	0
Act Effct Green (s)	16.5	48.7	48.7	14.8	47.0	47.0	19.6	29.1	29.1	20.4	20.4	20.4
Actuated g/C Ratio	0.13	0.37	0.37	0.11	0.36	0.36	0.15	0.22	0.22	0.09	0.16	0.16
v/c Ratio	1.05	0.79	0.19	0.80	1.09	0.33	0.87	0.28	1.07	1.02	0.71	0.52
Control Delay	127.6	39.9	1.4	72.2	88.1	4.7	72.0	43.8	87.8	114.1	48.7	113
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	127.6	39.9	1.4	72.2	88.1	4.7	72.0	43.8	87.8	114.1	48.7	113

Baseline

DCT 2018-10-02  
RECEIVED  
FEB 13 2019

Synchro 9 Report  
Page 1  
COMMUNITY DEVELOPMENT

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 AM Total Background + Project (W/ Alico Access)

01/28/2019



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
LOS	F	D	A	E	F	A	E	D	F	F	D	B
Approach Delay		48.1			78.3			74.3				68.0
Approach LOS		D			E			E				E
Queue Length 50th (ft)	~215	410	0	135	~690	0	192	78	~357	~147	37	4
Queue Length 95th (ft)	#383	472	11	#198	#786	55	#274	116	#585	#244	64	79
Internal Link Dist (ft)		1247			1271			1239				1047
Turn Bay Length (ft)	385		385	650		490	570		240	478		
Base Capacity (vph)	224	1903	713	404	1838	723	530	764	521	314	556	438
Starvation Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Reduced v/c Ratio	1.05	0.79	0.19	0.78	1.09	0.33	0.85	0.28	1.07	1.02	0.17	0.52

Intersection Summary

Area Type: Other

Cycle Length: 130

Actuated Cycle Length: 130

Offset: 0 (0%), Referenced to phase 2:NBT and 6:SBT, Start of Green

Natural Cycle: 130

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.09

Intersection Signal Delay: 67.5

Intersection LOS: E

Intersection Capacity Utilization 85.5%

ICU Level of Service E

Analysis Period (min) 15


~ Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 3: Three Oaks Pkwy & Alico Rd



**RECEIVED**  
FEB 13 2019

Baseline  
COMMUNITY DEVELOPMENT

DCI 2018:10022

Synchro 9 Report  
Page 2

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 AM Total Background + Project (W/O Alico Access)

01/28/2019

	EBL	EBT	EBC	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑↑	↑	↑↑	↑↑↑	↑	↑↑	↑↑	↑	↑↑	↑↑	↑
Traffic Volume (vph)	216	1382	125	290	1824	262	413	194	512	295	87	211
Future Volume (vph)	216	1382	125	290	1824	262	413	194	512	295	87	211
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	385		385	650		490	570		240	478		0
Storage Lanes	1		1	2		1	2		1	2		1
Taper Length (ft)	50			50			50			50		
Lane Util. Factor	1.00	0.91	1.00	0.97	0.91	1.00	0.97	0.95	1.00	0.97	0.95	1.00
Frt				0.850		0.850			0.850			0.850
Flt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Right Turn on Red				Yes			Yes			Yes		Yes
Satd. Flow (RTOR)				167			285			248		229
Link Speed (mph)		45			45			45			45	
Link Distance (ft)		1327			1351			1319			1127	
Travel Time (s)		20.1			20.5			20.0			17.1	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Adj. Flow (vph)	235	1502	136	315	1983	285	449	211	557	321	95	229
Shared Lane Traffic (%)												
Lane Group Flow (vph)	235	1502	136	315	1983	285	449	211	557	321	95	229
Turn Type	Prot	NA	Perm									
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases				4		8			2			6
Detector Phase	7	4	4	3	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Minimum Split (s)	11.5	25.0	25.0	11.5	25.0	25.0	11.5	24.5	24.5	11.5	24.5	24.5
Total Split (s)	26.5	62.2	62.2	27.3	63.0	63.0	29.9	39.7	39.7	20.8	30.6	30.6
Total Split (%)	17.7%	41.5%	41.5%	18.2%	42.0%	42.0%	19.9%	26.5%	26.5%	13.9%	20.4%	20.4%
Maximum Green (s)	20.0	55.2	55.2	20.8	56.0	56.0	23.4	33.2	33.2	14.3	24.1	24.1
Yellow Time (s)	4.0	5.0	5.0	4.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0
All-Red Time (s)	2.5	2.0	2.0	2.5	2.0	2.0	2.5	2.5	2.5	2.5	2.5	2.5
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.5	7.0	7.0	6.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
Lead/Lag	Lead	Lag	Lag									
Lead-Lag Optimize?	Yes											
Vehicle Extension (s)	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Recall Mode	None	C-Max	C-Max	None	C-Max	C-Max						
Walk Time (s)		7.0	7.0		7.0	7.0		7.0	7.0		7.0	7.0
Flash Dont Walk (s)		11.0	11.0		11.0	11.0		11.0	11.0		11.0	11.0
Pedestrian Calls (#/hr)		0	0		0	0		0	0		0	0
Act Effct Green (s)	20.0	57.6	57.6	18.4	56.0	56.0	22.5	33.2	33.2	14.3	25.0	15.0
Actuated g/C Ratio	0.13	0.38	0.38	0.12	0.37	0.37	0.15	0.22	0.22	0.10	0.17	0.17
y/c Ratio	1.00	0.77	0.19	0.75	1.04	0.37	0.87	0.27	1.03	0.98	0.16	0.50
Control Delay	121.2	44.0	2.5	75.1	78.7	4.7	80.2	49.5	76.5	111.9	54.9	10.5
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	121.2	44.0	2.5	75.1	78.7	4.7	80.2	49.5	76.5	111.9	54.9	10.5

DCI 2018-10-022

RECEIVED  
FEB 13 2018

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 AM Total Background + Project (W/O Alico Access)

01/28/2019



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
LOS	F	D	A	E	E	A	F	D	E	F	D	B
Approach Delay		50.6			70.1			73.2				67.5
Approach LOS		D			E			E				E
Queue Length 50th (ft)	234	471	0	155	~768	0	223	91	~378	164	42	0
Queue Length 95th (ft)	#416	543	25	206	#861	61	#303	130	#614	#267	72	79
Internal Link Dist (ft)		1247			1271			1239				1047
Turn Bay Length (ft)	385		385	650		490	570		240	478		
Base Capacity (vph)	236	1954	711	476	1898	769	535	783	543	327	589	454
Starvation Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Reduced v/c Ratio	1.00	0.77	0.19	0.66	1.04	0.37	0.84	0.27	1.03	0.98	0.16	0.50

Intersection Summary

Area Type: Other

Cycle Length: 150

Actuated Cycle Length: 150

Offset: 0 (0%), Referenced to phase 2:NBT and 6:SBT, Start of Green

Natural Cycle: 150

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.04

Intersection Signal Delay: 64.7

Intersection LOS: E

Intersection Capacity Utilization 85.2%

ICU Level of Service E

Analysis Period (min) 15


~ Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 3: Three Oaks Pkwy & Alico Rd



RECEIVED  
FEB 13 2019

Baseline  
COMMUNITY DEVELOPMENT

Synchro 9 Report  
Page 2

DCI 2018\_10022

## **PM PEAK HOUR CONDITIONS**

DCI 2018-10022

**RECEIVED**

FEB 13 2019

COMMUNITY DEVELOPMENT

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 PM Total Background

01/28/2019

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑↑	↑	↑↑	↑↑↑	↑	↑↑	↑↑	↑	↑↑	↑↑	↑
Traffic Volume (vph)	145	1750	126	590	2260	217	270	107	439	211	118	140
Future Volume (vph)	145	1750	126	590	2260	217	270	107	439	211	118	140
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	385		385	650		490	570		240	478		0
Storage Lanes	1		1	2		1	2		1	2		1
Taper Length (ft)	50			50			50			50		
Lane Util. Factor	1.00	0.91	1.00	0.97	0.91	1.00	0.97	0.95	1.00	0.97	0.95	1.00
Frt			0.850			0.850			0.850			0.850
Flt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Right Turn on Red			Yes			Yes			Yes			Yes
Satd. Flow (RTOR)			179			236			267			183
Link Speed (mph)	45			45			45			45		
Link Distance (ft)	1327			1351			1319			1127		
Travel Time (s)	20.1			20.5			20.0			17.1		
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Adj. Flow (vph)	158	1902	137	641	2457	236	293	116	477	229	128	152
Shared Lane Traffic (%)												
Lane Group Flow (vph)	158	1902	137	641	2457	236	293	116	477	229	128	152
Turn Type	Prot	NA	Perm									
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases			4		8				2		6	
Detector Phase	7	4	4	3	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Minimum Split (s)	11.5	25.0	25.0	11.5	25.0	25.0	11.5	24.5	24.5	11.5	24.5	24.5
Total Split (s)	19.4	59.4	59.4	33.0	73.0	73.0	21.4	31.2	31.2	16.4	26.2	26.2
Total Split (%)	13.9%	42.4%	42.4%	23.6%	52.1%	52.1%	15.3%	22.3%	22.3%	11.7%	18.7%	18.7%
Maximum Green (s)	12.9	52.4	52.4	26.5	66.0	66.0	14.9	24.7	24.7	9.9	19.7	19.7
Yellow Time (s)	4.0	5.0	5.0	4.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0
All-Red Time (s)	2.5	2.0	2.0	2.5	2.0	2.0	2.5	2.5	2.5	2.5	2.5	2.5
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.5	7.0	7.0	6.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
Lead/Lag	Lead	Lag	Lag									
Lead-Lag Optimize?	Yes											
Vehicle Extension (s)	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Recall Mode	None	C-Max	C-Max	None	C-Max	C-Max						
Walk Time (s)		7.0	7.0		7.0	7.0		7.0	7.0		7.0	7.0
Flash Dont Walk (s)		11.0	11.0		11.0	11.0		11.0	11.0		11.0	11.0
Pedestrian Calls (#/hr)		0	0		0	0		0	0		0	0
Act Effct Green (s)	12.9	52.4	52.4	26.5	66.0	66.0	14.5	24.7	24.7	9.9	20.1	20.1
Actuated g/C Ratio	0.09	0.37	0.37	0.19	0.47	0.47	0.10	0.18	0.18	0.07	0.14	0.14
v/c Ratio	0.97	1.00	0.19	0.99	1.03	0.27	0.82	0.19	0.96	0.95	0.25	0.40
Control Delay	125.3	64.1	2.0	88.6	61.6	3.3	80.4	50.0	55.7	109.5	55.0	6.6
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	125.3	64.1	2.0	88.6	61.6	3.3	80.4	50.0	55.7	109.5	55.0	6.6

**RECEIVED**  
FEB 13 2019

Synchro 9 Report  
Page 1

COMMUNITY DEVELOPMENT

DCI 2018.10.023

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 PM Total Background

01/28/2019



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
LOS	F	E	A	F	E	A	F	D	E	F	D	A
Approach Delay		64.6			62.6			63.1			65.1	
Approach LOS		E			E			E			E	
Queue Length 50th (ft)	146	631	0	303	~871	0	136	47	212	108	55	0
Queue Length 95th (ft)	#294	#752	19	#430	#958	46	#204	77	#438	#193	88	38
Internal Link Dist (ft)		1247			1271			1239			1047	
Turn Bay Length (ft)	385		385	650		490	570		240	478		
Base Capacity (vph)	163	1903	704	649	2397	871	365	624	499	242	506	384
Starvation Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Reduced v/c Ratio	0.97	1.00	0.19	0.99	1.03	0.27	0.80	0.19	0.96	0.95	0.25	0.40

Intersection Summary

Area Type: Other.

Cycle Length: 140

Actuated Cycle Length: 140

Offset: 0 (0%), Referenced to phase 2:NBT and 6:SBT, Start of Green

Natural Cycle: 140

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.03

Intersection Signal Delay: 63.5

Intersection LOS: E

Intersection Capacity Utilization 83.7%

ICU Level of Service E

Analysis Period (min) 15


- Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 3: Three Oaks Pkwy & Alico Rd



**RECEIVED**  
FEB 13 2019

**COMMUNITY DEVELOPMENT**  
**DCI 2018\_10022**

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 PM Total Background + Project (W/ Alico Access)

01/28/2019

Lane Group	EBL	EBT	EBC	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑↑	↑	↑↑↑	↑↑↑	↑	↑↑↑	↑↑↑	↑	↑↑↑	↑↑↑	↑
Traffic Volume (vph)	419	1657	126	590	2238	280	261	284	407	488	270	425
Future Volume (vph)	419	1657	126	590	2238	280	261	284	407	488	270	425
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	385		385	650		490	570		240	478		0
Storage Lanes	1		1	2		1	2		1	2		1
Taper Length (ft)	50			50			50			50		
Lane Util. Factor	1.00	0.91	1.00	0.97	0.91	1.00	0.97	0.95	1.00	0.97	0.95	1.00
Frt			0.850			0.850			0.850			0.850
Flt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Right Turn on Red				Yes			Yes			Yes		Yes
Satd. Flow (RTOR)				130			265			327		328
Link Speed (mph)		45			45			45			45	
Link Distance (ft)		1327			1351			1319			1127	
Travel Time (s)		20.1			20.5			20.0			17.1	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Adj. Flow (vph)	455	1801	137	641	2433	304	284	309	442	530	293	462
Shared Lane Traffic (%)												
Lane Group Flow (vph)	455	1801	137	641	2433	304	284	309	442	530	293	462
Turn Type	Prot	NA	Perm									
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases			4			8			2		6	
Detector Phase	7	4	4	3	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Minimum Split (s)	11.5	25.0	25.0	11.5	25.0	25.0	11.5	24.5	24.5	11.5	24.5	24.5
Total Split (s)	36.0	62.5	62.5	35.5	62.0	62.0	19.4	27.0	27.0	25.0	32.6	32.6
Total Split (%)	24.0%	41.7%	41.7%	23.7%	41.3%	41.3%	12.9%	18.0%	18.0%	16.7%	21.7%	21.7%
Maximum Green (s)	29.5	55.5	55.5	29.0	55.0	55.0	12.9	20.5	20.5	18.5	26.1	26.1
Yellow Time (s)	4.0	5.0	5.0	4.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0
All-Red Time (s)	2.5	2.0	2.0	2.5	2.0	2.0	2.5	2.5	2.5	2.5	2.5	2.5
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.5	7.0	7.0	6.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
Lead/Lag	Lead	Lag	Lag									
Lead-Lag Optimize?	Yes											
Vehicle Extension (s)	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Recall Mode	None	C-Max	C-Max	None	C-Max	C-Max						
Walk Time (s)		7.0	7.0		7.0	7.0		7.0	7.0		7.0	7.0
Flash Dont Walk (s)		11.0	11.0		11.0	11.0		11.0	11.0		11.0	11.0
Pedestrian Calls (#/hr)		0	0		0	0		0	0		0	0
Act Effct Green (s)	29.5	55.5	55.5	29.0	55.0	55.0	12.9	20.5	20.5	18.5	26.1	26.1
Actuated g/C Ratio	0.20	0.37	0.37	0.19	0.37	0.37	0.09	0.14	0.14	0.12	0.17	0.17
v/c Ratio	1.31	0.96	0.21	0.97	1.31	0.41	0.96	0.64	0.89	1.25	0.48	0.85
Control Delay	203.6	58.9	6.4	87.1	180.0	7.5	110.9	68.0	37.2	183.4	58.7	32.2
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	203.6	58.9	6.4	87.1	180.0	7.5	110.9	68.0	37.2	183.4	58.7	32.2

**RECEIVED**  
FEB 13 2019  
Baseline

Synchro 9 Report  
Page 1

COMMUNITY DEVELOPMENT

DET 2018 10023

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 PM Total Background + Project (W/ Alico Access)

01/28/2019



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
LOS	F	E	A	F	F	A	F	E	D	F	E	C
Approach Delay		83.4			146.9			66.6			100.6	
Approach LOS		F			F			E			F	
Queue Length 50th (ft)	~570	627	4	324	~1115	25	145	152	118	~332	137	136
Queue Length 95th (ft)	#791	#734	50	#448	#1200	98	#240	206	#317	#452	187	#325
Internal Link Dist (ft)		1247			1271			1239			1047	
Turn Bay Length (ft)	385		385	650		490	570		240	478		
Base Capacity (vph)	348	1881	667	663	1864	748	295	483	498	423	615	546
Starvation Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Reduced v/c Ratio	1.31	0.96	0.21	0.97	1.31	0.41	0.96	0.64	0.89	1.25	0.48	0.85

Intersection Summary

Area Type: Other

Cycle Length: 150

Actuated Cycle Length: 150

Offset: 0 (0%), Referenced to phase 2:NBT and 6:SBT, Start of Green

Natural Cycle: 150

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.31

Intersection Signal Delay: 110.5

Intersection LOS: F

Intersection Capacity Utilization 110.3%

ICU Level of Service H

Analysis Period (min) 15


~ Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 3: Three Oaks Pkwy & Alico Rd



RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018\_10022

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 PM Total Background + Project (W/o Alico Access)

01/28/2019

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑↑	↑	↑↑	↑↑↑	↑	↑↑	↑↑	↑	↑↑	↑↑↑	↑
Traffic Volume (vph)	419	1657	126	590	2188	425	261	284	407	488	270	425
Future Volume (vph)	419	1657	126	590	2188	425	261	284	407	488	270	425
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	385		385	650		490	570		240	478		0
Storage Lanes	1		1	2		1	2		1	2		1
Taper Length (ft)	50			50			50			50		
Lane Util. Factor	1.00	0.91	1.00	0.97	0.91	1.00	0.97	0.95	1.00	0.97	0.95	1.00
Frt				0.850		0.850			0.850			0.850
Flt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	5085	1583	3433	5085	1583	3433	3539	1583	3433	3539	1583
Right Turn on Red				Yes			Yes			Yes		Yes
Satd. Flow (RTOR)				130			265			327		328
Link Speed (mph)		45			45			45			45	
Link Distance (ft)		1327			1351			1319			1127	
Travel Time (s)		20.1			20.5			20.0			17.1	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Adj. Flow (vph)	455	1801	137	641	2378	462	284	309	442	530	293	462
Shared Lane Traffic (%)												
Lane Group Flow (vph)	455	1801	137	641	2378	462	284	309	442	530	293	462
Turn Type	Prot	NA	Perm									
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases			4			8						6
Detector Phase	7	4	4	3	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Minimum Split (s)	11.5	25.0	25.0	11.5	25.0	25.0	11.5	24.5	24.5	11.5	24.5	24.5
Total Split (s)	36.0	62.5	62.5	35.5	62.0	62.0	19.4	27.0	27.0	25.0	32.6	32.6
Total Split (%)	24.0%	41.7%	41.7%	23.7%	41.3%	41.3%	12.9%	18.0%	18.0%	16.7%	21.7%	21.7%
Maximum Green (s)	29.5	55.5	55.5	29.0	55.0	55.0	12.9	20.5	20.5	18.5	26.1	26.1
Yellow Time (s)	4.0	5.0	5.0	4.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0
All-Red Time (s)	2.5	2.0	2.0	2.5	2.0	2.0	2.5	2.5	2.5	2.5	2.5	2.5
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.5	7.0	7.0	6.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
Lead/Lag	Lead	Lag	Lag									
Lead-Lag Optimize?	Yes											
Vehicle Extension (s)	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Recall Mode	None	C-Max	C-Max	None	C-Max	C-Max						
Walk Time (s)		7.0	7.0		7.0	7.0		7.0	7.0		7.0	7.0
Flash Dont Walk (s)		11.0	11.0		11.0	11.0		11.0	11.0		11.0	11.0
Pedestrian Calls (#/hr)		0	0		0	0		0	0		0	0
Act. Fct Green (s)	29.5	55.5	55.5	29.0	55.0	55.0	12.9	20.5	20.5	18.5	26.1	26.1
Actuated g/c Ratio	0.20	0.37	0.37	0.19	0.37	0.37	0.09	0.14	0.14	0.12	0.17	0.17
v/c Ratio	0.11	0.96	0.21	0.97	1.28	0.62	0.96	0.64	0.89	1.25	0.48	0.85
Control Delay	203.6	58.9	6.4	87.1	167.7	19.6	110.9	68.0	37.2	183.4	58.7	32.2
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	203.6	58.9	6.4	87.1	167.7	19.6	110.9	68.0	37.2	183.4	58.7	32.2

RECEIVED  
OCI 2018-10022

Baseline FEB 13 2019

Synchro 9 Report  
Page 1

COMMUNITY DEVELOPMENT

Lanes, Volumes, Timings  
3: Three Oaks Pkwy & Alico Rd

2024 PM Total Background + Project (W/o Alico Access)

01/28/2019



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
LOS	F	E	A	F	F	B	F	E	D	F	E	C
Approach Delay		83.4			133.2			66.6			100.6	
Approach LOS		F			F			E			F	
Queue Length 50th (ft)	~570	627	4	324	~1074	156	145	152	118	~332	137	136
Queue Length 95th (ft)	#791	#734	50	#448	#1160	280	#240	206	#317	#452	187	#325
Internal Link Dist (ft)		1247			1271			1239			1047	
Turn Bay Length (ft)	385		385	650		490	570		240	478		
Base Capacity (vph)	348	1881	667	663	1864	748	295	483	498	423	615	546
Starvation Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0	0	0	0	0	0
Reduced v/c Ratio	1.31	0.96	0.21	0.97	1.28	0.62	0.96	0.64	0.89	1.25	0.48	0.85

Intersection Summary

Area Type: Other

Cycle Length: 150

Actuated Cycle Length: 150

Offset: 0 (0%), Referenced to phase 2:NBT and 6:SBT, Start of Green

Natural Cycle: 150

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.31

Intersection Signal Delay: 105.1

Intersection LOS: F

Intersection Capacity Utilization 109.3%

ICU Level of Service H

Analysis Period (min) 15


- Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 3: Three Oaks Pkwy & Alico Rd



RECEIVED  
FEB 13 2019

COMMUNITY DEVELOPMENT

DCI 2018\_10022

# TRIP GENERATION EQUATIONS

DCI 2018-10022

**RECEIVED**  
FEB 13 2019

COMMUNITY DEVELOPMENT

## Shopping Center (820)


Vehicle Trip Ends vs: 1000 Sq. Ft. GLA  
On a: Weekday

Setting/Location: General Urban/Suburban  
Number of Studies: 147  
1000 Sq. Ft. GLA: 453  
Directional Distribution: 50% entering, 50% exiting

### Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
37.75	7.42 - 207.98	16.41

### Data Plot and Equation




## Shopping Center (820)

Vehicle Trip Ends vs: 1000 Sq. Ft. GLA  
On a: Weekday,  
Peak Hour of Adjacent Street Traffic,  
One Hour Between 7 and 9 a.m.  
Setting/Location: General Urban/Suburban  
Number of Studies: 84  
1000 Sq. Ft. GLA: 351  
Directional Distribution: 62% entering, 38% exiting

### Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
0.94	0.18 - 23.74	0.87

### Data Plot and Equation



RECEIVED  
FEB 13 2019  
ite  
COMMUNITY DEVELOPMENT


## Shopping Center (820)

Vehicle Trip Ends vs: 1000 Sq. Ft. GLA  
 On a: Weekday,  
 Peak Hour of Adjacent Street Traffic,  
 One Hour Between 4 and 6 p.m.  
 Setting/Location: General Urban/Suburban  
 Number of Studies: 261  
 1000 Sq. Ft. GLA: 327  
 Directional Distribution: 48% entering, 52% exiting

### Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
3.81	0.74 - 18.69	2.04

### Data Plot and Equation



**RECEIVED**  
 FEB 13 2019  
 ite

**COMMUNITY DEVELOPMENT**

**RECEIVED**

APR 02 2019

COMMUNITY DEVELOPMENT

DCI 2018-10022

**REVISED TIS DOCUMENTS**

ISSUES AND TRENDS

## TRIP GENERATION

RECEIVED  
APR 02 2019

COMMUNITY DEVELOPMENT

DCI 2018-10022

# TRIP GENERATION

## VINTAGE COMMERCE CENTER CPD COMPREHENSIVE PLAN AMENDMENT ITE TRIP GENERATION REPORT, 10<sup>th</sup> EDITION

**COMMERCIAL INTENSITY**  
**350,000 SQ. FT. OF RETAIL**  
**300 HOTEL ROOMS**

### Trip Generation – Total Trips Vintage Commerce Center

Land Use	Weekday AM Peak Hour			Weekday PM Peak Hour			Daily (2-way)
	In	Out	Total	In	Out	Total	
Shopping Center (350,000 Sq. Ft.)	203	124	327	659	714	1,373	14,092
Hotel (300 rooms)	86	59	145	101	98	199	2,960
<b>Total Trips</b>	<b>289</b>	<b>183</b>	<b>472</b>	<b>760</b>	<b>812</b>	<b>1,572</b>	<b>17,052</b>

### Trip Generation – New Trips Vintage Commerce Center

Land Use	Weekday A.M. Peak Hour			Weekday P.M. Peak Hour			Daily (2-way)
	In	Out	Total	In	Out	Total	
Total Trips	289	183	472	760	812	1,572	17,052
Less Retail Pass-By Trips	-61	-37	-98	-198	-214	-412	-4,228
<b>New Trips</b>	<b>228</b>	<b>146</b>	<b>374</b>	<b>562</b>	<b>598</b>	<b>1,160</b>	<b>12,824</b>

**RECEIVED**  
APR 02 2019

DCI 2018-10022

COMMUNITY DEVELOPMENT

5/16/2019 9:10:31 AM

**TABLES 5A & 6A  
REZONING  
2024 LOS ANALYSIS**

**RECEIVED**  
APR 02 2019  
COMMUNITY DEVELOPMENT

**DCI 2018-10022**

**TABLE 5A**  
**PEAK DIRECTION PROJECT TRAFFIC VS. 10% LOS C LINK VOLUMES**  
**VINTAGE COMMERCE CENTER CPD**

TOTAL AM PEAK HOUR PROJECT TRAFFIC = 374 VPH      IN= 228      OUT= 146  
 TOTAL PM PEAK HOUR PROJECT TRAFFIC = 1,160 VPH      IN= 562      OUT= 598

<u>ROADWAY</u>	<u>SEGMENT</u>	<u>CLASS</u>	PERCENT						
			<u>ROADWAY</u>	<u>LOS A</u>	<u>LOS B</u>	<u>LOS C</u>	<u>LOS D</u>	<u>LOS E</u>	<u>PROJECT LOS C</u>
Alico Rd.	W. of Dusty Rd.	4LD	0	250	1,840	1,960	1,960	20%	120 6.5%
	W. of Lee Rd.	6LD	0	400	2,840	2,940	2,940	20%	120 4.2%
	W. of Oriole Rd.	6LD	0	400	2,840	2,940	2,940	30%	179 6.3%
	W. of Three Oaks Pkwy.	6LD	0	400	2,840	2,940	2,940	40%	239 8.4%
	E. of Three Oaks Pkwy.	6LD	0	400	2,840	2,940	2,940	30%	179 6.3%
	E. of I-75	6LD	0	400	2,840	2,940	2,940	15%	90 3.2%
	E. of Ben Hill Griffin Pkwy.	2LU	130	420	850	1,210	1,640	1%	6 0.7%
Three Oaks Pkwy.	S. of Alico Rd.	4LD	0	250	1,840	1,960	1,960	30%	179 9.8%
	S. of San Carlos Blvd.	4LD	0	250	1,840	1,960	1,960	20%	120 6.5%
	N. of Alico Rd.	6LF	0	3,660	5,030	6,240	6,500	10%	60 1.2%
	S. of Alico Rd.	6LF	0	3,660	5,030	6,240	6,500	5%	30 0.6%
Ben Hill Griffin Pkwy.	N. of Alico Rd.	4LD	0	250	1,840	1,960	1,960	5%	30 1.6%
	S. of Alico Rd.	6LD	0	400	2,840	2,940	2,940	10%	60 2.1%
Oriole Rd.	S. of Alico Rd.	2LU	0	0	310	660	740	10%	60 19.3%
Lee Rd.	S. of Alico Rd.	2LU	0	0	310	660	740	10%	60 19.3%
U.S. 41	N. of Alico Rd.	6LD	0	400	2,840	2,940	2,940	5%	30 1.1%
	S. of Alico Rd.	6LD	0	400	2,840	2,940	2,940	10%	60 2.1%

\* Level of Service thresholds were obtained from the Lee County Generalized Level of Service Volumes on Arterials  
 For I-75, FDOT Q/LOS Handbook, Table 7 (3/14/2018) service volumes were utilized

COMMUNITY DEVELOPMENT

RECEIVED  
APR 02 2019

DCI 2018-10022

**TABLE 6A**  
**LEE COUNTY TRAFFIC COUNTS AND CALCULATIONS**  
**VINTAGE COMMERCE CENTER CPD**

TOTAL PROJECT TRAFFIC AM =	374	VPH	IN =	228	OUT=	146
TOTAL PROJECT TRAFFIC PM =	1,160	VPH	IN=	562	OUT=	598

ROADWAY	SEGMENT	PCS#	ADT	ADT	GROWTH	RATE	PEAK DIR. <sup>1</sup>	VOLUME	LOS	2017		2024		2024		2024	
										PK HR	PK HR	PK SEASON	PERCENT	BCKGRND		BCKGRND	
										PROJECT	AM PROJ	PM PROJ	+ AM PROJ	PROJECT	AM PROJ	PM PROJ	+ PM PROJ
Alico Rd.	W. of Three Oaks Pkwy.	10	26,600	44,800	8	6.73%	1,035	1,633	C	40%	91	239	1,724	C	1,872	C	
	E. of Three Oaks Pkwy.	10	26,600	44,800	8	6.73%	2,285	3,606	F	30%	68	179	3,674	F	3,785	F	
	E. of I-75	53	20,800	24,600	8	2.12%	1,154	1,336	C	15%	34	90	1,371	C	1,426	C	
Three Oaks Pkwy.	S. of Alico Rd.	414	9,500	14,100	7	5.80%	715	1,061	C	30%	68	179	1,130	C	1,241	C	
Oriole Rd.	S. of Alico Rd.	120181	3,100	2,900	2	2.00%	139	160	C	10%	23	60	182	C	219	C	
Lee Rd	S. of Alico Rd.	313	7,000	10,400	7	5.82%	544	808	F	10%	23	60	831	F	868	F	

<sup>1</sup> Current peak hour peak season peak direction traffic volumes for all roadways were obtained from the 2018 Lee County Public Facilities Level of Service and Concurrency Report.

AGR for Alico Road, Three Oaks Parkway and Lee Road was calculated based the historical traffic data obtained from 2017 Lee County Traffic Count Report.

\* AGR for Oriole Road was calculated based the historical traffic data obtained from Florida Traffic Online webpage.

**COMMUNITY DEVELOPMENT**

DCI 2018-10022


**RECEIVED**  
APR 02 2019

## **FIGURES 2 - 7**

**RECEIVED**  
APR 02 2019


**COMMUNITY DEVELOPMENT**

**DCI 2018-10022**




THREE OAKS PKWY.

**RECEIVED**  
APR 02 2019



COMMUNITY DEVELOPMENT

DCI 2018-10022



LEGEND

- ← 000 WEEKDAY AM PEAK HOUR TRAFFIC
- ← (000) WEEKDAY PM PEAK HOUR TRAFFIC


**RECEIVED**  
APR 02 2019



COMMUNITY DEVELOPMENT

OCT 2018 - 10022



I-75






PROJECTED 2024 BACKGROUND  
PLUS PROJECT TRAFFIC CONDITIONS  
VINTAGE COMMERCE CENTER CPD


THREE OAKS PKWY.

**RECEIVED**  
APR 02 2019

COMMUNITY DEVELOPMENT  
**DCI 2018-10022**



ALICO RD.



SITE

I-75

LEGEND

- ← 000 WEEKDAY AM PEAK HOUR TRAFFIC
- ← (000) WEEKDAY PM PEAK HOUR TRAFFIC

**RECEIVED**

APR 02 2019

SEARCHED - SERIALIZED  
SAC-8105100

**COMMUNITY DEVELOPMENT**


**DCI 2018-10022**

**SUPPLEMENTAL FIGURES**

**A-1, A-2, A-3 & A-4**


THREE OAKS PKWY.

**RECEIVED**  
APR 02 2019



COMMUNITY DEVELOPMENT

DCI 2018-10022




ASSIGNMENT & DISTRIBUTION OF  
NET NEW PROJECT TRIPS  
VINTAGE COMMERCE CENTER CPD

Figure A-1


THREE OAKS PKWY.

**RECEIVED**  
APR 02 2019



COMMUNITY DEVELOPMENT

DCI 2018-10022





THREE OAKS PKWY.

**RECEIVED**  
APR 02 2019


**COMMUNITY DEVELOPMENT**

**DCI 2018-10022**




**RECEIVED**  
THREE OAKS PKWY.  
APR 02 2019

COMMUNITY DEVELOPMENT



DCI 2018-10022



#### LEGEND

- 000 WEEKDAY AM PEAK HOUR TRAFFIC
- ↑ (000) WEEKDAY PM PEAK HOUR TRAFFIC
- ← 20% ONE-WAY TRIP DISTRIBUTION

**RECEIVED**

APR 02 2019

**COMMUNITY DEVELOPMENT**

**DCI 2018-10022**

**TRAFFIC DATA FROM THE 2017 LEE  
COUNTY TRAFFIC COUNT REPORT**

UPDATED 18-Apr-2018		Sta- tion #	Daily Traffic Volume (AADT)										Area
STREET	LOCATION		2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	
A & W BULB RD	N OF GLADIOLUS DR	215		6400	7700		6800		6600		7100	37	
ALABAMA RD	N OF IMMOKALEE RD	201	6100	5700	5700				6800		7100	6	
ALABAMA RD	S OF HOMESTEAD RD	200	8800	9000	9100	8800	11100	9000	9300	10300	11000	6	
ALICO RD	E OF US 41	204	18100	19500	21400	21800	21700	23400	19900	21900	24100	22100	10
ALICO RD	E OF LEE RD	207	20100	19900	22700								10
ALICO RD	W OF I- 75	10	28300	26600	26100	25800	27200	29100	38400	41100	43600	44800	
ALICO RD	E OF I - 75	53	12300	20800	25700	26200	26000	26900	28400	25600	24300	24600	
ALICO RD	E OF BEN HILL GRIFFIN PKWAY	205	5800	3600	2600			7500		8500			53
ALICO RD	N OF CORKSCREW RD	206	2000	1400	1500								53
ARROYAL ST	N OF BONITA BEACH RD	496	4700	4000									42
BABCOCK RD	E OF US 41	461	1400	1300	1200								25
BALLARD RD	W OF ORTIZ AV	504	4100	3500	3400								20
BARRETT RD	S OF PINE ISLAND RD	509	2600	2300									49
BASS RD	N OF SUMMERLIN RD	216	9100	10400	10000	8200		8400		8200		11500	36

DCI 2018-10022

**RECEIVED**  
APR 02 2019

COMMUNITY DEVELOPMENT

UPDATED 18-Apr-2018

## Daily Traffic Volume (AADT)

STREET	LOCATION	Sta- tion #	Daily Traffic Volume (AADT)											PCS Area
			2008	2009	2010	2011	2012	2013	2014	2015	2016	2017		
IMPERIAL PKWY	N OF STRIKE LN	63	7900	8900	8200	8300	9300	9900	11000	13200	13000	14200		
IMPERIAL PKWY	N OF BONITA BEACH RD	529	18200											63
IMPERIAL PKWY	S OF BONITA BEACH RD	492	16200	14300	15300								22200	63
IONA RD	W OF McGREGOR BLVD	303	6800	7900	7400	7400		6800		7100		7200		35
ISLAND PARK RD	W OF US 41	304	9300	9400	9800									25
JOEL BLVD (CR 884)	E OF BELL BLVD	306	13500	12500	12400	12500	14100	12700	13400	14100	14500	14100		6
JOEL BLVD (CR 884)	N OF E 10TH ST	69									8900	9000		
JOEL BLVD (CR 884)	N OF E 15TH ST	327			6200									6
JOEL BLVD (CR 884)	S OF PALM BEACH BLVD	305	6800	6600	6600	7300	8100	7400	7600	8200	8800	9200		6
JOHN MORRIS RD	S OF SUMMERLIN RD	497	600	1200	1100									36
JOHN MORRIS RD	N OF SUMMERLIN RD	498	1700	3900	3300	3600		3600		4500		4700		36
KELLY RD	W OF SAN CARLOS BLVD	308	1500	4300	3900	3400		4300		5300		4500		38
KELLY RD	E OF SAN CARLOS BLVD	307	1100	1900	1900									38
LAUREL DR	E OF BUSINESS 41	309	5600	5200		5900		5500		5900		6500		41
LEE BLVD(CR 884)	E OF IMMOKALEE RD	310	32500	46500	38300			38100	42800		49500			22
LEE BLVD(CR 884)	W OF GUNNERY RD	22	21300	28600	28600	28600	33800	31000	33500	35300	37400	37900		
LEE BLVD(CR 884)	E OF SUNNILAND BLVD	302			33500									22
LEE BLVD(CR 884)	E OF SUNSHINE BLVD	312	28100	30700	32600	32300		29500		33100		32600		22
LEE BLVD(CR 884)	N OF LEELAND HEIGHTS	311	19400	10000	10300	10500	11800	10400	10900	12100	12600	12600		22
LEE RD	S OF ALICO RD	313	7000	6500	6400					10400				25
														29

**RECEIVED**  
APR 02 2019

DCI 2018-10022

COMMUNITY DEVELOPMENT



**TRAFFIC STUDY FOR THREE OAKS  
MARKETPLACE MPD  
(DCI2015-00033)**

**RECEIVED**  
APR 02 2019  
COMMUNITY DEVELOPMENT

**DCI 2018-10022**

F150913

DCI 2015-C6633



LEGEND

- ◀ 000 WEEKDAY AM PEAK HOUR SITE TRAFFIC
- ◀ (000) WEEKDAY PM PEAK HOUR SITE TRAFFIC

**LEE COUNTY PEAK SEASON  
ADJUSTMENT**

**RECEIVED**  
APR 02 2019  
COMMUNITY DEVELOPMENT

**OCL 2018-10022**

# PCS 10 - Alico Rd West of I-75


2017 AADT =

44,800 VPD

Hour	EB	WB	Total
0	0.67%	1.14%	0.90%
1	0.47%	0.73%	0.60%
2	0.33%	0.51%	0.42%
3	0.40%	0.34%	0.37%
4	0.82%	0.50%	0.66%
5	1.63%	1.54%	1.59%
6	3.81%	4.28%	4.04%
7	6.19%	5.39%	5.80%
8	6.24%	5.05%	5.66%
9	5.92%	4.29%	5.12%
10	6.16%	4.83%	5.51%
11	6.73%	5.54%	6.15%
12	6.83%	6.35%	6.60%
13	6.30%	6.61%	6.45%
14	6.16%	6.70%	6.43%
15	6.84%	7.23%	7.03%
16	7.72%	7.64%	7.68%
17	8.31%	7.85%	8.08%
18	6.16%	6.20%	6.18%
19	4.22%	5.00%	4.60%
20	3.04%	4.25%	3.63%
21	2.25%	3.62%	2.92%
22	1.68%	2.65%	2.15%
23	1.11%	1.77%	1.43%


Month of Year	Fraction
January	1.02
February	1.11
March	1.15
April	1.06
May	0.96
June	0.92
July	0.83
August	0.93
September	0.79
October	1.04
November	1.04
December	1.02

Directional Factor		
AM	0.53	WB
PM	0.51	EB



Day of Week	Fraction
Sunday	0.68
Monday	1.01
Tuesday	1.08
Wednesday	1.1
Thursday	1.11
Friday	1.14
Saturday	0.86

Design Hour Volume		
#	Volume	Factor
5	4978	0.111
10	4852	0.108
20	4745	0.106
30	4697	0.105
50	4637	0.104
100	4469	0.100
150	4350	0.097
200	4231	0.094



Count date (January)

$$PSCF = \left[ \frac{1.11 + 1.15 + 1.06}{3} \right] - 1.02 + 1.09$$

**RECEIVED**  
APR 02 2019

DCI 2018-10022

COMMUNITY DEVELOPMENT

**YEAR 2027 E+C NETWORK + THREE  
OAKS PKWY EXTENSION PROVIDED  
BY LEE COUNTY**





# **DEVELOPMENT OF FUTURE YEAR TRAFFIC VOLUMES**

**RECEIVED**  
APR 02 2019  
COMMUNITY DEVELOPMENT

**DCI 2018-10022**

## Development of Future Year Background Turning Volumes (With Alico Access)

Intersection  
Count Date  
Build-Out Year

### Alico Road at Three Oaks Parkway

January 24th, 2019  
2024

RAW Turning Movement Counts  
Peak Season Correction Factor  
Current Peak Season Volumes

	AM Peak Hour											
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
335	2	444		1	2	0	3	1,223	121	237	1,278	2
1.09	1.09	1.09		1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09
365	2	484		1	2	0	3	1,333	132	258	1,393	2
5.80%	0.00%	5.80%		0.00%	0.00%	0.00%	0.00%	6.73%	6.73%	6.73%	6.73%	0.00%
5	0	5		0	0	0	0	5	5	5	5	5
484	2	642		1	2	0	3	1,846	183	357	1,929	2
-46	136	-92		241	63	162	129		-14	-51		197
438	138	550		242	65	162	132	1,846	169	306	1,929	199
-3	80	-9		66	44	73	120	-28		-6		26
435	218	541		308	109	235	252	1,818	169	306	1,923	225

Growth Rate  
Years to Build-out  
2024 Background Turning Volumes  
Turning Volumes Adjustment for 3 Oaks Ext.  
2024 Total Background Turning Volumes  
  
Project Turning Volumes  
2024 Background + Project

	PM Peak Hour											
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
217	1	374		1	0	4	3	1,524	122	482	1,569	2
1.09	1.09	1.09		1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09
237	1	408		1	0	4	3	1,661	133	525	1,710	2
5.80%	0.00%	5.80%		0.00%	0.00%	0.00%	0.00%	6.73%	6.73%	6.73%	6.73%	0.00%
5	0	5		0	0	0	0	5	5	5	5	5
314	1	541		1	0	4	3	2,300	184	727	2,368	2
-30	106	-77		210	118	136	142		-14	-104		215
284	107	464		211	118	140	145	2,300	170	623	2,368	217
-8	209	-32		309	180	323	313	-89		-21		72
276	316	432		520	298	463	458	2,211	170	623	2,347	289

DCI 2018-10022

**RECEIVED**  
APR 02 2019  
COMMUNITY DEVELOPMENT

## Development of Future Year Background Turning Volumes (Without Alico Access)

Intersection  
Count Date  
Build-Out Year

### Alico Road at Three Oaks Parkway

January 24th, 2019  
2024

	AM Peak Hour											
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
RAW Turning Movement Counts	335	2	444	1	2	0	3	1,223	121	237	1,278	2
Peak Season Correction Factor	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09
Current Peak Season Volumes	365	2	484	1	2	0	3	1,333	132	258	1,393	2
Growth Rate	5.80%	0.00%	5.80%	0.00%	0.00%	0.00%	0.00%	6.73%	6.73%	6.73%	6.73%	0.00%
Years to Build-out	5	0	5	0	0	0	0	5	5	5	5	5
2024 Background Turning Volumes	484	2	642	1	2	0	3	1,846	183	357	1,929	2
Turning Volumes Adjustment for 3 Oaks Ext.	-46	136	-92	241	63	162	129	-14	-51	-104	-104	215
2024 Total Background Turning Volumes	438	138	550	242	65	162	132	1,846	169	306	1,929	199
Project Turning Volumes	-3	80	-9	66	44	73	120	-28	-21	-21	-21	89
2024 Background + Project	435	218	541	308	109	235	252	1,818	169	306	1,908	288
	PM Peak Hour											
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
RAW Turning Movement Counts	217	1	374	1	0	4	3	1,524	122	482	1,569	2
Peak Season Correction Factor	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.09
Current Peak Season Volumes	237	1	408	1	0	4	3	1,661	133	525	1,710	2
Growth Rate	5.80%	0.00%	5.80%	0.00%	0.00%	0.00%	0.00%	6.73%	6.73%	6.73%	6.73%	0.00%
Years to Build-out	5	0	5	0	0	0	0	5	5	5	5	5
2024 Background Turning Volumes	314	1	541	1	0	4	3	2,300	184	727	2,368	2
Turning Volumes Adjustment for 3 Oaks Ext.	-30	106	-77	210	118	136	142	-14	-104	-104	-104	215
2024 Total Background Turning Volumes	284	107	464	211	118	140	145	2,300	170	623	2,368	217
Project Turning Volumes	-8	209	-32	309	180	323	313	-89	-69	-69	-69	238
2024 Background + Project	276	316	432	520	298	463	458	2,211	170	623	2,299	455

**RECEIVED**  
APR 02 2019

COMMUNITY DEVELOPMENT

DCI 2018-10022