



COMMUNITY DEVELOPMENT

Mr. Brandon Dunn Principal Planner Lee County Community Development 1500 Monroe Street Fort Myers, FL 33901

March 2, 2023

Re: The Preserve Sporting Club and Residences Text and Map Amendments CPA2022-00014 and CPA2022-00015 Sufficiency #1 Submittal

Mr. Dunn,

In response to the comment letter dated December 22, 2022, enclosed are the following items for your review:

- 1. Property Owners Map
- 2. Text Amendment, Exhibit T-4
- 3. Lee Plan Analysis
- 4. M 16 Justification of the Amendment
- 5. Topographic Map
- Flood Insurance Rate Map
- 7. Water Resources Analysis
- 8. LCU Letter of Availability
- 9. Lee County EMS Letter of Availability
- 10. Lee Tran Letter of Availability
- 11. Traffic Impact Statement

1. Please provide physical copies of mailing labels.

The mailing labels have been submitted directly to your office.

2. Please provide a list of property owners along with a graphic depicting properties owned by each owner.

Please see the attached map depicting the property ownership and the list of property owners within the CPA boundary.

3. Please clarify the maximum allowable development that would be allowable with the proposed amendments.

- The application for the Map Amendment states that there may be up to 500 dwelling units, 20,000 square feet of commercial and 100 hotel units, but this does not seem to include 125,000 square feet of Clubhouse/ Administrative area identified in the text amendments or the 225,000 square feet identified in the Transportation Analysis. Please clarify and correct any inconsistencies.
- Please define what will be included in the 125,000 square feet of Clubhouse/

Per our meeting on January 26th, the Text Amendment now includes a definition for a new use "Recreational Resort Center". This use definition encapsulates the proposed project The total development program being requested in the concurrent zoning application is:

- 401 residential units. All units are for club members only. Some of the units will be sold in a condo-hotel format where each unit is sold individually but placed into a short-term rental pool for private club members. The units are a mix of single family detached and lodge units (multiple units within a single hotel structure). All units, including the single-family dwellings are sold condo style. There will be no individual parcels. The club will own all of the land.
- Clubhouse uses. There are multiple areas where "clubhouse" type amenities will be located, internal and for private club use only. These will include gym, health spa, dining, administrative offices, and similar facilities within the lodge structure and scattered elsewhere as part of the club membership. These types of uses are typically found in a clubhouse for a golf course or residential community and will similarly be private facilities for club members only. The clubhouse associated with the golf course will be limited to 20,000 square feet. There will also be other buildings ancillary to the recreational uses, including a boat livery for non-motorized boats for fishing, storage for the horse stables, etc. The intent was not to have a very large single clubhouse, but to have enough area so that the ancillary uses to the recreation could be accommodated.
- 40,000 square feet of commercial floor area open to the public. The intent with the commercial area is to allow for a restaurant open to the public as well as a outdoors store where fishing, hunting, camping and outdoor recreational items are sold.
- The proposed text amendments include proposed Policy 13.2.5.1, which would allow for 20,000 square feet of commercial uses on PRFPD projects that are 1,000 acres or greater. However the use table within Policy 13.3.8 already allows for up to 100,000 square feet of commercial within a PRFPD, but does not include the project size limitation. Please clarify.

Policy 13.2.5.1 allows for the ability to develop up to 40,000 square feet of commercial area (revised) without the commercial limitations in Goal 33. Anything above 40,000 sq. ft. would be subject to the limitations in Goal 33 up to 100,000 sq. ft. of total allowable floor area. Please see the attached revised text amendment and justification, which attempts to clarify this.

• Staff is unclear of how to consider a 125,000 square foot clubhouse as an accessory use to the golf course. Please describe the uses intended for this facility and describe how this will not be considered a principally commercial use.

Please see the response above. The 125,000 square feet is not part of the golf course, but includes clubhouse uses throughout the recreational facility. The golf course club house is limited to 20,000 square feet and is part of the total club house area proposed. The text amendment has been revised based on prior conversations with staff, to include a definition of the proposed use. The limitation of 20,000 sq. ft. for the golf course clubhouse still applies.

4. Please clarify and correct any inconsistencies within the application materials.

Please see the revised text amendment which clarifies the requested development program.

• There is an inconsistency between the density/intensity limitations table and Policy 13.2.5.1. Please clarify.

As noted above, the intent of Policy 13.2.5.1 was to allow for a certain area of commercial development that was not subject to the limitations within Southeast Lee County that are part of Goal 33. This is not an inconsistency, but an attempt to differentiate the need for a certain area of commercial that is directly related to this recreational facility, not contemplated in the cap on commercial in Goal 33. The nature of the retail proposed is very much related to the recreational facility concept.

• The density/intensity limitations table does not establish the maximum number of hotel/motel uses. Please revise.

Our understanding from discussions with staff is that the "hotel" will be viewed more as a condo building. Each unit is sold as a condo unit and incorporated into a rental pool for exclusive use by club members. Therefore, the hotel allowance has been removed and there is a total density limit of 2 du/5 acres.

5. Please provide an exhibit for the proposed text amendments to explain why each change is needed, analysis of impacts from each change, and justification for each proposed text amendment.

Please see the attached revised Exhibit T-4.

6. Please provide an updated Lee Plan analysis that:

- Is inclusive of amendments made through Lee County Ordinance# 22-29. As an example, in the analysis of Policy 1.4.5 reference to the Future Lime rock Mining Overlay is referenced, which has been removed from the Lee Plan.
- At a minimum includes the following goals and any relative objectives and policies of the goal are included in the analysis: Goal 5: Residential Land Uses; Goal 13: Private Recreation Facilities in the DR/GR (additional analysis needed); Goal 33: Southeast Lee County; Goal 60: Coordinated Surface Water Management and Land Use Planning in a Watershed Basis; Goal 123: Resource Protection; Goal 124: Wetlands; Goal 125: Water Quality; and, Goal 126: Water Resources.

Please see the attached revised Lee Plan Analysis.

7. Please explain the rationale for exceeding the underlying density established by the Future Land Use Category. For example, in the EEPCO additional density is granted to offset the cost to a developer for helping Lee County achieve overall county goals of environmental restoration and enhancement as established in the Lee Plan for southeast Lee County.

A section has been added to Exhibit M-16, "Benefits of the Proposed Amendment" which outlines how the proposed amendment directly implements the County's goals of improving water quality, conserving water supply and restoring native vegetation in the DR/GR. The proposed amendment achieves all of this with a reduction of an estimated annual average of 236.9 million gallons per year of consumptive use of groundwater, a 85 % reduction of Total Phosphorus and 46% reduction in Total Nitrogen discharging from the property, and the restoration of 243 acres of current active farm land to restoration of native vegetation along with the preservation of nearly all onsite indigenous vegetation. All of these benefits are achieved for the public at no cost to the tax payers, and maintained in perpetuity. Finally, in accordance with the PRFPD that has been submitted, the recreational facility includes the required 85% open space, creating a permanent corridor for wildlife.

8. At the initial meeting held with staff, a different level of development was presented, specifically the number of residential units that would be requested. Based on what was presented staff advised this this appeared to be similar to a Private Recreation Facility Planned Development (PRFPD) and suggested the applicant may want to consider text amendments to Goal 13 in order to achieve the desired outcome. However, the proposed request would allow up to 500 dwelling units using density calculations similar to those used within the EEPCO. Based on the changes to what is being proposed, please consider if using the PRFPD is the best approach for achieving the envisioned development.

Per our meeting on January 4^{th} , the proposed development is truly a recreational facility at its core. The use, as has been proposed and built elsewhere, is fundamentally a private recreational area with all other uses feeding into the recreational activity on site. This is distinct from

EEPCO developments that are primarily residential with ancillary recreational uses and even distinct from golf course communities in Southwest Florida where golf is simply a means to sell units. While it is possible for people to reside on the property, the residential and "hotel" units are only sold to club members and included in a rental pool for club members to have short term stays on the property. The intent is to create a recreational destination, not a residential community.

9. Please note that LDC amendments may be needed to accommodate the uses proposed as part of this application in the PRFPD including LDC Section 34-941(c)(l) which prohibits residential uses in the PRFPD. An amendment to the Land Development Code will be required to implement a PRFPD that allows residential uses, hotels, and an updated development intensity table. Also note, language proposed to be revised is also within the LDC, for example, renumbered Policy 13.3.7 5. is also reflected in LDC Section 34-941(d)(2)b.iv.

Noted. The LDC amendment was discussed at the meeting on January 4^{th} . We will work with staff to process this amendment.

ENVIRONMENTAL COMMENTS

10. Please provide a topographic map depicting the property boundaries and 100-year flood prone areas indicated (as identified by FEMA).

The requested topographic map has been provided, but does not reflect FEMA designated flood prone areas, since the Project is not within a FEMA designated flood prone area.

11. Please provide a map delineating the property boundaries on the most recent Flood Insurance Rate Map.

The project is not within a printed or designated FEMA flood prone area. Please see included exhibit demonstrating same.

12. Please provide an integrated surface and groundwater model to demonstrate compliance with Lee Plan policies 1.4.5, 13.4.1, 13.4.4, and 33.1.7.

Please see the attached Water Resources Report which contains the results of the integrated surface and groundwater model.

13. Please provide the integrated surface and groundwater supporting model files for Staff to review.

The supporting model files have been provided directly to Natural Resources staff for review.

14. Please provide the Surface Water Management/Drainage report referenced in the Groundwater Analysis. Staff could not locate the Surface Water Management/Drainage Report.

Please see the attached surface water analysis.

15. The Groundwater Analysis includes discussion of a proposed north-south drainage conveyance/restoration area, which is outlined in the Southern Lee County Flood Mitigation Plan. Is the project being designed to accommodate the proposed drainage capacity?

Yes, the project will be designed to accommodate the existing flow-pathway that allow water to flow-through the project, as identified by the Southern Lee County Flood Mitigation Plan.

16. Please provide an analysis of Lee Plan policy 13.4.6.

Please see the attached revised Lee Plan Analysis.

17. Please expand on the reasoning behind the proposed change to Policy 13.1.1(1). CREW Trust does purchase land outright and has identified acquisition targets.

The correction is just a technical amendment because the CREW Trust does not or has not purchased land for many years. It is a local non-profit educational organization that advocates for the purchase of land within the CREW footprint (as defined by the SFWMD). It neither has the financial ability to acquire land or the access to funds for land acquisition. Actual acquisition of land has been and will continue to be by Lee County, the South Florida Water Management District, DEP and to a lesser degree Collier County, not the CREW Trust, which advocates for the land acquisition by those governmental entities.

18. The proposed change to Policy 13.3.8(3) will allow irrigation pump and/or delivery areas closer than 500 feet from any existing or future residential use. Please expand on the reasoning behind the proposed change.

Please see the attached revised Text amendment which removes this allowance but continues to specify that the setback is from off-site residential uses, which has been and maintains the intent of the policy.

19. Please provide additional information to demonstrate consistency with Lee Plan policy 13.1.1(4). The subject property was largely an agricultural operation when the "Closing the Gaps in Florida Wildlife Habitat Conservation System" was published in 1994. The Environmental Assessment documented many FLUCCS habitats that support species identified in the 1994 report. The Environmental Assessment indicates that no species were present in these FLUCCS habitats but no transects were completed to support this claim.

A large portion of the site is currently an active agricultural operation consisting of vegetable row crops (654.93 ac.), citrus groves (117.38 ac.), a small tree nursery (8.88 ac.), and native habitats with varying degrees of exotic infestation. Please see the Vegetation Map for a complete list and locations of the FLUCCS habitats on site.

All of the proposed recreational facilities, residences, and amenities are within the active agricultural and citrus crop areas. The proposed project will retain all the onsite wetlands (148. 49 ac.). In addition, upland preserves (40.57 ac.), preserved other surface waters (6.28 ac.), created/preserved upland buffers (8.73 ac.), and Conservation Lands consisting of upland and wetland creation (243.04± ac.) will be incorporated into the development. The "Closing the Gaps in Florida Wildlife Habitat Conservation System" was published in 1994. Numerous FLUCCS habitats that support species identified in the 1994 report are found on the site. All the existing native habitats are being preserved and enhanced. Also, the proposed Conservation Lands being created within the site will increase the habitats that could be utilized by listed species. The Environmental Assessment survey transects were conducted in each habitat type within the development footprint or directly adjacent to survey for the occurrence of listed species likely to occur in the specific habitat types. Areas slated to be preserved are not typically heavily surveyed but are given a cursory review.

Because all development impacts are within the agricultural areas, all of the existing native FLUCCS habitats will be preserved and enhanced, and additional areas of created/restored habitats will be provided, the project is consistent with Lee Plan policy 13.1.1(4).

PUBLIC FACILITIES COMMENTS

20. Please provide correspondence provided to each service provider when requesting letters of availability.

Please see the attached remaining letters of Service Availability.

21. Please provide letters of availability from Lee County Utilities for potable water and sanitary sewer, Lee County EMS, and Lee Tran.

Please see the attached remaining letters of Service Availability.

22. The TIS states that "Also included in the development plan, but not part of this application is a restaurant (10,200 SF/314 seats - to include related retail facilities) that is allowed under the existing zoning on the parcel." Please clarify this statement. Staff is not aware of any commercial uses permitted on the subject property.

The TIS is assuming that there could be a commercial restaurant built on the property as an Agri-tourism activity consistent with the current Lee Plan land use category. This is an accurate assumption.

23. The application materials indicate that the proposed restaurant will be opened to public, therefore the trips must account for public trips as well. It is not acceptable that all trips are to and from the internal uses.

The by-right restaurant trips are external to the project, and though this use and its trips are not part of the changes sought by the amendment, its trips have been added to the impact as requested by staff.

24. Please clarify if the uses of the rifle range, trap and skeet ranges, equestrian center, fishing ponds, hiking, biking, and all terrain trails are open to the public. If they are, they shall be included in the TIS analysis.

None of these uses will be open to the public they are all membership only and located behind a gated entrance.

25. The mean percentage of the project traffic values at a road segment was used in this study. This is not acceptable, please correct (Table 10: Project Traffic Significance).

Project traffic distribution percentages and D1RPM model volumes used in the report are now the maximum of the values on the segment, rather than the average as requested.

26. The AM/PM peak hour trip generation calculation for some land uses (e.g., Retail, Restaurant, and Hotel) appear incorrect. Please correct.


The trip generation results are consistent with the indicated independent variable, choice of rate or equation, and the information contained for each land use in Appendix C.

Please feel free to contact me if you have any questions.

DeLisi, Inc.

Daniel DeLisi, AICP

cc. Neale Montgomery, Pavese Law Firm



PROPOSED TEXT AMENDMENT AND JUSTIFICATION EXHIBIT T-4

Lee Plan Definitions

Recreational Resort Center - A recreational resort center is an internally oriented private membership multi-recreational use that may include equestrian facilities and riding trails, golf courses and practice facilities, hunting, fishing, tennis, pickleball, archery, indoor gun ranges, skeet shooting, hiking trails and similar outdoor activities, as well as education and training associated with those uses. Recreational Resort Centers may contain lodging facilities and condominium units for members only, in either single or multi-family structures, as well as ancillary clubhouse and clubhouse amenity activities. Uses that are for private club members and typically found in clubhouse amenities, including health spas, fitness centers, dining facilities, food and beverage service, consumption on premises, administrative offices, are not limited but must be ancillary to the principal outdoor private recreational activities. Commercial uses that are open to the public are limited to 40,000 square feet.

Justification:

The proposed use has not been proposed or built before in Lee County. To date the only private recreational facility that has been constructed is a stand-alone golf course. The multi-use private club is unique in how it operates and the types of services and memberships it provides. The Recreational Resort Center concept provides for on-site dwelling for club members only but distinct from a golf course community, the proposed use is focused on the recreational experience primarily with the inclusion of some ancillary residential units to provide for a slightly different form of membership and the ability for club members to have a place to stay while visiting the recreational resort from all over the world. The ancillary clubhouse facilities are for club members only and do not need to be limited in the same way that clubhouse facilities may be limited elsewhere.

GOAL 13: PRIVATE RECREATIONAL FACILITIES IN THE DR/GR. To ensure that the development of Private Recreational Facilities in the DR/GR is compatible with the intent of this future land use category, including recharge to aquifers, development of future wellfields and the reduction of density.

OBJECTIVE 13.1: To ensure that Private Recreation Facilities are located in the most appropriate areas within the DR/GR future land use category.

POLICY 13.1.1: The Private Recreation Facilities Overlay, Map 1-F, shows those locations that are appropriate for the development of Private Recreation Facilities in the DR/GR future land use category. The areas depicted on Map 1-F are consistent with the application of the following locational criteria:

1. Located outside of those areas designated for public acquisition through SFWMD's and DEP's Florida Forever programs, , and the County's 20/20 Conservation Program;

Justification:

This is a technical correction and update and not substantive. The CREW Trust is not a land acquisition program and the SFWMD's Save Our Rivers Program has long since been incorporated into the Florida Forever land acquisition program and no longer exists. The CREW Trust is an educational non-profit organization that advocates for land acquisition, but all land acquisition is done through the SFWMD, DEP, Lee County or Collier County. The CREW Trust, as a not-for-profit should not be confused with the CREW area, which is a defined area by the SFWMD.

- 2. Located in areas characterized as predominantly impacted with agricultural, mining or other permitted uses;
- 3. Located outside of areas depicted as 100 Year Flood Plains, as illustrated on Map 5-B as amended through June of 1990;
- 4. Located to minimize impact on "Hot Spots of Biological Resources and Rare Species Occurrence Records," from the Florida Fish and Wildlife Conservation Commission's, "Closing the Gaps in Florida Wildlife Habitat Conservation System" published in 1994;

This is a technical update and not substantive. The name of the government agency has long since changed to the "Florida Fish and Wildlife Conservation Commission".

- 5. Located in areas characterized by large lot single or limited ownership patterns; and,
- 6. Located in areas with direct access to existing roadways.

POLICY 13.1.2: Private Recreational Facilities within the DR/GR land use category will only be allowed, subject to the other requirements of this Goal, in the areas depicted on the Private Recreational Facilities Overlay, Map 1-F.

OBJECTIVE 13.2: GROWTH MANAGEMENT. Development of Private Recreation Facilities in the DR/GR must be consistent with the growth management principles and practices as provided in the following policies.

POLICY 13.2.1: PRIVATE RECREATION FACILITY PLANNED DEVELOPMENT (**PRFPD**). All Private Recreational Facilities proposed within the DR/GR future land use category must be reviewed as a PRFPD.

Justification:

Planned Developments no longer contain an expiration date in Lee County. This Policy is no longer necessary.

POLICY 13.2.2: RESIDENTIAL USES. Recreational Resort Centers with direct access to Corkscrew Road and greater than 1,000 acres in gross area, may include residential uses under the following conditions:

- 1. Residential uses are part of, directly associated with and only available to members of the Recreational Resort Center.
- 2. All development will be served by central water and sewer.
- 3. All other applicable requirements in Goal 13 are incorporated into the development plans.

Justification:

The PRFPD will continue to maintain a very low-density allowance, below that of the Rural land use category and below that of most of the prior approved EEPCO developments located along Corkscrew Road. Given the level of residential development along the entire PRFPD Overlay area there is no longer the same concern that the existence of a PRFPD will be used to justify residential uses and increased density. The residential uses that are proposed for the Recreational Resort Center are ancillary to the recreational use and provide a means to have club members have a place to stay when traveling to the resort from areas outside of Lee County and Florida.

POLICY 13.2.3: Time share, fractional ownership units, and Bed and Breakfast establishments may be permitted if the property is designated as a Rural Golf Course Community (see Map 2-D). These uses must be ancillary to or in conjunction with uses within the Private Recreational Facility, including a Golf Training Center or similar facility, and must be located adjacent to, or within 1,000 feet of, the principal use that is being supported. Through the PRFPD process, the applicant must demonstrate that external vehicular trips will be reduced from typical single-family residential units due to the ancillary nature of the use.

POLICY 13.2.3.1: Time share, fractional ownership units, or bed and breakfast establishments may only be constructed through transferring density in accordance with the Southeast Lee County TDR Program. Each TDR credit that is eligible to be transferred to a Mixed-Use Community (see Map 2-D) can be redeemed for one timeshare unit, one fractional ownership unit, or two bed and breakfast bedrooms.

POLICY 13.2.4: Private Recreational Facilities must have adequate fire protection, transportation facilities, wastewater treatment and water supply, and provided further that they have no adverse effects such as dust, noise, lighting, or odor on surrounding land uses and natural resources.

POLICY 13.2.5: COMMERCIAL USES. Commercial uses may be permitted within PRFPDs as provided in Policy 13.3.9 when ancillary or in conjunction with Private Recreation Facilities, or when part of a Recreational Resort Center.

Justification:

Policy 13.2.5.1 allows for the ability to develop up to 40,000 square feet of commercial area without the commercial limitations in Goal 33. Anything above 40,000 sq. ft. would be subject to the limitations in Goal 33 up to 100,000 sq. ft. of total allowable floor area. The amount of commercial floor area is directly related to the recreational facilities onsite in content and area, but also open to the public so that those uses can be sustainable operations.

The specific uses contemplated from the Club at Pepperplace are an approximately 10,000 sq. ft. restaurant, which will primarily be used by members, but will also be open to the public, and a hunting and fishing store that is directly associated with the private recreational uses but will also be open to the public. The store is anticipated to be no larger than 30,000 square feet and will include fishing and camping equipment, gun sales, a tack shop for equestrian uses, as well as other recreational related retail sales. The amount of commercial is justifiable based on the needs of the club members, the diversity of recreational uses on-site and the unique recreational and retail experience that will be provided for residents in Lee County.

POLICY 13.2.6: Applications for Private Recreational Facility development will be reviewed and evaluated as to their impacts on, and will not negatively affect, any adjacent, existing agricultural, mining or conservation activities.

POLICY 13.2.7: Applications for Private Recreational Facility development will be reviewed and evaluated as to their impacts on, and must be compatible with any adjacent publicly owned lands.

OBJECTIVE 13.3: GENERAL DEVELOPMENT REGULATIONS. The protection of water quality, quantity, natural resources, and compatibility will be addressed by additional development controls that regulate the permitted uses, parcel size, density, intensity and design of Private Recreational Facilities.

POLICY 13.3.1: Private Recreational Facilities will submit a Master Concept Plan at the time of planned development that identifies the general location of proposed uses and structures, play fields and golf course routings. Minor adjustments to this Master Concept Plan may be made administratively at the discretion of the Director.

Justification:

The word "submittal" is redundant.

POLICY 13.3.2: Applications for Private Recreational Facilities must include an environmental assessment during the zoning approval process. The assessment must include, at a minimum, an analysis of the environment, historical and natural resources and a protected species survey as required by LDC, Chapter 10.

Justification:

This policy is no longer relevant or applicable given the changed conditions of the Corkscrew Road corridor. This policy is also simply redundant as a demonstration of compatibility is a fundamental requirement of all rezoning applications, including all of the elements listed, regardless of location within the DR/GR or in an urban area next the Six Mile Cypress Slough.

POLICY 13.3.3: The development will incorporate an Integrated Pest Management program for any managed recreational areas.

POLICY 13.3.4: Where buildings or impervious development is located within twenty-five feet of the property boundary, a buffer 15 feet wide, with 5 trees per 100 linear feet, and a solid double row hedge must be provided, unless a more restrictive buffer is required during the planned development review.

POLICY 13.3.5: No illumination may be used which creates glare on adjacent properties. All exterior lighting will be designed with downward deflectors to eliminate skyward glare. Parking areas, walkways and paths and maintenance areas may be illuminated for security purposes, provided that light poles do not exceed twelve feet in height.

POLICY 13.3.6: Native and xeriscape vegetation will be encouraged, such that:

- 1.100% of all required trees and 75% of all additional trees must be native.
- 2.80% of all required shrubs and 50% of all additional shrubs must be native.
- 3. A minimum of 70% of all trees and shrubs must be xeriscape varieties.
- 4. The native and xeriscape requirements do not apply to turf areas.
- 5. No plant species included in the Florida Exotic Pest Plant Council, 1999 List of Florida's Most Invasive Species, will be planted.

POLICY 13.3.7: The following site requirements, regulating lot size, setbacks and open space must be equaled or exceeded:

- 1. Principal uses, other than golf courses, and the ancillary uses listed in Policy 13.2.6, permitted under this subdivision must have a minimum lot size of ten acres.
- 2. Building Setbacks.
 - a. 50 feet from an existing right-of-way line or right of way easement.
 - b. 75 feet from any private property line under separate ownership and used for residential dwellings.
 - c. 50 feet from any adjacent agricultural or mining operation.
 - d. Greater setbacks may be required during the public hearing process to address unique site conditions.
- 3. Setbacks for accessory buildings or structures. All setbacks for accessory buildings or structures must be shown on the Master Concept Plan required as part of the planned development application. No maintenance area or outdoor storage area, irrigation pump or delivery area may be located less than 500 feet from any existing or future residential use outside of the PRFPD, as measured from the edge of the above-listed area to the property line of the residential use. For purposes of this policy, any off-site property that is 10 acres or less in size and is zoned to permit dwelling units will be considered a future residential property. Properties larger than 10 acres may be considered future residential based on the property's size, the ownership pattern of properties in the surrounding area, and the use, zoning and size of surrounding properties. To allow flexibility, the general area of any accessory buildings, structures and maintenance areas must be shown on the site plan with the appropriate setbacks as noted in this subsection listed as criteria for the final placement of these buildings, structures or facilities.

Justification:

The intent of this change is to recognize that there may be <u>on-site</u> residential areas within 500 feet of the maintenance facility or an irrigation pump. All residential areas on-site will not be platted. Therefore, the setback and the intent of the policy has little applicability to the proposed use. When this policy was originally drafted, residential areas were not permitted on site. Therefore, the proposed change does not change the intent of the policy, which was to protect off-site nearby residential uses from potential compatibility concerns from a PRFPD.

In addition to the other standards outlined in this policy, any maintenance area or outdoor storage area, irrigation pump or delivery area must meet one of the following standards:

- a. be located 500 feet or more from any property line abutting an existing or planned public right-of-way; or
- b. provide visual screening around such facilities, that provides complete opacity, so that the facilities are not visible from any public right-of-way; or
- c. be located within a structure that meets or exceeds the current Lee County architectural standards for commercial structures.
- 4. Open Space. A minimum of 85% open space must be provided. However, natural and manmade bodies of water may contribute 100% to achieving the minimum requirements. To the extent possible, pervious paving and parking areas, and buildings elevated above ground level will exceed the 85% open space requirement.
- 5. Security. All entrances to non-commercial or residential portions of Private Recreational Facilities must be restricted from public access during non-use hours.

POLICY 13.3.8: DENSITY/INTENSITY LIMITATIONS. Uses in a PRFPD are subject to the following limitations:

Clubhouse/ Administrative Area	20,000 SF/18 hole golf course
Golf Course Restrooms	Not to exceed two structures per 18 hole golf course, limited to 150 SF per structure
Maintenance Area	Not to exceed 25,000 SF of enclosed or semi-enclosed building area, on a maximum of 5 acres of land per 18 hole golf course
Fractional Ownership/ Time- share Units	 The maximum allowable units will be calculated based on 1 du/10 acres for the entire area of the PRFPD All timeshare/fractional ownership units must be transferred in accordance with Goal 33

Bed and Breakfast Establishments	 The maximum number of Bed and Breakfast establishments will be limited to 1 per every 18 holes of golf. Bedrooms within a Bed and Breakfast establishment will be limited to a maximum of 7 per unit, with a maximum of two adult occupants per bedroom
Recreational Resort Centers	• Limited to a density of 2 du/5 acres and a maximum of 40,000 square feet of commercial area that is open to the public.
Horse Stable	40,000 SF of stable building/10 acres
Camping Restrooms	 1 toilet per four camp units, clustered in structures not to exceed 500 SF per structure 1 shower per 4 toilets
Camping Area Office	1,000 SF per campground
Commercial Uses	 Limited to neighborhood commercial development with uses that are in compliance with the Wellfield Protection Ordinance without any exemptions⁶ Total commercial gross floor area for the entire area of the PRFPD may not exceed 100,000 SF, not including clubhouse square footage

⁶ No uses that would require the storage of any toxic, hazardous substances as identified in the Wellfield Protection Ordinance or sanitary hazards may be permitted.

Justification:

The residential density is justified at 2 dwelling units per 5 acres, or a total of 4 units on 10 acres. This is a density significantly lower than EEPCO developments while requiring nearly the same restoration/preservation and a significantly greater open space requirement. The benefits being provided are similar to EEPCO developments with the significant decrease in groundwater withdrawal and the significant reduction in nutrients discharging from the proposed development. The low density allowance is necessary for this unique recreational concept, which will offset the cost of the public benefits being provided.



Lee Plan Consistency

Exhibit - M11

The proposed map amendments are consistent with the Lee Plan and are being submitted concurrent with a text amendment to Goal 13 to allow for a recreational development on the subject property with associated residential hotel and commercial uses. The map amendments designate the subject property within the PRFPD Overlay and within the Lee County Future Water and Sewer Service Areas. the An analysis of how the proposed amendment is consistent with the following Lee Plan policies is described below:

POLICY 1.4.5: The Density Reduction/Groundwater Resource (DR/GR) future land use category includes upland areas that provide substantial recharge to aquifers most suitable for future wellfield development. These areas also are the most favorable locations for physical withdrawal of water from those aquifers. Only minimal public facilities exist or are programmed.

1. New land uses in these areas that require rezoning or a development order must demonstrate compatibility with maintaining surface and groundwater levels at their historic levels utilizing hydrologic modeling, the incorporation of increased storage capacity, and inclusion of green infrastructure. The modeling must also show that no adverse impacts will result to properties located upstream, downstream, as well as adjacent to the site. Offsite mitigation may be utilized, and may be required, to demonstrate this compatibility. Evidence as to historic levels must be submitted as part of the rezoning application and updated, if necessary, as part of the mining development order application.

In accordance with #1 above, a groundwater analysis has been submitted demonstrating that the proposed development is compatible with maintaining historic surface and groundwater levels. The analysis demonstrates there are no adverse impacts to properties located upstream and downstream. There is a projected rebound of water levels with the removal of agricultural activities. Green infrastructure will be incorporated into the surface water management design.

- 2. Permitted land uses include agriculture, natural resource extraction and related facilities, conservation uses, public and private recreation facilities, and residential uses at a maximum standard density of one dwelling unit per ten acres (1 du/10 acres). See Objectives 33.2 and 33.3 for potential density adjustments resulting from concentration or transfer of development rights.
- 3. Private Recreational Facilities may be permitted in accordance with the site locational requirements and design standards, as further defined in Goal 13. No

Private Recreational Facilities may occur within the DR/GR land use category without a rezoning to an appropriate Planned Development zoning category, and compliance with the Private Recreation Facilities performance standards, contained in Goal 13.

Private and public recreation facilities, along with residential, agricultural and conservation uses are allowed in the DR/GR land use category. The concurrent text amendment application is being submitted consistent with the PRFPD guidelines and performance standards and the overall intent of the Lee Plan. The proposed text amendment expands what is permitted on the subject property and is consistent with the locational criteria in Goal 13. Extending future water and sewer service to the subject property is consistent with the intent of Policy 1.4.5 in that it will help protect the area's groundwater resources. The attached application demonstrates a significant decrease in water withdrawals, a significant nutrient reduction and an increase in the overall wildlife/native habitat that will be on the subject property.

OBJECTIVE 1.5: WETLANDS. Designate on the Future Land Use Map those lands that are identified as Wetlands in accordance with F.S. 373.019(17) through the use of the unified state delineation methodology described in FAC Chapter 17-340, as ratified and amended in F.S. 373.4211.

The subject property has areas that have been designated as wetlands in accordance with F.S. 373.019(17) through the use of the unified state delineation methodology. The wetland areas are generally intended for preservation in accordance with the attached zoning application.

POLICY 1.5.1: Permitted land uses in Wetlands consist of very low density residential uses and recreational uses that will not adversely affect the ecological functions of wetlands. All development in Wetlands must be consistent with Goal 124. The maximum density is one dwelling unit per twenty acres (1 du/20 acre) except as otherwise provided in Table 1(a) and Chapter XIII.

The proposed development will need to obtain an environmental resource permit from the South Florida Water Management District. To the extent that wetland areas are impacted directly or have secondary impacts, which would be minimal, mitigation will be provided in accordance with State guidelines.

OJECTIVE 2.1: DEVELOPMENT LOCATION. Contiguous and compact growth patterns will be promoted through the rezoning process to contain urban sprawl, minimize energy costs, conserve land, water, and natural resources, minimize the cost of services, prevent development patterns where large tracts of land are bypassed in favor of development more distant from services and existing communities.

The proposed rezoning is in a location where large-scale residential development is occurring or in place directly to or in close proximity to the west, east and north. There is proposed residential

development immediately contiguous to the east. The PRFPD proposed will conserve significant portions of existing natural vegetation, including wetlands, and promote lower impact recreational activities in this development. The proposed rezoning would allow for the development of an appropriate use for the subject property in an appropriate location.

OBJECTIVE 2.2: DEVELOPMENT TIMING. Direct new growth to those portions of the Future Urban Areas where adequate public facilities exist or are assured and where compact and contiguous development patterns can be created. Development orders and permits (as defined in F.S. 163.3164(7)) will be granted only when consistent with the provisions of Sections 163.3202(2)(g) and 163.3180, Florida Statutes and the county's Concurrency Management Ordinance.

The subject property is located in an area where public services already exist, or are planned for, to meet the demands of existing and future development. Utility service will be extended simultaneously with the development adjacent to the east of the subject property or as those facilities on the subject property get developed. Letters of availability are attached as part of this application.

POLICY 5.1.2: Prohibit residential development where physical constraints or hazards exist, or require the density and design to be adjusted accordingly. Such constraints or hazards include but are not limited to flood, storm, or hurricane hazards; unstable soil or geologic conditions; environmental limitations; aircraft noise; or other characteristics that may endanger the residential community.

There are no physical hazards that exist on the subject property. The property is not in a flood zone or in the Coastal High Hazard Area. The property is also predominantly upland with upland soils. The only wetland areas on the subject property are being preserved.

POLICY 5.1.7: Maintain development regulations that require that community facilities (such as park, recreational, and open space areas) in residential developments are functionally related to all dwelling units and easily accessible via pedestrian and bicycle pathways. These pathways must be interconnected with adjoining developments and public pathways whenever possible. Townhouses, condominiums, apartments, and other types of multi-family residential development must have directly accessible common open space.

The proposed PRFPD is a recreational facility primarily with the addition of a very low-density residential development to allow for on-site stays for members of the Club. Fundamentally, the purpose of the "Preserve at Pepperplace" is to create a resort destination recreation club. The limited residential uses on site are connected to, and related to, various recreational activities. On the south side of the Master Concept Plan is an area for hunting and fishing. The "residential units" at that location are for the "Hunting and Fishing Lodge", units that are for club members interested in those activities. There are other units integrated with the golf course. All areas of the property are interconnected via a trail system.

POLICY 6.1.4: Commercial development will be approved only when compatible with adjacent existing and proposed land uses and with existing and programmed public services and facilities.

The proposed commercial is located near Corkscrew Road, at the northern end of the property. The commercial uses are being developed in conjunction with the recreational facilities. There will be a restaurant for club members which will be open to the public. There will be retail facilities associated with the outdoor and indoor gun range and fishing lake, which will include other specialty items related to outdoor activity, such as camping and fishing equipment. The accessory retail uses are set back approximately 1,000 feet from Corkscrew Road and 300 feet from the eastern property line. To the east of the subject property is the Kingston Development, which includes a 500-foot perimeter buffer from any residential. The commercial uses therefore will be very distant from the residential to the east and the mining to the north. The commercial uses do not create any concerns of compatibility with surrounding uses. The use of central water and sewer service is anticipated for commercial uses on the property.

GOAL 13: PRIVATE RECREATIONAL FACILITIES IN THE DR/GR. To ensure that the development of Private Recreational Facilities in the DR/GR areas is compatible with the intent of this Future Land Use category, including recharge to aquifers, development of future wellfields and the reduction of density.

The proposed private recreational facility planned development submitted concurrently with this Plan Amendment meets the purpose and intent of Goal 13 while recognizing and being consistent with the changes that have occurred on east Corkscrew Road over the last 20 years. The proposal is for a large acreage, multi-recreational-uses, private membership recreational facility that incorporates very low density residential and overnight accommodations. All environmental design requirements of the RPFPD will continue to apply.

OBJECTIVE 13.1: To ensure that Private Recreation Facilities are located in the most appropriate areas within the DR/GR future land use category.

POLICY 13.1.1: The Private Recreation Facilities Overlay, Map 1-F, shows those locations that are appropriate for the development of Private Recreation Facilities in the DR/GR future land use category. The areas depicted on Map 1-F are consistent with the application of the following locational criteria:

The subject property is contiguous to the overlay on Map 1-F and meets the locational requirements of Policy 13.1.1 as follows:

1. Located outside of those areas designated for public acquisition through Florida Forever, the Corkscrew Regional Ecosystem Water Trust (CREW), the SFWMD's Save Our Rivers Program, and the County's 20/20 Conservation Program;

The Florida Forever program and Lee County 20/20 are both volunteer land acquisition programs. The Save Our Rivers program no longer exists. The "Corkscrew Regional Ecosystem Water Trust" is an organization, not an acquisition program. The CREW watershed encompasses many areas on the existing Map 1-F, but the subject property is not targeted for acquisition by either Lee County or the South Florida Water Management District (the two entities that conduct land acquisition in the CREW watershed).

2. Located in areas characterized as predominantly impacted with agricultural, mining or other permitted uses;

The subject property is almost entirely being used for active agricultural operations. The only portion that is not in active agricultural use is a wetland that is designated for preservation through this application.

3. Located outside of areas depicted as 100 Year Flood Plains, as illustrated on Map 5-B as amended through June of 1990;

The subject property is not located on Map 5-B.

4. Located to minimize impact on "Hot Spots of Biological Resources and Rare Species Occurrence Records," from the Florida Game and Freshwater Fish Commission's, "Closing the Gaps in Florida Wildlife Habitat Conservation System" published in 1994;

A large portion of the site is currently an active agricultural operation consisting of vegetable row crops (565.52 ac.), citrus groves (117.38 ac.), a small tree nursery (8.88 ac.), and native habitats with varying degrees of exotic infestation. Please see the Vegetation Map for a complete list and locations of the FLUCCS habitats on site.

All of the proposed recreational facilities, residences, and amenities are within the active agricultural and citrus crop areas. The proposed project will retain all the onsite wetlands (148. 49 ac.). In addition, upland preserves (40.57 ac.), preserved other surface waters (6.28 ac.), created/preserved upland buffers (8.73 ac.), and Conservation Lands consisting of upland and wetland creation (347± ac.) will be incorporated into the development. The "Closing the Gaps in Florida Wildlife Habitat Conservation System" was published in 1994. Numerous FLUCCS habitats that support species identified in the 1994 report are found on the site. All the existing native habitats are being preserved and enhanced. Also, the proposed Conservation Lands being created within the site will increase the habitats that could be utilized by listed species. The Environmental Assessment survey transects were conducted in each habitat type within the development footprint or directly adjacent to survey for the occurrence of listed species likely to

occur in the specific habitat types. Areas slated to be preserved are not typically heavily surveyed but are given a cursory review.

Because all development impacts are within the agricultural areas, all of the existing native FLUCCS habitats will be preserved and enhanced, and additional areas of created/restored habitats will be provided, the project is consistent with Lee Plan policy 13.1.1(4).

5. Located in areas characterized by large lot single or limited ownership patterns; and,

There are large lot residential areas immediately to the west and north of the subject property.

6. Located in areas with direct access to existing roadways.

The subject property has direct access to Corkscrew Road.

POLICY 13.1.2: Private Recreational Facilities within the DR/GR land use category will only be allowed, subject to the other requirements of this Goal, in the areas depicted on Map 1-F, Private Recreational Facilities Overlay Map.

The comp plan amendment application includes a map amendment to designate the property on Map 1-F, the Private Recreational Facilities Overlay Map.

OBJECTIVE 13.2: GROWTH MANAGEMENT. Development of Private Recreation Facilities in the DR/GR areas must be consistent with the growth management principles and practices as provided in the following policies.

The proposed zoning is consistent with the following policies as described below.

POLICY 13.2.1: PRIVATE RECREATION FACILITY PLANNED DEVELOPMENT. By the end of December, 2000, Lee County will amend the Lee County Land Development Code (LDC) to include provisions for a new Private Recreation Facilities Planned Development zoning category. All Private Recreational Facilities proposed within the Density Reduction Groundwater Resource land use category must be reviewed as a Development of County Impact, Private Recreation Facilities Planned Development.

Concurrent with the comprehensive plan amendment, the applicant is submitting a PRFPD rezoning request, consistent with this policy. The applicant will work with Lee County staff to process any required amendments to LDC Section 34, consistent with the concurrent text amendments.

POLICY 13.2.2: Approved Private Recreation Facilities Planned Developments will automatically expire, reverting to the original zoning category, if a Lee County development order is not obtained within five (5) years of zoning approval.

It is the applicant's intent to obtain a development order within the 5-year timeframe following the zoning approval (date the resolution is rendered to the Clerk).

POLICY 13.2.3: RESIDENTIAL USES PRECLUDED. Residential uses, other than a single bonafide caretaker's residence or a resident manager's unit, or those uses as listed in Policy 13.2.6 are not permitted in conjunction with a Private Recreational Facility Planned Development. Residential density associated with land zoned as Private Recreational Facility will be extinguished and cannot be transferred, clustered or otherwise assigned to any property.

The applicant is proposing to delete Policy 13.2.3 as part of the concurrent text amendment.

POLICY 13.2.4: Further, the approval of Private Recreational Facilities on any property within the DR/GR will not be considered as justification for approving an amendment to the Future Land Use Map series which would increase residential density in the DR/GR areas.

The applicant is proposing to delete Policy 13.2.4 as part of the concurrent text amendment.

POLICY 13.2.5: The boundaries of the Private Recreational Facility Planned Development may not be designed to allow out-parcels or enclaves of residential units to be integrated into the golf course perimeter, except as allowed in Policy 13.2.6.

The applicant is proposing to delete Policy 13.2.5 as part of the concurrent text amendment.

POLICY 13.2.6: Time share, fractional ownership units (meaning any dwelling unit for which ownership is shared among multiple entities for the primary purpose of creating short-term use or rental units rather than permanent full time residential units), and Bed and Breakfast establishments may be permitted if the property is included on Map 17 as Rural Golf Course Residential Overlay area. These uses must be ancillary to or in conjunction with uses within the Private Recreational Facility, including a Golf Training Center or similar facility and must be located adjacent to, or within 1,000 feet of, the principal use that is being supported. Through the PRFPD process, the applicant must demonstrate that external vehicular trips will be reduced from typical single-family residential units due to the ancillary nature of the use.

The proposed development does not include fractional ownership units.

POLICY 13.2.7: Time share, fractional ownership units, or bed and breakfast establishments will only be permitted in a designated Rural Golf Residential Overlay area as specified on Map 17 and may only be constructed through transferring density in accordance with the Southeast Lee County TDR Program. Each TDR credit that is eligible to be transferred to a Mixed-Use Community on Map 17 can be redeemed for one timeshare unit, one fractional ownership unit, or two bed and breakfast bedrooms.

The proposed development does not include fractional ownership units.

POLICY 13.2.8: Private Recreational Facilities must have adequate fire protection, transportation facilities, wastewater treatment and water supply, and provided further that they have no adverse effects such as dust, noise, lighting, or odor on surrounding land uses and natural resources.

The proposed amendment includes letters of service availability from Estero Fire District and Lee County Utilities. The transportation impact analysis demonstrates that the proposed development will not cause level of service issues on Corkscrew Road but may positively contribute to the expansion of capacity. The proposed recreational, residential and commercial uses do not create dust. The policies under Goal 13, as well as the land development code will protect surrounding land uses from light pollution. Given the surrounding uses, residential to the east, a mining operation to the north, conservation to the south and large lot residential to the west, as well as the site plan being submitted with the concurrent rezoning, noise and odor will not be a concern based on distance to adjacent uses, buffers and the nature of the uses themselves. Noise and lighting standards will also prevent impacts on nearby natural resources.

Policy 13.2.9: COMMERCIAL USES. Commercial uses may be permitted within Private Recreational Facility Planned Development as provided in Policy 13.3.9 when ancillary or in conjunction with Private Recreation Facilities.

The proposed amendment includes minor commercial development that will be ancillary or in conjunction with the proposed private recreation facilities and will be located internal to the property.

POLICY 13.2.10: Applications for Private Recreational Facility development will be reviewed and evaluated as to their impacts on, and will not negatively affect, any adjacent, existing agricultural, mining or conservation activities.

POLICY 13.2.11: Applications for Private Recreational Facility development will be reviewed and evaluated as to their impacts on, and must be compatible with any adjacent publicly owned lands.

Agricultural operations in the immediate area have nearly disappeared. The mining operation to the north is nearly complete. The proposed amendment will have no adverse or negative impact on either. The Master Concept Plan that is attached to the concurrent PRFPD application demonstrates a design that located the more passive recreational activities, hunting and fishing, along the southern area that is compatible with preserving and restoring naturally vegetated lands. These activities are consistent with conservation uses.

OBJECTIVE 13.3: GENERAL DEVELOPMENT REGULATIONS. The protection of water quality, quantity, natural resources, and compatibility will be addressed by additional development controls that regulate the permitted uses, parcel size, density, intensity and design of Private Recreational Facilities.

Any proposed PRFPD development will need to comply with the development regulations in Objective 13.3, including maintaining the 85% open space requirement for the entire PRFPD and the associated indigenous preservation. As shown on the Master Concept Plan, the property is 1,052 acres in size and contains 173.28 acres of indigenous preservation (all of the existing 133.31 acres of indigenous wetlands and 33.69 acres of indigenous uplands and 6.28 acres of indigenous "other surface waters), 30.79 acres of restoration of non-indigenous vegetated areas and an additional 243 acres of area that is currently active agriculture and will be restored to mostly upland and with some wetland indigenous area. The restoration and the conversion of agricultural land uses creates the opportunity for significant water quality and quantity benefits for the Density Reduction/Groundwater Resource area. Additional open space from the golf course, lakes and other recreational activities will meet or exceed the 85% criteria.

POLICY 13.3.1: Private Recreational Facilities will submit a Master Concept Plan at the time of planned development submittal that identifies the general location of proposed uses and structures, play fields and golf course routings. Minor adjustments to this Master Concept Plan may be made administratively at the discretion of the Director.

The proposed Master Concept Plan that is attached to the concurrent PRFPD application shows the general location of proposed uses and recreational facilities.

POLICY 13.3.2: Applications for Private Recreational Facilities must include an environmental assessment during the zoning approval process. The assessment must include, at a minimum, an analysis of the environment, historical and natural resources and a protected species survey as required by chapter 10 of the LDC.

An environmental assessment was submitted with the zoning amendment and should be considered part of the record.

POLICY 13.3.3: In addition to an environmental assessment, the applicant must demonstrate compatibility with nearby land uses (by addressing such things as

noise, odor, lighting and visual impacts), and the adequate provision of drainage, fire and safety, transportation, sewage disposal and solid waste disposal.

The subject property is surrounded by an arterial road (with mining on the north), residential development on the east (with a large setback internal to the Kingston development), conservation to the south and rural residential homes to the west. The only use that could have impacts would be the residential to the west and the east.

The Master Concept Plan that is attached to the concurrent PRFPD application shows that the land uses proposed adjacent to the rural residential area that is to the west/north of the subject property will include preservation, restoration and residential on the subject property. The residential area is designed such that any units will be located on the south side of the road, nearly 200 feet from the property line at its closest point. In between the proposed residential units and the property lines to the north in this area will be in internal road, significant open space areas and a Type "f" Buffer in between.

The conversion of the property from active agriculture to recreational facilities and addition of 258 acres of restored conservation should expand the use of the property by wildlife and create new corridors for wildlife movement.

POLICY 13.3.4: The development will incorporate an Integrated Pest Management program for any managed recreational areas.

The developer will utilize an Integrated Pest, Disease, and Herbicide Management Plan and proposes to maintain and enhance those measures as outlined in the submitted hydrologic report.

POLICY 13.3.5: Where buildings or impervious development is located within twenty-five feet of the property boundary, a buffer 15 feet wide, with 5 trees per 100 linear feet, and a solid double row hedge must be provided, unless a more restrictive buffer is required during the planned development review.

The required buffers are being provided and shown on the Master Concept Plan that is attached to the concurrent PRFPD application.

POLICY 13.3.6: No illumination may be used which creates glare on adjacent properties. All exterior lighting will be designed with downward deflectors to eliminate skyward glare. Parking areas, walkways and paths and maintenance areas may be illuminated for security purposes, provided that light poles do not exceed twelve feet in height.

Proposed development lighting will be evaluated at the time of local development order and will meet this standard based on the implementing criteria in the land development code.

POLICY 13.3.7: Native and xeriscape vegetation will be encouraged, such that:

- 1. 100% of all required trees and 75% of all additional trees must be native.
- 2. 80% of all required shrubs and 50% of all additional shrubs must be native.
- 3. A minimum of 70% of all trees and shrubs must be xeriscape varieties.
- 4. The native and xeriscape requirements do not apply to turf areas.
- 5. No plant species included in the Florida Exotic Pest Plant Council, 1999 List of Florida's Most Invasive Species, will be planted.

At the time of local development order, any proposed development will need to be compliance with Policies 13.3.7.

POLICY 13.3.8: The following site requirements, regulating lot size, setbacks and open space must be equaled or exceeded:

1. Principal uses, other than golf courses, and the ancillary uses listed in Policy 13.2.6, permitted under this subdivision must have a minimum lot size of ten acres.

There is no intent for the property to be subdivided into individual lots. The entire property will remain under single ownership. All residential units and the commercial area will either be owned and operated by the developer or sold as condo units. Most of the residential units will be included in a rental pool for club members.

- 2. Building Setbacks.
 - a. 50 feet from an existing right-of-way line or easement.
 - b. 75 feet from any private property line under separate ownership and used for residential dwellings.
 - c. 50 feet from any adjacent agricultural or mining operation.
 - d. Greater setbacks may be required during the public hearing process to address unique site conditions.

As demonstrated on the attached Master Concept Plan that is attached to the concurrent PRFPD application, the proposed development meets all required setbacks.

3. Setbacks for accessory buildings or structures.

As demonstrated on the Master Concept Plan that is attached to the concurrent PRFPD application, all accessory structures meet the required setbacks consistent with the proposed concurrent text amendment (the clarifies that these do not apply to on-site residential uses).

4. Open Space. A minimum of 85% open space must be provided. However, natural and man-made bodies of water may contribute 100% to achieving the minimum requirements. To the extent possible, pervious paving and parking areas, and buildings elevated above ground level will exceed the 85% open space requirement.

According to the Master Concept Plan that is attached to the concurrent PRFPD application, the minimum required open space required is 894 acres, with 896 acres provided. The proposed PRFPD amendment provides open space in excess of the required open space, meeting this policy.

5. Security. All entrances to Private Recreational Facilities must be restricted from public access during non-use hours.

The Proposed recreational facilities will be gated and restricted from public access as shown on the Master Concept Plan that is part of the concurrent PRFPD application.

POLICY 13.3.9: DENSITY/INTENSITY LIMITATIONS. Proposed uses are subject to the following limitations:

The proposed PRFPD is being submitted concurrent with an amendment to Policy 13.3.9 will allow for residential development and a hotel on the subject property.

OBJECTIVE 13.4: WATER QUALITY, QUANTITY, AND SURFACE WATER RESOURCES. Private Recreational Facilities must be located, designed and operated in such a way that they will not degrade the ambient surface or groundwater quality. These facilities must be located, designed and operated in such a way that they will not adversely impact the county's existing and future water supply. The location, design and operation of Private Recreational Facilities must maintain or improve the storage and distribution of surface water resources.

The golf course will be designed and developed as a Florida Audubon Certified golf course which ensures that the recreational facility results in no substantial adverse effects to surface and groundwater quality. The other recreational facilities on site will not require the type of managed and irrigated open space and will be operated to produce an overall significant decrease in water consumption. The subject property is located well outside the County's well field protection zones.

POLICY 13.4.1: All applications and documentation for the planned development rezoning process must be submitted to the Lee County Department of Natural Resources for their formal review and comment. The Department of Natural Resources Director must make a formal finding that the proposed uses will not have negative impacts on present and future water quality and quantity, and will review and approve modeling submitted to support the planned development. Applicant modeling efforts must be evaluated and approved by the Lee County Department of Natural Resources and the Lee County Utilities Department. Issues of well locations, easements and wastewater reuse must be evaluated and approved by the Lee County Department of Natural Resources and the Lee

County Utilities Department during the planned development process. Formal agreements addressing these issues will be entered into prior to the issuance of a development order. Co-location of recreational and public facilities is encouraged.

The Applicant has provided supporting documents clearly demonstrating that the proposed recreational facility and related uses will not have negative impacts on present and future water quality and quantity of the DR/GR. As the provided documents illustrate, the proposed recreational development will improve the water resources.

In addition, in accordance with Policy 33.2.7, results of an integrated surface water and groundwater model are included. The integrated model demonstrates there are no adverse impacts to groundwater or surface water levels.

POLICY 13.4.2: Applications for Private Recreational Facilities in or near existing and proposed wellfields must be designed to minimize the possibility of contamination of the groundwater during construction and operation.

The Applicant has provided a detailed water resources report that outlines specific measures to protect the County's groundwater resources. However, the proposed recreational facility is not near any existing or proposed wellfield. Policy 13.4.2 is not applicable.

POLICY 13.4.3: Private Recreational Facilities must provide a monitoring program to measure impacts to surface and groundwater quality and quantity (see Objective 13.7).

The water resources report submitted by Water Science Associates includes a proposed monitoring program for the Private Recreational Facility Planned Development.

POLICY 13.4.4: As part of a rezoning request for a Private Recreational Facility in the DR/GR area, a pre-development groundwater and surface water analysis must be conducted and submitted to the county. This analysis is intended to establish baseline data for groundwater and surface water monitoring for the project area. The analysis must be designed to identify those nutrients and chemicals which are anticipated to be associated with the project. Prior to the applicant commencing this baseline study, the methodology of the study must be submitted for review, comment, and approval by the county.

The applicant has been coordinating with the Department of Natural Resources on the baseline modeling for the subject property. The attached Water Resources Report includes proposed monitoring of nutrients and chemicals.

POLICY 13.4.5: Any Private Recreational Facility located in any wellfield protection zone must meet the requirements/criteria for protection zone 1, unless

updated modeling is provided by the applicant and is approved by Lee County Department of Natural Resources and the Lee County Utilities Department.

The proposed recreational facility is not located in or near any well-field protection zone.

POLICY 13.4.6: The surface water management system design must incorporate natural flowway corridors, cypress heads, natural lakes, and restore impacted natural flowway corridors.

The subject property does not contain any existing or historic flowways. The wetland system on site is being preserved and restored and included within a larger restoration plan for areas of the existing agricultural development.

POLICY 13.4.7: Any Private Recreational Facilities proposed within the DR/GR land use category must cooperate with Lee County and SFWMD in implementing an overall surface water management plan as outlined in Objective 60.2 and 117.1. Compliance with these policies must be demonstrated during development order approval.

The proposed Private Recreational Facility will be required to obtain an environmental resource permit from the South Florida Water Management District prior to the commencement of any construction activities on site.

POLICY 13.4.8: If a proposed Private Recreation Facilities falls within an area identified as an anticipated drawdown zone for existing or future public well development, the project must utilize an alternative water supply such as reuse or withdrawal from a different non-competing aquifer or show that adequate supply is available in excess of that being used for planned public water supply development.

The subject property is not within an area identified as an anticipated drawdown zone for any existing or future well site.

OBJECTIVE 13.5: WILDLIFE. The location, design and operation of Private Recreational Facilities will incorporate preservation and/or management activities that restrict the unnecessary loss of wildlife habitat or impact on protected species, species of special concern, threatened or endangered species.

The proposed recreational facility will not cause an unnecessary loss of wildlife habitat or impact any protected species, species of special concern, threatened or endangered species as demonstrated in the protected species analysis within the Dex Bender report. The overall recreational facility consists of over 85% open space, in excess of code requirements, that may be utilized by wildlife, as well as preservation of all on site native vegetated areas and the restoration of 243 acres of active farmland to indigenous upland and wetland habitat.

POLICY 13.5.1: The development will not have an adverse impact on any existing, viable on-site occupied wildlife habitat for protected species, species of special concern, threatened or endangered species.

The proposed development will not have an adverse impact on any existing, viable onsite occupied wildlife habitat for protected species, species of special concern, threatened or endangered species as detailed above, and in the Dex Bender Environmental Report.

POLICY 13.5.2: All proposed fencing must be designed to permit wide-ranging animals to traverse the site.

Any fencing will be designed to permit wide-ranging animals to traverse the site.

POLICY 13.5.3: Through the development review process, Private Recreation Facilities will be designed and operated to conserve critical habitat of protected species. This will be accomplished through regulation, incentives and public acquisition.

The proposed recreational facility is preserving and recreating indigenous area in accordance with the PRFPD requirements. The post-developed state of the property will include more wildlife habitat on site than the current state of the property in active agricultural use.

OBJECTIVE 13.6: NATURAL RESOURCES. Private Recreational Facilities must be located, designed and operated to minimize environmental impacts, and where appropriate, protect, enhance and manage natural resources such as flow-ways, waterways, wetlands, natural water bodies, and indigenous uplands.

The PRFPD has been designed to incorporate the only wetland system on the property and enhance the on-site indigenous area with an additional 243 acres of restoration area.

POLICY 13.6.1: All retained onsite natural areas, must be perpetually managed by the owner(s), or their assignees, with accepted Best Management Practices. The type of management techniques will be determined by the specific plant community. A natural area land management plan must be submitted to the Lee County Department of Community Development prior to the approval of a final local development order. Management techniques addressed in the plan must include, but not be limited to the following:...

The Applicant acknowledges the requirements of the Lee Plan. Detailed management techniques are included at the time of local development order as required by this policy.

POLICY 13.6.2: The development will minimize adverse effects on wetlands and riparian areas, and will result in no net reduction in functional wetland acreage as

identified by the South Florida Water Management District Wetland Rapid Assessment Procedure (WRAP).

The Applicant has minimized adverse impacts to wetlands and acknowledges the requirements of the Lee Plan. All wetlands on-site are being preserved and will be enhanced by both exotic removal and by being included within a larger restoration plan for the property.

POLICY 13.6.3: Private Recreational Facilities must be designed to preserve a minimum of 50% of on-site, indigenous native upland habitat.

91% of the on-site indigenous native habitat is being preserved. The subject property contains approximately 37.09 acres of existing upland indigenous vegetation, of which 33.69 acres is being preserved. The preservation of on-site upland vegetation far exceeds the requirements of Policy 13.6.3.

POLICY 13.6.4: The development will incorporate energy and resource conservation devices, such as low flow water fixtures, and natural skylights.

The proposed recreational facility and related uses will meet all applicable Lee Plan requirements.

OBJECTIVE 13.7: MONITORING AND ENFORCEMENT. In order to ensure that Private Recreational Facilities do not degrade the ambient condition of water quality, water quantity, vegetation and wildlife, an ongoing monitoring program must be established by the developer.

The Water Resources Report includes a draft monitoring program to be implemented upon development of the subject property.

POLICY 13.7.1: Annual surface water and groundwater monitoring must continue in perpetuity. The monitoring requirements will be established utilizing those nutrients and chemicals that are anticipated to be associated with the proposed project that were identified by the pre-development groundwater and surface water analysis required by Policy 13.4.4. This surface and groundwater monitoring is to be conducted, at a minimum, on a quarterly basis by a qualified third party. This monitoring data must be submitted to the county as soon as it is available. A summary report of this monitoring effort must be provided annually to Lee County Department of Natural Resources for their review.

The Applicant has provided a detailed Water Resources Report with a proposed groundwater quality monitoring program to be implemented post development.

POLICY 13.7.2: If surface and/or groundwater monitoring shows degradation of water quality the county will notify the property owner that a plan, to correct the identified problem(s), must be submitted. The property owner must submit a plan

of action within 30 days after receipt of written notice from the county. The plan must identify actions that will correct the problem(s) within the shortest possible time frame. This plan will be reviewed and must be found to be acceptable by the county. If the plan is not submitted as required, or is found to be unacceptable by the county, the county will require that all activities on the property cease until a plan is submitted and approved. The approved plan must be implemented by the property owner. If the county determines that the approved plan is not being implemented properly, the county can require that all activities on the property cease until the property owner comes back into compliance.

The applicant has noted and understands the requirements of Policy 13.7.2.

POLICY 13.7.3: The approved Private Recreational Facility must submit an annual monitoring report for a period of five (5) years, addressing the interaction between the use and environment. This report must provide a discussion and documentation on the following activities:

The applicant has noted and understands the requirements of Policy 13.7.3 as detailed in the monitoring plan drafted as part of the Water Resources Report.

OBJECTIVE 13.8: GOLF COURSE PERFORMANCE STANDARDS. The location, design and operation of golf courses located within Private Recreational Facilities will minimize their impacts on natural resources, and incorporate Best Management Practices. A maximum of five (5) 18-hole golf courses, for a total of 90 golf holes, will be permitted through 2030.

To date there has only been one (1) of the five golf courses developed. The proposed recreational facility includes a golf course and is well within the limit of 5 total.

POLICY 13.8.1: Natural waterways located on the site of a proposed golf course must be left in a natural, unaltered condition. Channelization will not be performed.

There are no natural waterways on the subject property.

POLICY 13.8.2: An applicant must demonstrate, prior to the issuance of a local development order, that a golf course is designed to minimize adverse effects to waters and riparian areas through the use of such practices as integrated pest management, adequate stormwater management facilities, vegetated buffers, reduced fertilizer use, etc. The facility must have an adequate water quality management plan, such as a stormwater management facility constructed in uplands to ensure that the recreational facility results in no substantial adverse effect to water quality.

The Private Recreational Facility consists of a golf course, with additional recreational facilities that avoid on site wetland impacts and restore 243 acres of existing active farmland to natural upland and wetland area. The stormwater management system is being designed to meet SFWMD and all applicable water quality standards. There will only be a positive benefit to water quality as a result of the proposed development.

POLICY 13.8.3: If a waterway crossing is necessary, then it must be designed to minimize the removal of trees and other shading vegetation. Any crossings of existing natural flow-ways and water bodies must be bridged. Created or restored flow-ways and water bodies may be crossed by bridges or culverts or a combination as approved by Lee County and the South Florida Water Management District.

The only crossing of the on-site wetland system that is proposed is an existing pervious trail. The proposed PRFPD will simply maintain the existing trail. No new wetland crossing will be proposed.

POLICY 13.8.4: Waterway crossings by cart paths will be constructed of permeable material, no wider than 8-feet, and placed on pilings from edge of floodplain to edge of floodplain.

The applicant has noted and understands the requirements of Policy 13.8.4 and has incorporated this requirement into the design of the project.

POLICY 13.8.5: A new lake or pond should not be located within an existing natural waterway. Upland ponds must not expose stream channels to an increase in either the rate or duration of floodwater, unless required by the South Florida Water Management District for regional water management objectives.

There are no lakes proposed for any existing waterway.

POLICY 13.8.6: For golf course developments, all fairways, greens, and tees must be elevated above the 25 year flood level, and all greens must utilize underdrains. The effluent from these underdrains must be pre-treated prior to discharge into the balance of the project's water management system.

The Applicant acknowledges the requirements of the Lee Plan.

POLICY 13.8.7: Where a golf course is proposed, it must comply with the Best Management Practices for Golf Course Maintenance Departments, prepared by the Florida Department of Environmental Protection, May 1995.

The Applicant acknowledges the requirements of the Lee Plan.

POLICY 13.8.8: The owners will employ management strategies in and around any golf course to address the potential for pesticide/chemical pollution of the groundwater and surface water receiving areas. The owners will comply with the goals of the Audubon International Signature Program for Golf Courses. The management practices include:

The proposed Private Recreational Facility includes a golf course that will be designed and certified in accordance with the Audubon International Signature Program for Golf Courses.

POLICY 13.8.9: Irrigation systems must utilize computerized irrigation based on weather station information, moisture sensing systems to determine existing soil moisture, evapotranspiration rates, and zone control, to ensure water conservation. For Private Recreation Facilities located outside of the depicted Wellfield Protection zones, reuse water, where available, will be utilized for irrigation. Reuse water within Wellfield Protection zones must be in compliance with the Wellfield Protection Ordinance.

The subject property is outside of any County wellfield protection zone. The applicant acknowledges the other requirements of Lee Plan Policy 13.8.9.

POLICY 13.8.10: Golf courses must be designed, constructed, managed and certified in accordance with the Audubon International Signature Program.

The proposed Private Recreational Facility includes a golf course that will be designed and certified in accordance with the Audubon International Signature Program for Golf Courses.

POLICY 13.8.11: It is the landowner(s) responsibility to notify the county within ten (10) working days if the status of certification from Audubon changes from being in full compliance...

The proposed Private Recreational Facility includes a golf course that will be designed and certified in accordance with the Audubon International Signature Program for Golf Courses.

POLICY 13.8.12: GOLF SITE REQUIREMENTS.

1. The minimum number of golf holes is 18. The minimum size for an 18 hole golf course is 150 acres. In no instance may the golf course impacts exceed 150 acres per 18 holes. Allowable uses within the impact area are greens, tees, fairways, clubhouses, maintenance facilities, cart and pedestrian pathways, parking areas, i.e. all associated support uses.

The Master Concept Plan that is attached to the concurrent PRFPD application demonstrates compliance with these criteria. The Master Concept Plan shows that the impact area for the golf

course is limited to 150 acres. Exact acreage will be evaluated at the time of local development order.

2. 200 acres of indigenous vegetation preserve is required for every 18 holes. The indigenous vegetation preserve requirement may be provided on-site or off-site. On-site preserves must be a minimum of 1-acre in size; minimum 75-foot wide with an average 100-foot width. Indigenous vegetation preserved on site may utilize a two to one (2:1) credit on a sliding scale based on minimum acreage and width criteria to be included in the LDC. However, the indigenous vegetation preserve requirement must be met with a minimum of 100 actual indigenous acres onsite. Indigenous vegetation preservation requirements must be met outside of the 150 acre golf course impact area.

The Master Concept Plan that is attached to the concurrent PRFPD application shows a total of 447.11 acres of preserve/restoration area, well in excess of the 200-acre requirement. This includes 167 acres of existing on-site indigenous vegetation, which would equate to approximately 334 acres based on the 2:1 credit under these criteria. The proposed recreational facility exceeds this requirement.

3. All off-site indigenous vegetation preserves must be located within the DR/GR areas. Unless located within or adjacent to existing or designated public acquisition areas, the minimum parcel size is 50 indigenous acres.

The proposed PRFPD exceeds the indigenous preserve requirement on-site and does not need offsite areas for preserve to meet the requirement.

4. The off-site indigenous vegetation preserves must include a management plan that is approved as part of the planned development rezoning. This management plan must include invasive exotic vegetation removal with perpetual management. This does not preclude the transfer of the property to a public entity as long as perpetual maintenance is guaranteed.

The proposed PRFPD exceeds the indigenous preserve requirement on-site and does not need offsite areas for preserve to meet the requirement.

5. Additional golf development must be in increments of 9 golf holes. For every additional 9 golf holes, the site area must be increased by 75 acres. Additional golf course impacts are limited to 75 acres per nine holes. The on-site or off-site indigenous preserve area must be increased by 100 acres for each nine holes and is subject to the restrictions above.

The proposed PRFPD only requests one 18-hole golf course.

GOAL 33: SOUTHEAST LEE COUNTY. Protect Southeast Lee County's natural resources through public and private acquisition and restoration efforts. Development incentives will be utilized as a mechanism to preserve, enhance, and protect natural resources, such as regional flow-ways and natural habitat corridors in the development of privately owned land. Allowable land uses will include conservation, agriculture, public facilities, low density or clustered residential, natural resource extraction operations, and <u>private recreation facilities</u>; allowable land uses must be compatible with protecting Southeast Lee County's environment.

The proposed development is being submitted as a "private recreational facility" consistent with Goal 33.

OBJECTIVE 33.1: WATER, HABITAT, AND OTHER NATURAL RESOURCES. Designate on a Future Land Use Map overlay the land in Southeast Lee County that is most critical toward restoring historic surface and groundwater levels and for improving the protection of other natural resources such as wetlands and wildlife habitat.

The subject property is designated as Tier 3 for Priority Restoration on Lee Plan Map 1-D. The attached Groundwater Resource Study demonstrates a <u>reduction</u> of an estimated 236.9 million gallons per year on average with the proposed recreational use in water consumption, and according to the Indigenous Area Preservation, Restoration and Management Plan nearly all of the on-site indigenous areas are being preserved and supplemented with an additional 243 acres of restored habitat.

POLICY 33.1.1: Large-scale ecosystem integrity in Southeast Lee County should be maintained and restored. Protection and/or restoration of land is of even higher value when it connects existing corridors and conservation areas. Restoration is also highly desirable when it can be achieved in conjunction with other uses on privately owned land including agriculture.

According to the Indigenous Area Preservation, Restoration and Management Plan and Protected Species Management Plan nearly all of the on-site indigenous areas are being preserved and supplemented with an additional 243 acres of restored farmland and over 30 acres of restored vegetated area that is heavily infested with exotics. These lands are adjacent to and build upon the CREW lands to the south.

POLICY 33.1.2: The DR/GR Priority Restoration Strategy consists of seven tiers of land where protection and/or restoration would be most critical to restore historic surface and groundwater levels and to connect existing corridors or conservation areas (see Map 1-D). Within these tiers, density incentives will be utilized as a mechanism to improve, preserve, and restore regional surface and groundwater resources and wildlife habitat of state and federally listed species;

with Tier 1 and Tier 2 being the most incentivized tiers. Lee County may consider amendments to this Overlay based on changes in public ownership, land use, new scientific data, and/or demands on natural resources. This Overlay does not restrict the use of the land.

The subject property is designated as Tier 3 for Priority Restoration on Lee Plan Map 1-D. According to the Indigenous Area Preservation, Restoration and Management Plan nearly all of the on-site indigenous areas are being preserved and supplemented with an additional 243 acres of habitat restored from active framing operations, over 30 acres of enhanced vegetated areas that are currently not considered indigenous vegetation and preservation of nearly all of the on site indigenous preserve.

POLICY 33.1.3: Pursue acquisition (partial or full interest) of land within the Tier 1 areas in the Priority Restoration Strategy Overlay through direct purchase; partnerships with other government agencies; long-term purchase agreements; right of first refusal contracts; land swaps; or other appropriate means to provide critical connections to conservation lands that serve as the backbone for water resource management and wildlife movement within Southeast Lee County. Tier 2 lands are of equal ecological and water resource importance as Tier 1 but have better potential to remain in productive agricultural use. Tier 3 lands and the southern two miles of Tiers 5, 6, and 7 can provide an important wildlife connection to conservation lands in Collier County and an anticipated regional habitat link to the Okaloacoochee Slough State Forest. Tiers 1, 2, 3, and the southern two miles of Tiers 5, 6, and 7 may qualify for unique development incentives outlined in Objectives 33.2 and 33.3 due to the property's potential for natural resource benefits and/or wildlife connections. Additionally, the County may consider incentives, within all tiers, for private landowners to improve water resources and natural ecosystems.

The subject property is designated as Tier 3 for Priority Restoration on Lee Plan Map 1-D. The attached Groundwater Resource Study demonstrates a reduction of an estimated 236.9 million gallons of water withdrawal per year on average with the proposed recreational use. The Nutrient Loading Report shows a 46% reduction in TN and an 85% reduction in TP discharging from the site with the proposed use, and according to the Indigenous Area Preservation, Restoration and Management Plan nearly all of the on-site indigenous areas are being preserved and supplemented with an additional 243 acres of restored habitat. All of these improvements are being undertaken at no cost to the public.

POLICY 33.2.4: Restoration of critical lands in Southeast Lee County is a long-term program that will progress in phases based on available funding, land ownership, and natural resource priority. On individual sites, restoration can be carried out in stages:

- 1. Initial restoration efforts would include techniques such as filling agricultural ditches and/or establishing control structures to restore the historic water levels as much as possible without adversely impacting nearby properties.
- 2. Future restoration efforts would include the eradication of invasive exotic vegetation and the reestablishment of appropriate native ecosystems based upon the restored hydrology.

As demonstrated in the Restoration Plan and the integrated surface and groundwater model, the proposed development will combine the eradication of invasive exotic vegetation and the reestablishment of appropriate native ecosystems based upon the restored hydrology with the restoration of 243 acres of farmland to native vegetation. A monitoring plan is proposed to last for 5 years, to ensure consistency with #2 above.

POLICY 33.2.7: Impacts of proposed land disturbances on surface and groundwater resources will be analyzed using integrated surface and groundwater models that utilize site-specific data to assess potential adverse impacts on water resources and natural systems within Southeast Lee County. Lee County Division of Natural Resources will determine if the appropriate model or models are being utilized, and assess the design and outputs of the modeling to ensure protection of Lee County's natural resources.

In accordance with Policy 33.2.7, results of an integrated surface water and groundwater model are attached. The proposed recreational use will have a positive impact on natural systems, returning ground and surface water closer to historic levels.

GOAL 60: COORDINATED SURFACE WATER MANAGEMENT AND LAND USE PLANNING ON A WATERSHED BASIS. To protect or improve the quality of receiving waters and surrounding natural areas and the functions of natural groundwater aquifer recharge areas while also providing flood protection for existing and future development.

POLICY 60.1.1: Require design of surface water management systems to protect or enhance the groundwater table as a possible source of potable water.

In accordance with Policy 60.1.1, results of an integrated surface water and groundwater model are attached. The proposed recreational use will have a positive impact on natural systems, returning ground and surface water closer to historic levels.

OBJECTIVE 60.4: INCORPORATION OF NATURAL SYSTEMS INTO THE SURFACE WATER MANAGEMENT SYSTEM. Incorporate natural systems into surface water management systems to improve water quality, air quality, water

recharge/infiltration, water storage, wildlife habitat, recreational opportunities, and visual relief.

The subject property is almost entirely impacted by active agricultural activities. Nearly all of the natural areas on site are being preserved and enhanced through restoration activities. As demonstrated by the Master Concept Plan and the attached surface water management narrative, the natural systems are being incorporated in such a way that water quality and water storage are both being significantly improved.

OBJECTIVE 61.2: MIMICKING THE FUNCTIONS OF NATURAL SYSTEM. Support a surface water management strategy that relies on natural features (flow ways, sloughs, strands, etc.) and natural systems to receive and otherwise manage storm and surface water.

POLICY 61.2.1: All development proposals outside the future urban areas must recognize areas where soils, vegetation, hydrogeology, topography, and other factors indicate that water flows or ponds; and require that these areas be utilized to the maximum extent possible, without significant structural alteration, for onsite stormwater management; and require that these areas be integrated into areawide coordinated stormwater management schemes.

The surface water management has been designed to be consistent with the natural features of the property by integrating the existing wetland area and providing better hydrologic connections to off-site preservation property through on-site restoration areas.

POLICY 123.3.1: Encourage upland preservation in and around preserved wetlands to provide habitat diversity, enhance edge effect, and promote wildlife conservation.

The proposed development contains an upland buffer around the wetland areas to enhance the edge effect, consistent with Policy 107.3.1.

OBJECTIVE 123.11: FLORIDA PANTHER. Develop strategies to protect the Florida panther.

The proposed development is preserving nearly all of the on-site indigenous vegetation, enhancing over 30 acres of vegetated area that is over 75% exotic vegetation and restoring over 243 acres of active farmland. This, coupled with the over 85% on site open space will allow for continued movement of Panthers through the property and for preservation of habitat.

POLICY 123.11.7 Provide education and outreach to increase public understanding of Florida panthers and the need for panther conservation.

In accordance with the Protected Species Management Plan, the developer will provide educational materials to increase public understanding of Florida panthers.

OBJECTIVE 123.12: FLORIDA BLACK BEAR: Maintain sustainable black bear populations in suitable habitats and promote connectivity between subpopulations.

The proposed development is preserving nearly all of the on-site indigenous vegetation, enhancing over 30 acres of vegetated area that is over 75% exotic vegetation and restoring over 243 acres of active farmland. This, coupled with the over 85% on site open space will allow for continued movement of Black Bear through the property and for preservation of habitat.

POLICY 123.12.2: Encourage use of bear proof containers to secure waste and other attractants within and adjacent to known bear habitats.

In accordance with the submitted Protected Species Management Plan, the developer will utilize bear proof containers and dumpsters on site.

POLICY 123.12.3: Increase public understanding of black bears and need for bear conservation through public education and outreach.

In accordance with the Protected Species Management Plan, the developer will provide educational materials to increase public understanding of black bears.

GOAL 124: WETLANDS. To maintain and enforce a regulatory program for development in wetlands that is cost-effective, complements federal and state permitting processes, and protects the fragile ecological characteristics of wetland systems. (Ordinance No. 94-30)

The proposed development is preserving and restoring all on-site wetlands.

OBJECTIVE 124.1: Protect and conserve the natural functions of wetlands and wetland systems by maintaining wetland protection regulations.

The proposed development is preserving and restoring all on-site wetlands.

POLICY 124.1.2: The county's wetlands protection regulations will be consistent with the following:

1. The county will not undertake an independent review at the Development Order stage of the impacts to wetlands resulting from development in wetlands that is specifically authorized by a DEP or SFWMD dredge and fill permit or exemption.

- 2. No development in wetlands regulated by the State of Florida will be permitted by Lee County without the appropriate state agency permit or authorization.
- 3. Lee County will incorporate the terms and conditions of state permits into county permits and will prosecute violations of state regulations and permit conditions through its code enforcement procedures.
- 4. Every reasonable effort will be required to avoid or minimize adverse impacts on wetlands through the clustering of development and other site planning techniques. On- or off-site mitigation will only be permitted in accordance with applicable state standards.
- 5. Mitigation banks and the issuance and use of mitigation bank credits will be permitted to the extent authorized by applicable state agencies.

The proposed development is preserving and restoring all on-site wetlands. In addition, 243 acres of active farming operations are being restored to indigenous upland and wetland areas.

GOAL 125: WATER QUALITY. To ensure that water quality is maintained or improved for the protection of the environment and people of Lee County.

The proposed PRFPD will have a significant improvement for water quality discharging from the subject property. The Nutrient Loading Report shows that there is expected to be a reduction in TP of 85% and a reduction in TN of 46%.



Planning Justification Exhibits - M16 and M19

Location and Property Description

The subject property is located along the south side of Corkscrew Road adjacent on the west and south sides of the Kingston development and approximately 1 mile east of Verdana Village along Corkscrew Road. The property is in the Density Reduction/Groundwater Resource land use category and is proximate, on both the north, east and west sides of the property to future and existing residential communities. The request is for a change to Maps 1F, 4A and 4B, concurrent with a text change to Goal 13 to allow for a Private Recreational Facility Planned Development (PRFPD) on the subject property with the programmatic mix of the proposed development – golf, indoor gun range, equestrian facilities, hunting and fishing, along with 500 residential units, a 100-room lodge/hotel and associated commercial area.

Background of the Private Recreational Facilities Overlay

The PRFPD overlay was adopted in 1999, just a decade after the creation of the Density Reduction/Groundwater Resource Area (DR/GR) in order to allow for limited recreational development opportunities in the area, consistent with the water conservation and water quality goals of the land use category. In 1999 residential development along Corkscrew Road extended to Wildcat Run in Estero, and residential communities including Stoneybrook, Grandezza, Bella Terra, were permitted but not yet developed. While Goal 13 includes many of the same water quality and water conservation measures that are also contained in Goal 33 with the Environmental Enhancement and Preservation Overlay, Goal 13 was centered specifically around the development of golf courses and was proposed and created by a golf course developer.

Since its establishment, only 1 development has occurred under the PRFPD overlay, the Old Corkscrew Golf Club (zoned as "The Retreat"). Stand-alone private recreational facilities experienced a decline following the Overlay's adoption in the early 2000s. At the same time, the market for residential development along east Corkscrew Road expanded. With the adoption of the Environmental Enhancement and Preservation Overlay, residential development was offered as an incentive to implement the DR/GR's goals of environmental restoration and conservation of the County's future water supplies.

The recognition that the viability of standalone private recreational facilities was and is very limited led to amendments to the PRFPD overlay, including the allowance for fractional ownership units, and a bed and breakfast on the Old Corkscrew Golf Club site in order to allow for increased usership of the recreational facility by having users stay

on the golf course. Later an amendment to the overlay was approved to allow for Commercial use to meet the demand of the EEPCO neighborhoods that have been developed along Corkscrew Road. The amendment to allow commercial uses recognized the changing character of the Corkscrew Road corridor, while maintaining the environmental protections that the DR/GR necessitates.

This proposed amendment seeks to allow for the development of a multi-use recreational facility, that includes complementary recreational activities along with a single golf course. Similar to the prior amendments to the PRFPD, the proposed amendment recognizes the changing characteristics of the Corkscrew Road community, including the addition of over 15,000 new and future residential units, while focusing on low impact recreational uses that maintain the environmental protections and natural lands restoration goals of prior amendments and the DR/GR.

Surrounding Uses/Compatibility

The property is located is in an area of existing and proposed development to the north, east and west. The attached regional location map shows the existing and approved residential communities, putting the subject property in context geographically. Immediately adjacent to the subject property on the east is the proposed Kingston development, which has been adopted by the Board of County Commissioners. Directly to the north of the subject property is the Titan mining operation, which appears to be nearing completion. Kingston is also located north of the Titan mine. To the west of the subject property are scattered large lot residential units, and other recreational and residential facilities like The Ultimate Ski Lake Resort and Verdana Village. The Corkscrew Swamp Sanctuary is located to the south of the subject property in Collier County.

Public Benefits of the Proposed Amendment

The subject property contains over 1,000 acres, most of which is in active agricultural operations. The water on the site is highly managed for agricultural operation, artificially pumping water into the large wetland area on site for storage and elevating water levels while lowering the water table elsewhere. The proposed redevelopment of the site will be a significant improvement over the current condition. With the removal of the agricultural operation, there will be a reduction of an estimated 236.9 million gallons per year on average of groundwater consumption with the proposed recreational use. The Nutrient Loading Report shows a 46% reduction in total nitrogen and an 85% reduction in total phosphorus discharging from the site with the proposed use. With the restoration of water levels and the removal of exotic vegetation, the existing wetlands on site will be enhanced. In addition, 243 acres of active agricultural land will be converted to native vegetation, increasing wildlife habitat on the property. All of these restoration benefits on the subject property will be undertaken at the sole expense of the recreational club and

at no cost to the taxpayers. Finally, the development itself is unlike other projects along the Corkscrew Road corridor in that the use consists of the required 85% open space, which further allows for the movement of wildlife throughout the property.

Existing and Future Conditions Analysis

In accordance with Policy 95.1.3 below is an analysis on public facilities that corresponds to the parameters in the Text amendment and the concurrent PRFPD application. In addition, attached are analyses of the impacts to sanitary sewer, potable water and surface water by Brandon Frey, PE, JR Evans Engineering and a Transportation Impact Study by Norman Trebilcock, PE, AICP. In addition, attached are letters of service availability for each County service provider.

The current Lee Plan will allow for the development of 98 residential units as shown below. The proposed amendment (in accordance with the submitted PRFPD application) would allow for the development of 401 residential units, private recreational facilities, and 40,000 square feet of commercial floor.

Current Entitlements

Future Land Use	Acres	Density Allowed	Units
DR/GR	911.32	1 du/10 acres	91
Wetlands	141.15	1 du/20 acres	7
Total	1,052.47		98

Parks

The level of service for Parks is established in Policy 95.1.3.6 as follows:

NON-REGULATORY STANDARDS

- 6. Parks and Recreation Facilities: Minimum Level of Service:
 - (a) Regional Parks 6 acres of developed regional park land open for public use per 1000 total seasonal county population.
 - (b) Community Parks 0.8 acres of developed standard community parks open for public use per 1000 permanent population, unincorporated county only.

The proposed amendment is for a Private Recreational facility, consisting of a golf course, equestrian facilities and other recreational activities on over 1,000 acres. The addition of 401 units proposed would create the demand for an additional 6 acres of regional park and .8 acres of Community Park, assuming 2 people per unit. The on-site recreation will more than off-set any additional need.

Lee County Schools


Attached is a letter from the Lee County School District. The Lee County School Board projects student generation by dwelling unit. According to the School Board, the school children generation rate for single family homes is .297 students per unit. This student generation rate is further broken down by grade level into the following, .149 for elementary, .071 for middle and .077 for high. Assuming a total of 401 units, and assuming all single family, which is the worst case, a total of 119 school-aged children would be generated and utilized for the purpose of determining sufficient capacity to serve the development.


Student Generation Rates					
	Rate	Projected Students			
Elementary	.149	59.7			
Middle	.071	28.5			
High	.077	30.9			
Total	.297	119			

According to the analysis offered by the School District, "Capacity is an issue within the Concurrency Service Area (CSA) at the elementary school level, however, capacity is available in the adjacent CSA."

Environmental Impacts

The proposed amendment will have no impact on environmentally sensitive resources in Lee County as demonstrated in Exhibit M12 of this application. The subject property has already been mostly cleared and is being used for active agriculture. The criteria of the PRFPD and the attached master concept plan demonstrate that future development will occur on the existing agricultural fields, the existing wetland area will be preserved, and additional lands will be provided for environmental restoration, consistent with the DR/GR and the County's goal of restoring surface and groundwater in the area.





Water Resources Report Preserve at Pepper Place, Lee County, Florida

MTM Naples Investments, LLC 87 Kingstown Road Richmond, Rhode Island 02898



FEBRUARY 2023



13620 Metropolis Avenue, Suite 110 Fort Myers, Florida 33912 O 239.204.5300 - F 866.398.2426 www.waterscienceassociates.com

TABLE OF CONTENTS

EXECUTIVE	SUMMARY 1
INTRODUCTI	ON3
GROUNDWA	TER RESOURCES6
SURFACE W	ATER RESOURCES9
WATER DEM	ANDS12
IRRIGATION	IMPACT ASSESSMENT14
INTEGRATEI	SURFACE/GROUND WATER MODELING 16
SURFACE W	ATER AND GROUNDWATER MONITORING PLAN36
FIGURES	
Figure 1 Figure 2 Figure 3 Figure 4. Figure 5 Figure 6 Figure 7 Figure 8 Figure 9 Figure 10 Figure 11 Figure 12 Figure 13 Figure 14	Location of the Preserve at Pepper Place Project Preserve at Pepper Place Project Site, Regional Watershed Setting Preserve at Pepper Place Project Site, Existing Agricultural Water Use Permits Aquifer System Underlying Lee County Typical Stormwater Management Lake Conceptual Site Plan Location of Nearby Monitoring Wells Water Table Aquifer Hydrographs of Nearby Monitoring Wells Map of SLCI Model Domain, Local Model Domain, and Boundary of Pepper Place Existing Conditions Structures Irrigation Command Areas (ICAs) for Pepper Place Farm MIKE 11 Network, Structures, and Surface Water Bodies for Proposed Pepper Place Irrigation Command Areas for Pepper Place Future Condition Simulated Discharges South from Pepper Place, Existing and Future
Figure 15 Figure 16 Figure 17 Figure 18 Figure 19	Conditions Simulations Average Wet Season Water Depth Above Land, July 1 - Oct 31, 2017 Average Wet Season Water Depth Above Land, July 1 - Oct 31, 2018 Average Wet Season Water Depth Above Land, July 1 - Oct 31, 2019 2017 - 2019 Existing Conditions Hydroperiod (months). Hydroperiod is defined as the number of days per year that water levels 0.1 feet above ground level Proposed minus Existing Hydroperiod (months) 2017 – 2019. Hydroperiod is defined as the number of days per year that water

FIGURES CONTINUED

Figure 20	Proposed Hydroperiod (months) 2017 – 2019. Hydroperiod is defined as the number of days per year that water levels 0.1 feet above ground level.
Figure 21	Calculation Points for Water Depth Relative to Ground, Existing vs Future Condition
Figure 22	Existing and Proposed Water Depth to Ground, West of Large Wetland
Figure 23	Existing and Proposed Water Depth to Ground, South of CS 9A
Figure 24	Existing and Proposed Water Depth to Ground, South of CS 7A
Figure 25	Existing Condition Water Budget
Figure 26	Future Condition Pepper Place Water Budget

TABLES

Table 1	Summary of Historic and Proposed Allocations.
Table 2	Summary of Surface Water and Groundwater Sampling Parameters

APPENDICES

Appendix A Map of Calibration Stations and Local Scale Calibration Summary Plots

EXECUTIVE SUMMARY

The Preserve Sporting Club & Residences at Pepper Place project (Preserve at Pepper Place) is a proposed mixed-use development located on the south side of Corkscrew Road approximately two miles west of the Collier County line in portions of Sections 27, 33, and 34, Township 46 South, Range 27 East in, Lee County Florida. The project is situated between Titan Aggregates Mine to the north across Corkscrew Road, existing agricultural and vacant areas to the east and west, and the undeveloped vacant land that is part of the Panther Island Mitigation Bank Expansion area to the south. The site consists of approximately 1,000 +/- acres of predominantly farm fields that have been heavily drained through an extensive network of ditches that have lowered surface and groundwater levels on the site. The fields also have a historic agricultural irrigation water use extending from the 1960's through present with permitted water use exceeding 3.5 million gallons per day from the Surficial Aguifer System and Sandstone Aguifer.

Projected irrigation water demands for the Preserve at Pepper Place are significantly lower than the historic agricultural use and proposed irrigation supplies will be developed from a combination of stormwater harvesting of the project stormwater management system with supplements from freshwater aquifers underlying the site. Lee County Utilities (LCU) currently utilizes groundwater sources from the Water Table and Sandstone Aquifers and maintains a public water supply wellfield located approximately three miles west of the project site. Potable water supplies and wastewater utility services for the project are anticipated to be provided by Lee County Utilities with privately funded extension of services to the project site.

The project currently lies within the Density Reduction Groundwater Resource (DRGR) land use designation of Lee County which is intended to provide protections to groundwater resources through restrictions on residential density and to maintain surface and groundwater levels at their historic levels. The proposed project can contribute to the County's water resource improvement initiatives through enhanced onsite water management design, including provision for coordinating stormwater management facilities to take advantage of regional connectivity opportunities. Site stormwater discharges can be routed to proposed flow-ways adjacent to the site to enhance water flows from north of the project to adjacent preserve lands to the south. In addition, improved water storage within the project boundaries can be managed to augment restoration on the Panther Island Mitigation Bank. The project also acknowledges the present character of the project site as severely impacted by agricultural uses. The project specifically recognizes the subject property's strategic location proximate to large conservation areas and its ability to implement and further the County's long-term goals of protecting groundwater and improving surface water management in eastern Lee County.

Specific benefits of the project are summarized below:

- Average annual water use will decrease from 537 to 300 MG/yr, a 44% reduction.
- Maximum monthly use will decrease from 87.5 to 37.75 MG/mo, a 57% reduction.
- The site currently has 15 acres of water storage and the proposed site will have 92 acres, a 6-fold increase.
- Discharges from developed areas will be routed through 32.6 acres of detention storage, which will capture nutrients associated with developed areas of the project site. There is currently no detention storage on the existing site.

- The site will have 383 acres of open spaces, 166 times the existing open space area of 2.3 acres.
- Proposed wetlands will be 397 acres, 3.4 times the existing wetland area of 118 acres.
- Wetlands will receive runoff treated through 32.6 acres of detention storage and 92 acres of lakes while existing wetlands receive untreated agricultural runoff.
- The current management of the agricultural site results in field preparation runoff flows and dry season water table management, both of which results in flows to Corkscrew Swamp Sanctuary (CSS) during a period when natural lands do not generate runoff.
- The runoff from the proposed detention storage and lakes will be directed to open space areas, further polishing runoff from developed lands.
- The proposed site provides opportunities for connectivity to flow-ways on adjacent lands that will improve hydrologic connectivity to CSS.
- Land closest to CSS will be open space, thereby improving buffers between existing conservation lands and developed landscapes.

INTRODUCTION

Project Overview

The Preserve at Pepper Place project is an approximately 1,000 acre proposed mixed-use development located on the south side of Corkscrew Road approximately two miles west of the Collier County line in portions of Sections 27, 33, and 34, Township 46 South, Range 27 East in, Lee County Florida (**Figure 1**) within the Density Reduction Groundwater Recharge (DRGR) area. The property is currently used for agricultural purposes and consists of multiple active farm fields and heavily impacted wetland areas. The project is located on five parcels that currently maintain agricultural water use permits, including the Pepperplace North, Pepperplace South, Keystone-Lee Grove, Carter Road Citrus, and Corkscrew Tree, LLC projects.




Figure 1. Location of the Preserve at Pepper Place Project

The project is bordered to the north by the Titan Aggregates Mine across Corkscrew Road, to the east and west by existing agricultural and vacant areas, and to the south by undeveloped conservation lands that are part of the Panther Island Mitigation Bank Expansion area. The project is located approximately two miles east of the 10-year Travel Time of the Lee County wellfield protection zone and approximately two and a half miles from the nearest public water supply well. Lee County Utilities (LCU) currently utilizes groundwater sources from the Water Table and Sandstone Aquifers and maintains a public water supply wellfield located approximately three miles west of the project site. The project lies within the Trafford watershed and namely within the Corkscrew – West sub-watershed (**Figure 2**). East of the Preserve at Pepper Place project lies the regionally extensive Corkscrew - East watershed.




Figure 2. Pepper Place Project Site, Regional Watershed Setting

Past Land Use and Water Use

The Preserve at Pepper Place project falls within five permitted parcels that are currently used for agricultural production, including the Pepperplace North, Pepperplace South, Keystone-Lee Grove, Carter Road Citrus, and Corkscrew Tree, LLC projects. The project site was partially logged and undisturbed land until the late 1960's when it was largely converted to agricultural use. Review of aerial photography indicates that active agricultural activity has continued from the late 1960's to present. The earliest water use permit (WUP No. 36-0094-W/Carter Road Citrus) was issued by the South Florida Water Management District for the irrigation of 60 acres of citrus in 1979. Subsequently, in 1980, the Pepperplace and Keystone-Lee Grove parcels obtained a water use permit (WUP No. 36-00201-W) for the irrigation of approximately 426 acres of citrus. At its peak permitted use in 2007, the project area included the addition of the Pepperplace North water use permit (WUP No. 36-06587-W) for the irrigation of 237 acres of small vegetables with a total irrigated area of approximately 717 acres of small vegetables and citrus. Irrigation water supply was permitted for withdrawals from the Sandstone Aquifer and Surficial Aguifer system with an allocation of approximately 641 million gallons per year (about 1.75 mgd) on an annual average basis and approximately 115 million gallons per month (about 3.70 mgd) on a maximum monthly basis.

In 2008 the Pepperplace and Keystone-Lee Grove farms projects were bifurcated with approximately 151 acres of citrus remaining on the Pepperplace project (WUP No. 36-00201-W) and approximately 268 acres of citrus for the Keystone Lee Grove farm permitted under WUP No. 36-07002-W. The most recently added water use permit was issued in 2019 (WUP No. 36-09164-W) for the irrigation of 13 acres of nursery plants on the Corkscrew Tree, LLC project area. **Figure 3** provides a project area map showing current agricultural water use permits and groundwater well facilities.




Figure 3. Preserve at Pepper Place Project Site, Existing Agricultural Water Use Permits

GROUNDWATER RESOURCES

Introduction

The hydrostratigraphy underlying the Preserve at Pepper Place project is typical for southern Lee County with a series of aquifers and confining beds occupying the Surficial, Intermediate, and Floridan Aquifer Systems. **Figure 4** provides a schematic showing the groundwater sources in Lee County. In general, freshwater sources are the Water Table and the Lower Tamiami Aquifers of the Surficial Aquifer System. The underlying Sandstone and Hawthorn Zone 1 Aquifers of the Intermediate Aquifer System are fresh to moderately brackish respectively. Brackish and saline water sources include the Lower Hawthorn Aquifer and underlying zones of the Upper Floridan Aquifer.




Figure 4. Aquifer System Underlying Lee County

Four primary aquifers are of significance beneath the Preserve at Pepper Place site and are described below in order of increasing depth. These are the Water Table, the Sandstone, the Mid-Hawthorn, and the Lower Hawthorn Aquifers. The Lower Tamiami aquifer is unconfined at this location and therefore considered a part of the Water Table Aquifer or Surficial Aquifer System. Deeper underlying aquifers are generally too saline for direct use at the site. The primary sources of information used to characterize the groundwater resources include information from Lee County, South Florida Water Management District, and U. S. Geological Society.

Surficial Aquifer System

The Water Table aquifer is an unconfined aquifer that covers all of Lee County. The aquifer is defined as occurring at or near land surface downward to the top of the first regional confining

bed. Beneath the Preserve at Pepper Place project site, the aquifer occurs within an upper section of unconsolidated sand and shells and an underlying lower section of limestone. Beneath the Preserve at Pepper Place project, the thickness of the aquifer is approximately 100 feet. The aquifer generally consists of sand, shell and limestone. The limestone portions of the aquifer typically have a moderate to high permeability making the aquifer suitable for medium to large capacity water production wells. The aquifer is used for public water supply, domestic selfsupply, and irrigation of agricultural and landscaping foliage. Use of the aquifer is typically limited by the potential for impacts to natural wetland areas from drawdown in the aquifer water level. The aquifer is recharged directly by rainfall. Discharge from the aquifer generally occurs through the transpiration of plants, evaporation of soils, drainage to surface water bodies, and pumpage from wells. Groundwater flow and levels in the aquifer fluctuate seasonally in response to climatic conditions but are also impacted by local and regional drainage features. Water quality in the aquifer is generally very good and useful for both drinking water and irrigation water needs although high concentrations of naturally occurring iron and organic material are common. Lake extraction is the most efficient use of this aquifer for irrigation purposes, which also typically results in less iron and organic staining, as well as reduced impact to area water levels. Confining beds consisting of low permeable clays and silts of the Bonita Springs Marl are generally absent in the vicinity of the project site so that the Water Table Aquifer includes the Tamiami Limestone beds that make the Lower Tamiami Aquifer south of Preserve at Pepper Place. Beneath the project site, the base of the Surficial Aquifer System extends to about 110 feet below land surface. Productivity of the aquifer is moderate to high.

The Surficial Aquifer System is primarily used in the area of the project site for public water supply by Lee County, for agricultural irrigation, livestock, and by private residences for domestic self-supply. To prevent potential interference with these users, the Preserve at Pepper Place project proposes to significantly reduce the use of groundwater from the Water Table Aquifer below that amount currently used for irrigation of crops (see discussion in Section E). In addition, the project will include a surface water management system that provides for improved management of water levels in the Water Table Aquifer that will increase overall groundwater recharge to the aquifer in the vicinity of the project site. Use of the Surficial Aquifer System to supplement stormwater from the onsite lake system is proposed to meet a portion of the irrigation demands at the Preserve at Pepper Place project.

Sandstone Aquifer

The Sandstone Aquifer is the uppermost aquifer in the Intermediate Aquifer system which underlies approximately 100 feet of regional confining beds that create a hydraulic separation from the overlying Water Table Aquifer. Review of hydrostratigraphy data of nearby wells indicates that the top of the Sandstone Aquifer in the area of the Preserve at Pepper Place project site is expected to occur between about 190 to 215 feet below land surface. The Sandstone Aquifer and consists of unconsolidated sands and poorly consolidated sandstone. The unit varies in thickness in the area of the project site, ranging from about 40 to 80 feet.

The Sandstone Aquifer is considered a freshwater source although there are large areas, especially in the southwestern portions of Lee County and areas near and parallel to the Caloosahatchee River where there are elevated salinity levels which may limit the usefulness of the aquifer for public supply. Salinities however, are generally low enough for either general irrigation supply or blending with fresher water sources for irrigation supply. Productivity of the aquifer is moderate to low but it does provide large quantities of water for public water supply by Lee County Utilities, for domestic self-supply in eastern Lee County, and for agricultural irrigation in eastern Lee and western Hendry Counties. The aquifer is recharged where overlying confining

beds are thin or absent in Hendry and Glades County. Discharge from the aquifer generally occurs as pumpage from wells. Large fluctuations in seasonal water levels are common further north of the project site due to the heavy use of the aquifer in those areas with wet season levels near their historic highs but dry season water levels often at depths of 50 feet or more. To prevent potential interference with existing public and private water supply wells, the project proposes to significantly reduce the use of groundwater from the Sandstone Aquifer below that amount currently used for irrigation of crops (see discussion in Section E). Use of the Sandstone Aquifer to supplement stormwater from the onsite lake system is proposed to meet a portion of the irrigation demands at the Preserve at Pepper Place project.

Mid Hawthorn Aquifer

The Hawthorn Zone 1 Aquifer, also referred to the Mid Hawthorn Aquifer in south Lee and Collier counties, is the lowermost aquifer in the Intermediate Aquifer System in Lee County. It consists of moderately permeable limestones of the Arcadia Formation and is separated from the overlying Sandstone Aquifer and underlying Lower Hawthorn Aquifer by thick clay confining beds of the Peace River and Arcadia Formations. Based upon reports by the USGS and Florida Geological Survey, there is little viable yield from the limestones of the upper part of the Arcadia Formation in this part of Lee County. Test drilling has indicated that the limestone section is marly and that the aquifer is not present in the vicinity of the Preserve at Pepper Place project site. At the Corkscrew Water Treatment Plant, located about seven miles northwest of the project site, Lee County uses a permeable portion of the Mid Hawthorn Aquifer for aquifer storage and recovery (ASR) to store seasonally available water in wet summer months to meet peak season demands in dryer winter and spring periods.

Where present, the Mid Hawthorn Aquifer is a generally a lower yield, discontinuous water bearing unit that has utility as a limited supply resource or for seasonal storage in an ASR system. This aquifer is recharged north of Charlotte County where the aquifer is much nearer to land surface and overlying confinement is thin or nonexistent. The Mid-Hawthorn Aquifer is typically brackish in southern Lee County and salinity increases considerably to the south into Collier County. Review of data from wells that tap into this aquifer within about a mile of the project site indicates dissolved chloride concentrations between about 250 and 1,600 mg/l. Use of the Mid-Hawthorn Aquifer to supplement stormwater from the onsite lake system is not proposed to meet irrigation demands at the Preserve at Pepper Place project.

Lower Hawthorn Aquifer

The Lower Hawthorn Aquifer is the uppermost water bearing unit in the Upper Floridan Aquifer System. The aquifer has good yield potential but contains brackish water that is only useful for irrigation if blended with other freshwater resources and is only useful for public water supply using reverse osmosis or other desalination technologies. The top of this aquifer is anticipated to be encountered at depths between about 500 and 600 feet below grade at the Preserve at Pepper Place project site. The aquifer is separated from the overlying Mid-Hawthorn Aquifer by the Lower Hawthorn Confining Zone which consists of marine silts and clays of very low permeability. The Lower Hawthorn Confining Zone has a thickness of about 100 feet.

The aquifer is recharged in the central Florida highlands area between Tampa and Orlando where the aquifer beds are near land surface and confining beds are thin or absent. In general, the South Florida Water Management District supports increased use of the Lower Hawthorn/Upper Floridan aquifer especially for public water supply use. Use of the Lower Hawthorn Aquifer to supplement stormwater from the onsite lake system is not proposed to meet

irrigation demands at the Preserve at Pepper Place project.

SURFACE WATER RESOURCES

Onsite Lakes

The development will include stormwater management lakes to provide flood control and water quality treatment of runoff. A number of design and control features are planned for the Preserve at Pepper Place project to protect and enhance the quality of water in the lakes and adjacent watersheds and provide for hydrological improvements on the project site (refer to **Figure 6** for a conceptual site plan). These elements include collection, treatment, and conveyance of stormwater within the project water management system, future drainage conveyance/restoration areas, and other water treatment BMP's, and centralized control over the application of irrigation water.



Figure 5. Typical Stormwater Management Lake

Centralized control of the operation of the irrigation system results in improved adherence to Best Management Practices and water use compliance than if individual homeowners have control of these functions or the ability to override irrigation programming. Individual homeowners will not have the ability to override irrigation times or quantities. Application of fertilizers and pesticides within the common areas will be controlled and managed by the Property Owners Association.

The stormwater management system will include the collection and detention of all stormwater generated on the site and will provide stormwater treatment through various dry and wet detention elements within the development footprint that meet or exceed water quality requirements of the South Florida Water Management District, the Florida Department of Environmental Protection, and Lee County.



Figure 6. Conceptual Site Plan

The Preserve at Pepper Place stormwater management system will incorporate multiple required best management practices to ensure a maximum potential treatment of stormwater. Details and goals of the Preserve at Pepper Place stormwater management system are provided in the Surface Water Management / Drainage Report included in the Comprehensive Plan Amendment.

The project is adjacent to a proposed north south future drainage conveyance/restoration area located east of the Preserve at Pepper Place property boundary that will allow for flow augmentation from the project if needed to facilitate regional watershed restoration and improvement initiatives. The future drainage conveyance/restoration area will include grading to provide restored wetland habitats within freshwater marshes that will be created within the future drainage conveyance/restoration area. Additional polishing of the water quality and nutrient uptake will occur in the future drainage conveyance/restoration area further reducing downstream nutrient loading and improve stormwater quality and regional flows.

WATER DEMANDS

Water demands at the project site will consist of in-house potable water and outside irrigation uses. Amendments to Lee County's Future Water Service Area map (Lee Plan Map 4-A) and Lee County's Future Sewer Service Area map (Lee Plan Map 4-B) are proposed to include the Preserve at Pepper Place project to allow for privately funded extension of water and sanitary sewer services to the development. Irrigation demands will be met with onsite sources including harvesting stormwater from the onsite stormwater lake system with re-supply by groundwater withdrawals when needed. The lake withdrawals will provide an efficient and low impact method for tapping the Water Table Aquifer underlying the project site and effectively harvest available stormwater supplies. Lake volume storage will minimize potential impacts to surface and groundwater levels. The project has a long history of permitted agricultural withdrawals from the Surficial Aquifer System and Sandstone Aquifer that are larger than the proposed irrigation demands for the Preserve at Pepper Place project. Analysis of potential impacts attributed to proposed irrigation withdrawals for the Preserve at Pepper Place project are presented in Section E.

Potable Water and Wastewater

Lee County Utilities (LCU) will provide potable water and wastewater services to the project. This will eliminate the need for individual domestic self-supply wells and individual onsite sewage treatment and disposal systems (septic tanks) which are common for many areas of Lee County. Provision of central public utilities to the Pepper Place project will provide a number of desirable environmental and hydrological advantages. Supplying potable water to the project from the nearby LCU Corkscrew Water Treatment Plant water treatment facility will remove a potentially competing water use from the freshwater aquifers and allow for improved planning and control of area water resources. Similarly, provision of a central sewer system will eliminate septic tank discharges in the area providing a higher level of protection to the adjacent wetland mitigation properties and existing Lee County wellfields to the west.

Irrigation Water

The project was historically permitted for Surficial and Sandstone Aquifer withdrawals for agricultural production. The current total permitted withdrawals of groundwater within the Preserve at Pepper Place project allocates about 2.82 MGD on a maximum monthly basis and about 1.47 MGD on an average annual basis for agricultural irrigation.

The Preserve at Pepper Place project will include stormwater management lakes that will intersect permeable limestone of the Water Table Aquifer. The proposed irrigation system will consist of stormwater harvesting from the stormwater lake management system with these withdrawals re-supplied by a combination of groundwater from the Surficial Aquifer System and Sandstone Aquifer. Actual percentages of lake and groundwater withdrawals will be determined during the water use permitting process with the SFWMD. Use of stormwater as a primary irrigation resource reduces use of potable water supplies, provides additional stormwater treatment, reduces offsite discharges of stormwater, reduces nutrient levels of the stormwater outfalls, and reduces reliance on groundwater systems being used to supply potable water to Lee County Utilities and home sites on individual wells.

Irrigated area for the Preserve at Pepper Place project is estimated to include 230 acres of turf grass and landscaping. Using standard Blaney-Criddle calculations used by the SFWMD for irrigation supply permitting, this acreage will result in irrigation water demands of 37.75 million gallons per month (MGM) on a maximum monthly basis (or about 1.22 million gallons per day) and 300.2 million gallons per year (MGY) on an average annual basis (or about 0.82 million gallons per day). **Table 1** provides a summary of historic/current water use on the property and proposed allocations for the Preserve at Pepper Place project. Projected irrigation demands for the project indicate a reduction in the historic maximum monthly use by approximately 57%.

Table 1. Summary of Historic and Proposed Allocations.

Allocation	Existing Permit			Current Total	Proposed Total	Change from Current		
	36-06587-W	36-00201-W	36-07002-W	36-00094-W	36-09164-W	Allocations	Allocations	Allocations
Maximum Monthly (MGM)	17.4 MG	13.0 MG	46.3 MG	8.9 MG	1.9 MG	87.5	37.75 MG	-49.75 MG
Annual Average (MGY)	116.3 MG	86.8 MG	267.4 MG	51.2 MG	15.4 MG	537.1	300.2 MG	-236.9 MG

The proposed project will also explore the use of computerized irrigation systems that incorporate onsite data and conditions to provide irrigation on an as-needed bases rather than simply on a scheduled basis. Such systems have been shown to result in reductions in irrigation water use by over 30% in Southwest Florida. In general, these systems operate based on computer software that accounts for soil moisture, rainfall, and elements that influence evaporation and transpiration to determine which locations require irrigation, how much irrigation is needed, and when to apply irrigation water.

IRRIGATION IMPACT ASSESSMENT

Water Levels

Water Science Associates reviewed hydrographs of nearby monitoring wells maintained by Lee County Division of Natural Resources (LCDNR) as well as data from a monitoring well on the Panther Island Mitigation Bank that was utilized in a recent hydrologic modeling study conducted for the Coastal & Heartlands National Estuary Partnership (CHNEP) (**Figure 7**). The nearest Water Table Aquifer wells with long term water level data (1990 to present) are 49-GW23, located on the northern border of the Preserve at Pepper Place project and 49-GW24, located about one mile north of the project site. Monitoring well PIMB MW-9 is located less than one mile south of the project site in the Trafford watershed. The Preserve at Pepper Place and these three monitoring stations are in the Panther Island E sub-basin that discharges to Corkscrew Swamp Sanctuary which ultimately flows into the Imperial River sub-watershed.

The upstream monitoring wells have water levels ranging seasonally between 21 and 28 feet NAVD88 with 49-GW23 showing slightly lower water levels between 2010 and 2018 and 49-GW24 showing relatively consistent dry and wet season water levels starting from 2007 to present. The ground elevation at 49-GW23 is 28.5 ft-NAVD, 1.5 to 2.5 feet above measured water levels at 49-GW23. The ground elevation at 49-GW24 is 27.8 ft-NAVD, 1 – 2 feet above measured water levels at 49-GW24. The downstream monitoring well PIMB MW-9 has a shorter period of record and shows water levels ranging between approximately 14 and 18 feet NAVD88. Measured water levels at PIMB MW-9 were above ground during the wet seasons of 2016 and 2017 at PIMB MW-9, which has a ground elevation of 17.8 ft-NAVD.

Irrigation withdrawals from the stormwater management system will be partially re-supplied with groundwater from the Water Table Aquifer and/or the Sandstone Aquifer. Projected irrigation demands for the Preserve at Pepper Place project indicate a reduction in the historic maximum monthly use by approximately 57% based on the proposed land use changes and reduction from more than 770 irrigated agricultural acres to 230 irrigated acres associated with the proposed development. The proposed augmentation rate will be less than prior permitted demands from the Water Table and Sandstone aquifers. Additionally, the project's water management system will provide enhanced water quality treatment and storage thereby providing a positive impact to groundwater recharge and regional water quality.




Figure 7. Location of Nearby Monitoring Wells




Figure 8. Water Table Aquifer Hydrographs of Nearby Monitoring Wells

INTEGRATED SURFACE/GROUND WATER MODELING

A number of Lee County policies have been evaluated that address the water resources impact of proposed developments within the Density Reduction/Groundwater Recharge overlay area. Relevant policies are paraphrased below.

- Policy 1.4.5: the project should not have negative impacts upstream, downstream, or adjacent to the proposed development.
- Policy 3.1.7: Impact of proposed land disturbances should be analyzed using integrated surface and groundwater models. Adverse impacts on water resources and natural resources should be avoided.
- Goal 60: Surface water management systems should be designed to protect/enhance groundwater levels.

INTRODUCTION

An existing integrated surface/ground water model was developed for South Lee County (SLC) for CHNEP in 2021 (Lago Consulting & Services, LLC & CHNEP, 2021). That model was used as a starting point for the analysis. Because the SLC model domain is over 363 square miles and Pepper Place is approximately 1.6 square miles, a local-scale model was developed so that the model grid size could be reduced from 350 x 350 feet to 150 x 150 feet. All raw input files (e.g., topography, land use) were re-sampled from GIS at the smaller grid size. This approach allowed for a more detailed evaluation of proposed lakes and developed areas of Pepper Place. **Figure 9** illustrates the model domain for the SLC model, the local scale model, and the boundary of Pepper Place.

EXISTING CONDITIONS SIMULATIONS

Surface Water Representation

The local-scale model was developed, and a continuous simulation was conducted for January 1, 2017 through December 31, 2019. Simulated water levels during this period were compared to measured water levels at known calibration stations to verify that the local-scale model performed at least as good as the SLC model. A number of enhancements were made to improve model calibration as described below (see **Figure 10** for structure locations and identifiers):

- The outlet structure from King Ranch (SFWMD permit 36-00077-W, previously known as the Rosbaugh Grove or OCP Holding LLC) that flows through Titan Mine north of Pepper Place (Structure 16 in Figure 10) was modified using information obtained from a field visit.
- Titan Mine existing mining cells were represented more accurately using information obtained from permit files and discussions with mine representatives.




Figure 9. Map of SLCI Model Domain, Local Model Domain, and Boundary of Pepper Place




Figure 10. Existing Conditions Structures

- Field ditches in existing citrus fields route water to agricultural pump stations that convey
 the pumped water into above-ground impoundments. New surface water conveyance
 branches were added to the local-scale model to represent this process, and pumps were
 added to properly represent the existing agricultural operation (e.g., Structure 1, which is
 a farm pump that directs farm runoff to the wetland west of Structure 1).
- An existing farm ditch that routes water through the farm was in the SLC existing conditions model. Field studies identified a number of culverts that regulate southerly flow, and these structures were added to the existing conditions model to more accurately represent dry season water levels observed during the field visit (Structures 2, 3, 4, and 5). Structure 2 is a weir with an invert elevation of 27.2 ft-NAVD that allows inflows from lands outside of the existing farm during high flow periods.
- Structure 6 is located on the southern berm of a wetland area in the rural residential area west of Pepper Place. This area was checked during a field investigation to determine if there were any low spots in the berm that would allow it to flow into the perimeter ditches of the existing farm. No low spots were observed, and no culverts under the berm were evident. Structure 6 was added to the model to handle any flows should subsequent field investigations reveal a connection. No flow is allowed through Structure 6 in the existing conditions since no gaps in the berm were observed, and no culverts were evident.

Existing conditions model calibration was checked prior to preparing a future condition simulation that includes the proposed Pepper Place development. Calibration of the local-scale model is better than the larger SLC model at all calibration stations except for one station south of the project site PIMB MW-8) where land elevations were modified as part of mitigation bank activities. Since the timing and extent of those land elevation modifications is not known, the model calibration issue at this station is deemed minor. A map of the calibration stations and calibration plots are presented in **Appendix A**.

Irrigation Set-up

The existing farm is irrigated from both the Water Table (WT) and the Sandstone (SS) aguifers. As discussed in the Water Resources Report, a number of SFWMD Water Use Permits (WUP) regulate irrigation on the existing farm. The MIKE SHE/MIKE 11 model simulates irrigation based on soil moisture deficits that are calculated for each grid cell based on rainfall and evapotranspiration rates. When soil moisture drops below optimum, irrigation is applied to model cells within each irrigation command area (ICA) to satisfy the soil moisture deficit. Irrigation rates are limited to maximum monthly application rates that were set to be consistent with the WUP irrigation rates. The screened depth for each ICA is set based on information obtained from the WUP files. Figure 11 illustrates the ICAs for the Pepper Place farm. Note that the crop types and irrigation application rates were established based on the model calibration period (2017-2019). Citrus was the crop type during that period for two of the three ICAs used in the model. The farm crop type has changed in recent years from citrus to truck crops due to citrus greening, however the change of crop type occurred after the model calibration period, therefore citrus is the predominant crop type used in 2 of the 3 ICAs. Average simulated irrigation (224 MG/yr) during the simulation period was less than reported irrigation (309 MG/yr, range 174 – 494 MG/yr) during the calibration period. Note that current permitted irrigation allocations total 537 MG/yr.




Figure 11. Irrigation Command Areas (ICAs) for Pepper Place Farm

FUTURE CONDITIONS SIMULATION

Model Development

The future conditions simulation model was developed based on the site plans prepared by J.R. Evans Engineering, Inc. (Pepper Place ERP Draft 01-11-2023.pdf). Land use was changed to a mix of residential development and passive recreation area consistent with the ERP site plan. Topography was increased in residential and associated areas by 3 feet based on information in the ERP site plan. The site plan includes dry detention treatment of developed areas that drain to a series of lakes that drain to the southern limit of the Pepper Place site. Lake dimensions, control structures, and culverts between the lakes were included in the Future Condition MIKE 11 network. **Figure 12** illustrates the MIKE 11 network, structures, and lakes/wetlands simulated as part of the surface water network. Two structures are proposed to handle off-site flows (see locations 1 and 2 in **Figure 12**). These structures are intended to provide flood relief for extreme large rainfall events. Structure 1 is a double set of box culverts each 4 ft wide by 2 ft high. Structure 2 is one box culvert with the same dimensions. The proposed invert elevation for both structures is 25.5 ft-NAVD.

Irrigation for Proposed Pepper Place

Irrigation for the Future Condition Pepper Place is applied to developed residential areas as well as for the turf associated with other buildings, as shown below in **Figure 13**. No irrigation is applied to the recreation areas associated with hunting and dog training. The simulated irrigation area is 376 acres, with irrigation only applied to the pervious areas of that area. The simulated irrigation is 280 MG/yr.

MODELING RESULTS

Surface Water Discharges

The combined discharges south of Pepper Place for existing and the Future Condition simulations is presented in **Figure 14**. Peak discharges during Hurricane Irma for the Future Condition are less than for the Existing Condition simulation, however the duration of elevated flows is longer for the Future Condition than for the Existing Condition. Furthermore, positive wet season discharges during 2018 and 2019 are predicted for the Future Condition simulation in contrast to zero flows during the Existing Condition simulation during 2018 and 2019. The proposed Pepper Place development is therefore expected to have a positive impact on discharges to Panther Island Mitigation Bank.

Wet Season Flood Levels and Hydroperiod Differences

Difference maps of water levels above ground for Future Condition minus Existing Condition for the wet seasons of 2017, 2018, and 2019 are presented below in **Figures 15**, **16**, and **17**. Existing, proposed minus existing, and proposed average 2017-2019 hydroperiod is presented in *Figures* **18**, **19**, **and 20**. Hydroperiod is defined as the number of days per year that water levels 0.1 feet above ground level. A number of key observations include:

 No flooding or increased hydroperiods are predicted for the rural residential area west of Pepper Place.




Figure 12. MIKE 11 Network, Structures, and Surface Water Bodies for Proposed Pepper Place




Figure 13. Irrigation Command Areas for Pepper Place Future Condition




Figure 14. Simulated Discharges South from Pepper Place, Existing and Future Conditions Simulations

- Lower water levels and hydroperiods are predicted for the large wetland (see call-out on Figures 15 20) due to the termination of agricultural pumped discharges into that wetland. This is expected since water levels in that wetland have been maintained at unnaturally high levels due to it's function as an above-ground impoundment). The Pepper Place Future Condition allows for open exchanges between the large wetland and proposed lakes east of the large wetland.
- Longer hydroperiods are predicted for Panther Island Mitigation Bank southeast of Pepper Place with the Proposed Condition.

Changes in Ground and Surface Water Levels

Water levels relative to ground level are compared at three locations, one in the rural residential area west of Pepper Place, one south of discharge outfall CS 9A, and one south of discharge outfall CS 7A (see **Figure 13** for locations of calculation points). Simulated existing and Future Condition depths relative to ground at three locations are presented in **Figures 22**, **23**, and **24**. Key observations include:

Wet season water levels west of the large wetland are not increased during the wet season and are increased during the dry season. This is viewed as a benefit to the rural residential area west of the large wetland.

Water levels south of CS 9A are largely unchanged.

Water levels south of CS 7A are higher during both wet and dry season conditions. This area is a wetland restoration area and the change is considered to be a benefit. Water levels continue to drop below ground surface in two of three years, thereby permitting prescribed burns if necessary for management of invasive vegetation.




Figure 15. Average Wet Season Water Depth Above Land, July 1 - Oct 31, 2017




Figure 16. Average Wet Season Water Depth Above Land, July 1 - Oct 31, 2018




Figure 17. Average Wet Season Water Depth Above Land, July 1 - Oct 31, 2019




Figure 18. 2017 - 2019 Existing Conditions Hydroperiod (months). Hydroperiod is defined as the number of days per year that water levels 0.1 feet above ground level




Figure 19. Proposed minus Existing Hydroperiod (months) 2017 – 2019. Hydroperiod is defined as the number of days per year that water levels 0.1 feet above ground level




Figure 20. Proposed Hydroperiod (months) 2017 – 2019. Hydroperiod is defined as the number of days per year that water levels 0.1 feet above ground level.




Figure 21. Calculation Points for Water Depth Relative to Ground, Existing vs Future Condition




Figure 22. Existing and Proposed Water Depth to Ground, West of Large Wetland




Figure 23. Existing and Proposed Water Depth to Ground, South of CS 9A




Figure 24. Existing and Proposed Water Depth to Ground, South of CS 7A

WATER BUDGETS

The existing and proposed condition water budgets are presented **in Figure 25 and Figure 26.** Irrigation for the Existing Condition simulation is 8 inches/year (220 MG/year). The Existing Condition simulated irrigation is less than observed irrigation (2017 – 2019 range = 174 – 494 MG/year, avg 310 MG/yr). **Note that permitted irrigation is 537 MG/year, similar to observed 2017 irrigation.** MIKE SHE/MIKE 11 computes irrigation need based on moisture deficits in the unsaturated zone (essentially the same as the soil horizon). Actual irrigation is based on the farm operator's observations of crop conditions and observed water table elevations, and therefore may be higher or lower than simulated moisture deficits in the unsaturated zone.




Figure 25. Existing Condition Water Budget

Irrigation for the Future Condition is 10 inches/year (280 MG/yr). This irrigation rate is similar to the irrigation rate calculated for the proposed project using the Blaney-Criddle method (300.2)

MG/yr). The higher amount for the Future Condition is unexpected. It is likely that the higher ground elevations associated with the proposed residential and associated developed areas that are further from the prevailing water table level results in greater irrigation. Further investigations into this are on-going.




Figure 26. Future Condition Pepper Place Water Budget

CONCLUSIONS

The modeling study has demonstrated that the proposed development will not have negative impact on surface or ground water levels in the area surrounding the proposed Pepper Place. Key findings are summarized below.

- The proposed development will not have negative impact on surface or ground water levels in the rural residential area west of Pepper Place.
- The proposed development plan includes culverts to accept off-site inflows from the rural

- residential area during extreme flooding events, which will provide a benefit should the area experience another major rainfall event such as Hurricane Irma or Ian.
- Surface water discharges to Panther Island Mitigation Bank (south of Pepper Place) are predicted to be less during a major flood such as Hurricane Irma for the Future Condition than for the Existing Condition.
- Surface and ground water levels south of Pepper Place are predicted to remain unchanged in the western portion of Panther Island Mitigation Bank and are proposed to increase slightly in the eastern portion of Panther Island Mitigation Bank. The changes in water levels will not rise to levels that prevent scheduling of prescribed burns that may be required for control of invasive vegetation.
- Irrigation for the proposed Pepper Place development is expected to be **44% less** than existing permitted irrigation rates of agricultural lands.

Overall, the proposed project is expected to have a positive impact on upstream, downstream, and adjacent properties.

SURFACE WATER AND GROUNDWATER MONITORING PLAN

Purpose

A Surface Water and Groundwater Monitoring Plan will be initiated to establish baseline conditions for the Preserve at Pepper Place project site and to quantify the potential adverse impacts as a result of the proposed development. The Surface Water and Groundwater Monitoring Plan includes sampling locations, sampling frequency, reporting requirements, and evaluations of the water level and water quality within the project site. The proposed monitoring plan may be further refined during the Development Order process that may include additional or removal of groundwater and/or surface water sampling locations.

Monitoring

The Surface Water and Groundwater Monitoring Plan will include the installation of two shallow monitor wells tapping the upper portion of the Water Table Aquifer (WT-1 & WT-2), located upstream and downstream within the project area, a deeper monitor well tapping the upper portion of the Sandstone Aquifer (SS-1), various surface water sample locations (to be located at the designated outfall locations), and staff gauge(s) installed within the irrigation withdrawal lake(s). All monitor wells and the staff gauge(s) will be equipped with electronic water level transducers set to record water levels every 6 hours. Proposed surface water and groundwater quality monitoring parameters are provided in **Table 2** and include contaminant target levels where applicable for surface water and groundwater.

Table 2. Summary of Surface Water and Groundwater Sampling Parameters

PARAMETER	Sample Source (SW/GW)	UNITS	Groundwater Target Level	Surface Water Target Levels	ANALYSIS TYPE	
Total Kjeldahl Nitrogen (TKN)	SW & GW	mg/L as N	NA	NON-NUMERIC	Laboratory	
Chloride	SW & GW	mg/L	250	250	Laboratory	
Arsenic	SW & GW	μg/L	10	10	Laboratory	
Lead	SW & GW	mg/L	0.015	NON-NUMERIC	Laboratory	
Temperature	SW & GW	С	NA	NA	Field	
Specific Conductance	SW & GW	umhos/cm	NA	1275 or <50% Increase	Field	
рН	SW & GW	S.U.	6.5-8.5	1 unit from background	Field	
Nitrite	SW	mg/L as N	1	NON-NUMERIC	Laboratory	
Nitrate	SW	mg/L as N	10	10	Laboratory	
Total Phosphorus	SW	mg/L as P	NA	NON-NUMERIC	Laboratory	
E. coli	SW	MPN/100mL	NA	200 Average	Laboratory	
Chlorophyll A	SW	mg/m³	NA	NA	Laboratory	
Dissolved Oxygen (DO)	SW	mg/L	NA	>5.0	Field	
Discharge Condition	SW	Yes or No			Field	
Lake Stage	SW	Feet (NAVD)	NA	NA	Field/Recorder	
Groundwater Elevations	GW	Feet (NAVD)	NA	NA	Field/Recorder	

NA=Not Applicable

Note - Groundwater Target Levels per Chapter 62-550 and Rule 62-520.420, FAC. Surface Water Target Levels per Chapter 62-302.

The proposed Surface Water and Groundwater Monitor Plan includes a baseline sampling event prior to construction commencement followed by subsequent semi-annual events. The semi-annual sampling events are proposed to occur twice per year during the wet season (June through October). The early wet season monitoring event is proposed to occur in June while the late we season event is proposed to occur in October. The monitoring will include stage measurements of the stormwater management system and the discharge condition will be recorded noting whether or not water is flowing through the control structure at the time of sampling.

Quality Assurance

Water samples will be collected and handled following protocols contained in Florida Department of Environmental Protection (FDEP) Quality Assurance Rule F.A.C. 62-160 and adopted as the 2014 FDEP Standard Operating Procedures for Field Activities (DEP-SOP-001/01), effective 7/30/2014. Water Quality samples will be collected from both monitor wells and the staff gauge monitoring station. One field blank and a field duplicate will be collected during each sampling event for quality assurance purposes. Chain of custody forms and laboratory analysis reports will be provided in corresponding quarterly reports.

Water samples will be tested by a certified laboratory under the National Environmental Laboratory Accreditation Program (NELAP) using approved test methods and QA testing requirements (i.e. blanks, sample duplicates, surrogates, matrix spikes etc.) as contained in F.A.C 62-160 QA Rules.

Water Monitoring Reporting and Analysis

An annual report which will include a comparison of State water quality standards, plots of parameters, and any conclusions or recommendations will be provided to the Lee County Division of Natural Resources annually for a minimum of 5 years. The monitoring reports will include a continuous hydrograph of the recorded water levels and updated tables of quarterly water quality sampling results. The monitoring reports will be submitted once per year as an Electric Data Deliverable (EDD) in a comma delimited text format approved by the Lee County Division of Natural Resources (LCDNR) in their approved format within 60 days of receipt of laboratory reports from two wet season monitoring events during the reporting period. Conclusions and recommendations will be based on applicable target levels and statistical analyses and trends of measured constituents. Statistical methods to be used may include determination of standard deviations, linear regressions, and calculation of confidence intervals.

Results of water sampling will be compared to applicable target levels, if listed and deviation from the initial baseline sampling. Parameters that do not have numeric target levels will be evaluated for trends. The surface water laboratory results will undergo statistical analyses for the development of conclusions and recommendations within the annual reports.


Should indications of water level or water quality concerns be identified by exceeding target levels or through statistical trend analyses, site conditions will be reviewed and assessed and if indicated, additional samples will be collected. Following any re-sampling event, the LCDNR will be notified of necessary corrective actions. Should potential areas of concern be identified, the Applicant will coordinate with the LCDNR to aid in identifying potential causes and potential needs to modify monitoring parameters, frequency, and/or reporting.


Water Quality Monitoring will continue for a minimum of 5 years from the date of completion of the stormwater management system. After 5 years of meeting or exceeding state water quality monitoring standards, the developer may amend or discontinue water quality monitoring and reporting after written request, review, and approval by Lee County Division of Natural Resources.

APPENDIX A

Map of Calibration Stations and Local Scale Calibration Plots








ME=0.216776 MAE=0.773639 RMSE=0.990546 STDres=0.966534 R(Correlation)=0.811933 R2(Nash_Sutcliffe)=0.642088






ME=0.0774479 MAE=0.721086 RMSE=0.849257 STDres=0.845718 R(Correlation)=0.928482 R2(Nash_Sutcliffe)=0.755699




ME=-1.16934 MAE=1.33909 RMSE=1.70478 STDres=1.24054 R(Correlation)=0.845287 R2(Nash_Sutcliffe)=0.272815



ME=-1.11242 MAE=1.1149 RMSE=1.33028 STDres=0.729492 R(Correlation)=0.926222 R2(Nash_Sutcliffe)=0.00615708






ME=0.600458 MAE=0.604474 RMSE=0.742985 STDres=0.437582 R(Correlation)=0.953354 R2(Nash Sutcliffe)=0.736322




ME=0.636514 MAE=0.649364 RMSE=0.809343 STDres=0.499886 R(Correlation)=0.932384 R2(Nash_Sutcliffe)=0.645235




ME=0.38975 MAE=0.440298 RMSE=0.586628 STDres=0.438438 R(Correlation)=0.959565 R2(Nash_Sutcliffe)=0.849186






ME=-0.267684 MAE=0.608992 RMSE=0.728777 STDres=0.677836 R(Correlation)=0.764277 R2(Nash_Sutcliffe)=0.497332



ME=0.473653 MAE=0.50582 RMSE=0.637618 STDres=0.42686 R(Correlation)=0.95493 R2(Nash_Sutcliffe)=0.798458



ME=0.000728898 MAE=0.233077 RMSE=0.279401 STDres=0.2794 R(Correlation)=0.979927 R2(Nash_Sutcliffe)=0.958384



BOARD OF COUNTY COMMISSIONERS

Kevin Ruane District One

February 15, 2023

Via E-Mail

Cecil L Pendergrass

District Two

Raymond Sandelli District Three

Brian Hamman District Four

Michael Greenwell

Roger Desjarlais County Manager

Richard Wm Wesch County Attorney

Donna Marie Collins County Chief Hearing Examiner Brandon Frey, P.E.

J.R. Evans Engineering, P.A. 9351 Corkscrew Road, Suite 102

Estero, Florida 33928

RE: Potable Water and Wastewater Availability

Pepper Place

STRAP # 27-46-27-00-00001.0010; 27-46-27-00-00100.0010;

27-46-27-00-00002.0000; 27-46-27-00-00002.0030; 34-46-27-00-00001.0010; 34-46-27-00-00001.0000; 33-46-27-00-00002.0000; 33-46-27-00-00001.2000; 33-46-27-L4-00001.30E0; 33-46-27-L4-00001.30D0; 33-46-27-L4-00001.30C0; 33-46-27-L4-00001.30B0; 33-46-27-L4-00001.30A0

To whom this may concern:

The subject properties are currently <u>not</u> located within Lee County Utilities Future Service Area as depicted on Maps 4A and 4B of the Lee County Comprehensive Land Use Plan. Potable water and sanitary sewer lines are <u>not</u> in operation adjacent to the property mentioned above. In order to provide service to the subject parcels, a Comprehensive Plan Amendment and developer funded system enhancements such as line extensions will be required.

Your firm has indicated that this project will consist of a sporting club, low density residential, small hotel (members only), and various, smaller commercial uses with an estimated flow water demand of approximately 127,000 GPD and wastewater demand of approximately 114,000 GPD. Lee County Utilities presently has sufficient capacity to provide potable water and sanitary sewer service as estimated above.

Availability of potable water and sanitary sewer service is contingent upon final acceptance of the infrastructure to be constructed by the developer. Upon completion and final acceptance of this project, potable water service will be provided through our Corkscrew Water Treatment Plant.

Sanitary sewer service will be provided by our Three Oaks Water Reclamation Facility. The Lee County Utilities' Design Manual requires the project engineer to perform hydraulic computations to determine what impact this project will have on our existing system.

There are no reuse mains in the vicinity of these parcels.



Prior to beginning design work on this project, please meet with LCU Staff to determine the best point of connection and discuss requirements for construction.

This letter should not be construed as a commitment to serve, but only as to the availability of service. Lee County Utilities will commit to serve only upon receipt of all appropriate connection fees, a signed request for service and/or an executed service agreement, and the approval of all State and local regulatory agencies.

Further, this letter of availability of potable water and sanitary sewer service is to be utilized for Comprehensive Plan Amendment only. Individual letters of availability will be required for the purpose of obtaining building permits.

Sincerely,

LEE COUNTY UTILITIES

Many M Cours

Mary McCormic Technician Senior 239-533-8532

UTILITIES ENGINEERING



Board of County Commissioners

Kevin Ruane District One

Cecil L Pendergrass District Two

i gi ass

December 12, 2022

Ray Sandelli District Three

Daniel DeLisi, AICP DeLisi, Inc.

Brian Hamman District Four

15598 Bent Creek Rd.

Mike Greenwell District Five Wellington, FL 33414

Roger Desjarlais County Manager Re: Letter of Service Availability - Pepper Place

Richard Wm. Wesch County Attorney Mr. DeLisi,

Donna Marie Collins County Hearing Examiner I am in receipt of your letter requesting a Letter of Service Availability for a community marked on the provide PDF as Pepper Place. The approximate address is 21750 Corkscrew Road, which carries STRAP 27-46-27-00-00001.0010. The proposed Plan Amendment would change the property to the allow for 500 units, 100 hotel rooms as well as various recreational activities.

Lee County Emergency Medical Services is the primary EMS transport agency responsible for coverage at the location you have provided. Because we currently serve this area and have a sufficient response data sample, we evaluated response times in this vicinity to simulate the anticipated demand and response.


The primary ambulance for this location is Medic 21, located 12.3 miles west. It is our opinion that the service availability for the proposed development of this property is not adequate at this time.

There are plans for an EMS location to open in closer promiximity in 2023. When the facility opens and a Master Concept Plan is available, we could reevaluate the conditions to provide a new availability analysis.

Sincerely,

Benjamin Abes

Director, Public Safety





Kevin Ruane

January 19, 2023

Cecil L. Pendergrass

District Two

Ray Sandelli District Three

Brian Hamman District Four

District Five

Roger Desjarlais County Manager

Richard Wesch
County Attorney

Donna Marie Collins County Hearing Examiner RE: Corkscrew Road PRFPD

Request for Letter of Service Availability
21246 Corkscrew Rd, Estero, FL 33928

Mr. DeLisi,

LeeTran has reviewed your request for service availability regarding a proposed Comprehensive Plan Amendment. After reviewing the site and comparing the location with our existing and planned route locations according to the 2020 Transit Development Plan (TDP), the following has been determined:

- Subject area is not within one-quarter mile of a fixed-route corridor
- Closest bus stop is not within one-quarter mile of a bus stop
- The 2020 TDP does not identify the need for enhanced or additional transit services in the area

The proposed future development does not currently meet the applicability outlined in Sec. 10-442 and Sec. 10-443. The developer will not be required to connect to and improve transit facilities because planning action does not trigger the relevant Lee County Land Development Code.

If transit services have been modified within one-quarter mile of the subject parcels at the time of a DO or LDO type D submittal, necessary improvements will be determined at that time.

If you have any questions or require further information, please do not hesitate to contact me at (239) 533-0340 or <a href="mailto:cm

Sincerely,

Clarissa Marino Diaz

Clarissa Marino Diaz, Transit Service Planner

Lee County Transit



Traffic Impact Statement Section 1

Preserve Sporting Club & Residences at Pepper Place Lee Plan Amendment and Rezone

Lee County, FL 2/10/2023

Prepared for:

JR Evans Engineering 9351 Corkscrew Road, Suite 102 Estero, FL 33928

Phone: 239.405.9148

Prepared by:

Trebilcock Consulting Solutions, PA 2800 Davis Boulevard, Suite 200 Naples, FL 34104

Phone: 239.566.9551

Email: ntrebilcock@trebilcock.biz

Statement of Certification

I certify that this Traffic Impact Statement has been prepared by me or under my immediate supervision and that I have experience and training in the field of Traffic and Transportation Engineering.

Norman J. Trebilcock, AICP, PTOE, PE FL Registration No. 47116 Trebilcock Consulting Solutions, PA 2800 Davis Boulevard, Suite 200 Naples, FL 34104 Company Cert. of Auth. No. 27796

Table of Contents

Project Description	4
Trip Generation	5
LPA - Trip Distribution and Assignment	7
LPA - Project Traffic Characteristics	9
LPA - Background Roadway and Traffic Characteristics	9
LPA - Short Term Analysis	11
LPA - Long Term Analysis	14
Rezone Analysis	17
Rezone – Project Traffic Significance	18
Rezone – Background Traffic Characteristics	19
Rezone Level of Service Analysis	20
Access Management and Intersection Analyses	23
Improvement Analysis	23
Mitigation of Impact	23
Appendices	
Appendices	
Appendix A: Project Master Site Plan and Location	24
Appendix B: Initial Meeting Checklist (Methodology Meeting)	27
Appendix C: ITE Trip Generation	36
Appendix D: D1RPM Inputs and Outputs	72
Appendix E: Lee County 2022 Concurrency Report Excerpt	80
Appendix F: Lee County 2021 Traffic Count Report (Excerpts)	82
Appendix G: Lee County Generalized Peak Hour Directional Service Volumes	85

Project Description

This report contains analyses intended to satisfy the requirements of a Lee Plan amendment (LPA) and a Rezone from Agricultural to Planned Development.

The Preserve Sporting Club & Residences at Pepper Place project is located south of Corkscrew Rd. approximately 3.6 miles east of the 6 Ls Farm Rd. and Corkscrew Rd. intersection, and lies within Section 27, Township 46 South, Range 27 East, in Lee County, Florida (refer to **Figure 1** and **Appendix A**).



Figure 1 - Project Location Map

The site parcel is currently vacant and is zoned Agriculture. The proposed project is a members only residential/recreational complex. The proposed uses subject to this application include:

- 121 single family detached homes
- 172 single family attached homes
- 108 multi-family homes
- Private clubhouse containing spa (15,000 SF), health club (10,000 SF), restaurant (7,500 SF) and other ancillary uses.
- 29,800 SF retail plaza open to the public
- 18 hole golf course
- 1000 yard rifle range
- Trap and skeet ranges
- Equestrian Center
- Tennis courts
- Fishing ponds
- Hiking, biking and all terrain trails

Also included in the development plan, not part of this application, but included in the analysis at the request of county staff is a restaurant (10,200 SF/ 314 seats - to include related retail sales) that is allowed under the existing zoning on the parcel.

The Preserve project proposes a full movement connection onto Corkscrew Rd. directly across from the existing mining operation. The analysis of its operation and also the intersection of Corkscrew Rd. at Alico Rd. will be provided in a companion document titled **TIS Section 2 – Traffic Operational Analysis**. The LPA short term and Rezone analysis year is 2027. The LPA long term analysis year is 2045.

A methodology meeting was held with the Lee County Transportation Planning staff (via email) on September 26, 2022 and updated on January 23, 2023 (**Appendix B**). All level of service (LOS) estimates in this report use capacities from the Generalized Service Volumes. There is a published schedule of link specific service volumes. The capacity for Corkscrew Rd. contained in it (1,140 – see **Appendix E**) is significantly greater than the one used here (860).

Trip Generation

The project's site trip generation is shown in **Table 1** and is based on the Institute of Transportation Engineers (ITE) Trip Generation Manual, 11th Ed. and Trip Generation Handbook 3rd Ed.

The proposed trip generation assumes that the source of trips to and from all the recreational uses will be the occupants of the dwelling units. The retail shop is intended for public access and thus added as a contributing use. The proposed ITE land use code (LUC) (822 - Strip Retail Plaza <40K) appears the most appropriate.

Because no separate trip generation estimates are being developed for the various recreational uses (many of which do not have any exact or similar ITE LUC), no internal capture is being proposed between them and the residential uses. Although private, Golf Course, Spa, and Fitness Club were added as trip generation contributors to provide a conservative estimate of staff related trip generation. The Spa and Fitness Club areas are combined in **Table 1**.

The by-right restaurant and the strip retail will both be open to the public and internal capture between them and the residential uses is reflected, along with pass by capture rates for each from the ITE Trip Generation Handbook 3rd Ed. The FDOT Transportation Site Impact Handbook suggests that 10 percent of the adjacent street traffic form an upper limit on any ITE based pass-by volume estimate. The projected future peak hour two-way volumes in **Tables 5 and 6** (844 PM, 704 AM) indicate that the total pass-by captured volumes in **Table 1** are less than that traffic-based limit. All ITE data pages are provided in **Appendix C**.

Table 1 – Trip Generation

				Rate (1) or Eqn. (2)				PM Peak Hour				AM Peak Hour				
Use	ITE LU#	Measure- ment Unit	# of Units	Daily	AM	PM	Trips	Daily Traffic	Reduct- ion %	In	Out	Total	Reduct- ion %	In	Out	Total
Strip Retail Plaza <40K	822	1000 SF	29.8	2	2	2	Total	1,487		85	84	169		35	24	59
							Internal		34.9	22	37	59	11.9	3	4	7
							External			63	47	110		32	20	52
							Pass-By		34.0	21	16	37	34.0	11	7	18
							Net New			42	31	73		21	13	34
Single-Family Detached Housing	210	Dwelling Units	121	2	2	2		1,202		75	44	119		23	66	89
Single-Family Attached Housing	215	Dwelling Units	172	2	2	2		1,260		56	43	99		26	58	84
Multifamily Housing (Low- Rise) Not Close to Rail Transit	220	Dwelling Units	108	2	2	2		768		42	25	67		13	43	56
			401				Total	3,230		173	112	285		62	167	229
Residential Total							Internal		14.7	27	15	42	5.7	2	11	13
							External			146	97	243		60	156	216
High Turnover Sit Down Restaurant	932-A	1000 SF	10.2	1	1	1	Total	1,093		56	36	92		54	44	98
							Internal		46.7	23	20	43	16.3	13	3	16
							External			33	16	49		41	41	82
							Pass-By		43.0	14	7	21	43.0	18	17	35
							Net New			19	9	28		23	24	47
Golf Course	430	Holes	18	2	2	1		526		28	24	52		24	6	30
Health/ Fitness Club	492	1000 SF	25	2	1	2		-		56	43	99		17	16	33
							Total	6,336		398	299	697		192	257	449
							Internal		20.7	72	72	144	8.0	18	18	36
Project Total							External			326	227	553		174	239	413
							Pass-By		10.5	35	23	58	12.8	29	24	53
							Net New			291	204	495		145	215	360
LPA/Rezone Total:	Projec	t Total Includ	ing the B	y-right	Resta	urant				291	204	495	0	145	215	360


Trip Generation Rates from ITE Trip Generation Manual 11th Ed.

Pass-by Capture volume based on lesser of: A) Rate per ITE Trip Generation Handbook 3rd Ed.; or B) County maximum allowable rate

LPA - Trip Distribution and Assignment

The traffic generated by the development was assigned to the adjacent road network utilizing the District 1 Regional Planning Model (D1RPM) that is based on the Metropolitan Planning Organization (MPO)'s 2045 Cost Feasible network. A new traffic analysis zone (TAZ) was added to the network at the project location. The attributes of the residential uses within it were averages of those at three other TAZs in the vicinity (See **Appendix D**). The intensities within the project zone reflect the uses as planned when the model run was conducted. At the project entrance, the model assignment directional split is 73.3 percent westbound and 26.7 percent eastbound (**Figure 2**).

Figure 2 – Project Traffic Percentage Distribution



LPA - Project Traffic Characteristics

This LPA analysis is limited to arterial and collector roadway segments within three miles of the project. That consists of the segments of Corkscrew Rd. from 6Ls Farm Rd. to the Project entrance (3.6 mile) and from the Project entrance to the County line. **Table 2** contains the project traffic peak hour directional volumes (AM and PM) for those two segments. The percentage of project traffic on each segment is the maximum of the values found at the endpoints (1 is S or W end, 2 is N or E end) of the segments as shown in **Figure 2**. The percentages are then multiplied by the total AM and PM peak hour volumes in **Table 1**.

Table 2 – Project Traffic

Link No.	Link	From	То	Percent of Total Project Traffic-1 (1)	Percent of Total Project Traffic-2 (1)	Analysis Percent of Total Project Traffic	AM Project Traffic N/E	AM Project Traffic S/W	PM Project Traffic N/E	PM Project Traffic S/W
7000	Corkscrew Rd.	6 Ls Farm Rd.	Project Entrance	70	73.3	73.3	106	158	213	150
7000	Corkscrew Rd.	Project Entrance	County Line	26.7	14.8	26.7	57	39	54	78
Notes:	Notes: 1) Figure 2 and Appendix D									

LPA - Background Roadway and Traffic Characteristics

The existing roadway conditions are derived from the Lee County 2022 Concurrency Report (**Appendix E**). Roadway improvements that are currently under construction or are scheduled to be constructed within the first five years of the current Capital Improvement Program (CIP) are committed improvements for the purpose of this study. None are programmed either within the CIP or the 2045 Long Range Transportation Plan (LRTP) so all analyses presume the existing configuration.

Table 3 contains the Generalized Peak Hour Peak Direction Service Volumes (**Appendix G**) used for this analysis.

Table 3 - Roadway Information

					LOS	LOS B	LOS C	LOS D	LOS E
				Existing	Stand-	Service	Service	service	service
Link				Road	ard	Volume	Volume	Volume	Volume
No.	Link	From	То	Type (1)	(1)	(2)	(2)	(2)	(2)
7000	Corkscrew	6 Ls Farm	Project	21.01	_	140	900	960	960
7000	Rd.	Rd	Entrance	2LN	E	140	800	860	860
7000	Corkscrew	Project	County	21.01	_	140	900	960	960
7000	Rd.	Entrance	Line	2LN	E	140	800	860	860

Notes: 1) Appendix E

2) Appendix G

Table 4 contains information about the background traffic on the analyzed segments. The directional splits are from Permanent Count Station (PCS) #70 (**Appendix F**). The 2021 existing year volume is from the 2022 Concurrency Report (**Appendix E**). The only count station with sufficient data to deduce a volume trend is also station 70. That five-year trend is downward (see **Appendix F**) so two percent is the assumed short term exponential growth rate. The 2045 Annual Average Daily Traffic (AADT) volumes are from the west and east ends of the segments in order, from the adopted 2045 Cost Feasible network (see **Appendix D**). The K100 to convert AADT to Peak Hour Two-way is from PCS 70 (**Appendix F**). It also is the source of the AM/PM Ratio which divides the total percentage of daily traffic in the AM peak hour (6.17 percent) by the total percentage in the PM peak hour (7.4 percent). It is used to convert PM peak hour two-way volume estimates to AM peak hour two-way volume estimates.

Table 4 – Background Traffic Information

								2021		2045	2045	2045		
								ros						
								Report						
								Year						
								Peak						
				ΑM	ΑМ	PM	PM	Hour						
				Direct-	Direct-	Direct-	Direct- Direct- Direct-	Peak						
				ional	ional	ional	ional	Direct-						AM/
				Split		Split	Split	ion	Annual	AADT1	Annual AADT1 AADT2 Analy-	Analy-		PM
Link				N/E	s/w	N/E	s/w	S/W Volume Growth in 100s in 100s sis	Growth	in 100s	in 100s	sis	K 100	Ratio
No.	Link	From	То	(1)	(1)	(1)	(1)	(2)	Rate G	(3)	(3)	AADT	(1)	(1)
7007	Corkscrew 6 Ls Farm	6 Ls Farm	Project	0.41	0 5 0	69.0	86.0	VYV	%) ζ	19	91	13	8000	200
000/	Rd.	Rd.	Entrance	7.5	0.0	0.02	00		2.0%	- -	,	5	0.030	0.03
2000	Corkscrew Project	Project	County	0.41	0 2 0	69 0	0 C U	VYV	%) ζ	91	10	91/	8000	600
2007	Rd.	Entrance	Line	0.4T			0.30	† †	2.0%	t 0	CT.	5	0.030	0.03
Notes:	Notes: 1) Appendix F													
	2) Appendix E													
	3) Appendix D	0												

LPA - Short Term Analysis

Table 5 displays PM peak period conditions in 2027 under background and total traffic. The Concurrency Report PM peak hour volume is inflated to the analysis year using the exponential growth rate from **Table 4**. The directional components of the background traffic are consistent with the directional splits contained in **Table 4**. PM peak background traffic in 2027 is projected to achieve acceptable level of service using the LOS E capacity from **Table 3**. The PM peak project traffic from **Table 2** is added to the directional components of the background traffic. The resulting peak direction total traffic is projected to achieve acceptable level of service in 2027.

Table 6 displays AM peak period conditions in 2027 under background and total traffic. The analysis year PM peak period two-way volume developed in **Table 5** is converted to AM peak condition using the AM/PM Ratio from **Table 4**. The directional components of the background traffic are consistent with the directional splits contained in **Table 4**. AM peak background traffic in 2027 is projected to achieve acceptable level of service using the LOS E capacity from **Table 3**. The AM peak project traffic from **Table 2** is added to the directional components of the background traffic. The resulting peak direction total traffic is projected to achieve acceptable level of service in 2027.

The calculations that the tables contain are performed with more decimal places than those displayed. Using only the displayed decimals will yield slightly different results.

Table 5 – LPA 2027 PM Peak Period Analysis

				2021		2027	2027	2027		2027	2027			2027	2027	2027	2027
				ros													
				Report													
				Year				PM			PM						PM
				Peak		PM	PM	Future			Future						Future
				Hour		Future	Future	Year	LOS E	Δ	Year					Ā	Year
				Peak		Year	Year	Back-	Serv-	Future	Back-					Future	Total
				Direct-	Annual	Back-	Back-	ground	ice	Year	round	PM	PM	PM	PM	Year	Traffic
				ion	Growth	ground	ground	2-Way	-lov	Back-	Defic-	Project	Project Total	Total	Total	Total	Defic-
Link				Volume	Rate G	Traffic	Traffic	Traffic	nme	ground	ient	Traffic	Traffic Traffic Traffic	Traffic	Traffic	Traffic	ient
No.	Link	From	То	(1)	(1)	N/E (2)	N/E (2) S/W (2)	(2)	(3)	v/c	Y/N	N/E (4)	N/E (4) S/W (4)	N/E	s/w	v/c	Y/N
7000	Corkscrew 6 Ls Farm Project	6 Ls Farm	Project	VYV	70U C	673	321	778	Uya	0.61	Z	212	150	962	171	980	Z
000/	Rd.	Rd.	Entrance	404 404	6.0.7	676	777	44	000	0.01	Z	213	ОСТ	06/	4 / T	0.00	Z
)	Corkscrew Project	Project	County	777	/00 C	CCI	1100	770	030	130	2	7 1	70	223	006	230	Z
000 /	Rd.	Entrance	Line	1 1	6.0.7	223	321	0 †	000	0.01	2	,	0/	//	666	0.0	2
Notes:	Notes: 1) Table 4																
	2) LOS Report Year Volume with exponential gr	t Year Volur	ne with expo	onential gr	rowth to analysis year : $V(27) = V(21) * (1+G)^{A}$	nalysis ye	ar : V(27)	= V(21) *	(1+G)^	9							
	3) Table 3																
	4) Table 2																

Table 6 – LPA 2027 AM Peak Period Analysis

			_						_					iysi		
2027	ΑM	Future	Year	Total	Traffic	Defic-	ient	Y/N	Z	2	Z	2				
2027			AM	Future	Year	Total	Traffic	v/c	230	0.0	0 53	0.33				
2027					ΑМ	Total	Traffic	s/w	673	6/6	15.1	+0+ -				
2027					ВΜ	Total	Traffic	N/E	306	293	976	040				
					AM	Project Project	Traffic	N/E (4) S/W (4)	150	130	30	CC				
					ΑM	Project	Traffic	N/E (4)	106	100	7.3)ر				
2027	AM	Future	Year	Back-	ground	Defic-	ient	Y/N	Z	2	Z	2				
2027			ΑM	Year Serv- Future	Year	Back-	ground	v/c	01.0	04:0	010	0.40				
			LOS E	Serv-	ice	-lov	nme	(3)	050	000	098	900				
2027		ΑM	Future Future	Year	Back-	ground	Traffic	s/w	415	413	115	410				
2027		ΑM	Future	Year	Back-	ground	Traffic	N/E	000	607	280	203				
2027		PΑ	Future	Year	Back-	ground	2-Way	Traffic	707	† †	707	† O ,				
					AM/	Z	Ratio	(2)	60 0	0.00	60.0	0.03				
2027	Ā	Future	Year	Back-	ground	2-Way	Traffic	(1)	770	044	770	044				
								То	Project	Entrance	County	Line				
								From	6 Ls Farm	Rd.		Entrance				
								Link	Corkscrew 6 Ls Farm Project	Rd.	Corkscrew Project	Rd.	Notes: 1) Table 5	2) Table 4	3) Table 3	4) Table 2
							Link	No.) 0002)	000	Notes:	. •	,	

LPA - Long Term Analysis

Table 7 displays PM peak period conditions in 2045 for background and total traffic. The maximum 2045 AADT **(Table 4)** across each segment is converted to a peak hour two-way volume using the K100 factor from **Table 4**. The directional components of the peak hour background traffic are consistent with the directional splits contained in **Table 4**. PM peak period background traffic in 2045 is projected to achieve acceptable level of service using the LOS E capacity from **Table 3**. The PM peak project traffic from **Table 2** is added to the directional components of the background traffic. The resulting peak direction total traffic is projected to achieve acceptable level of service in 2045.

Table 8 displays AM peak period conditions in 2045 under background and total traffic. The analysis year PM peak period two- way volume developed in **Table 7** is converted to AM peak condition using the AM Peak Modifier from **Table 4**. The directional components of the background traffic are consistent with the directional splits contained in **Table 4**. AM peak background traffic in 2045 is projected to achieve acceptable level of service using the LOS E capacity from **Table 3**. The AM peak project traffic from **Table 2** is added to the directional components of the background traffic. The resulting peak direction total traffic is projected to achieve acceptable level of service in 2045.

The calculations that the tables contain are performed with more decimal places than those displayed. Using only the displayed decimals will yield slightly different results.

Table 7 – LPA 2045 PM Peak Period Analysis

				2045	2045	2045	2045						2045	2045	2045	2045
					PM					Future				_		Future
					Peak			LOS E		Back-						Year
				Analy-	Hour 2-	Peak	Peak	Serv-		ground					Future	Total
				sis	Way	Hour	Hour	ice		Traffic					Year	Traffic
				AADT	-lo/	-lo/	-lov	-lo/	Peak	Defic-		Project Project	Total	Total	Total	Defic-
Link				in 100s	nme	nme	nme	nme	Hour	ient	Traffic	Traffic		Traffic	•	ient
No.	Link	From	То	(1)	(2)	N/E	s/w	(3)	v/c	Y/N	N/E (4)	N/E (4) S/W (4)	N/E	s/w		Y/N
7000	Corkscrew 6 Ls Farm Project Rd. Rd. Entrand	6 Ls Farm Rd.	Project Entrance	19	298	371	227	098	0.43	Z	213	150	584	377	89.0	z
7000	7000 Corkscrew Project Rd. Entrance	Project Cour Entrance Line	County Line	46	451	280	171	098	0.33	Z	54	78	334	249	0.39	z
Notes:	Notes: 1) Table 4															
	2) AADT x K100 (Table 4)	00 (Table 4)														
	3) Table 3															
	4) Table 2															

Table 8 – LPA 2045 AM Peak Period Analysis

				2045		2045	2045	2045		2045	2045			2045	2045	2045	2045
				PM							AM						Ā
				Future		AM	ΑM	AM			Future						Future
				Year		Future	Future	Future	LOS E	ΑM	Year					ΑM	Year
				Back-		Year	Year	Year		Serv- Future	Back-					Future	Total
				ground	AM/	Back-	Back-	Back-	ice	Year	ground	ΑM	AM	AΜ	AM	Year	Traffic
				2-Way	PM	ground	ground ground	ground	-lov	Back-	Defic-	Project	Project Project	Total	Total	Total	Defic-
Link				Traffic	Ratio	2-Way	Traffic	Traffic	amn	ground	ient	Traffic	Traffic	Traffic	Traffic	Traffic	ient
No.	Link	From	То	(1)	(2)	Traffic	N/E	s/w	(3)	v/c	Y/N	N/E (4)	N/E (4) S/W (4)	N/E	s/w	v/c	Y/N
0002	Corkscrew 6 Ls Farm Project	6 Ls Farm	Project	003	60 0	301	coc	200	050	700	Z	106	150	000	UEV	0 5 7	2
000/	Rd.	Rd.	Entrance	330	0.05	490	202	767	000	0.34	2	100	130	503	430	0.32	2
2000	Corkscrew Project	Project	County	151	60.0	272	152	720	098	900	2	57	30	210	250	02.0	Z
000	Rd.	Entrance	Line	401	0.03	6/6	TOO	220	000	0.20	2	<u> </u>	CC	770	607	0.30	2
Notes:	Notes: 1) Table 7																
	2) Table 4																
	3) Table 3																
	4) Table 2																

Rezone Analysis

Figure 3 shows the percentage of project traffic on roads in the project vicinity.

14.8 0 WILDCAT SIX LS FARM 8.5 2.4 SIX LS FARM 61.5 CORKSCREW RD ALICO ALICO 5 ALICO RD ALICO 50.3 CORKSCREW ALICO 3.2 3.2 ALICO 1.9_{I-75 ML} 1-75 ML '2 1-75 ML 0 00 0 0 0 8 0 00 15.75 900

Figure 3 - Project Traffic Percentage Distribution

Rezone - Project Traffic Significance

Table 9 contains the Generalized Peak Hour Peak Direction Service Volumes (**Appendix G**) used for this analysis.

Table 9 – Roadway Information

Link				Existing Road	LOS Stand- ard	LOS B Service Volume	LOS C Service Volume	LOS D service Volume	LOS E service Volume
No.	Link	From	То	Type (1)	(1)	(2)	(2)	(2)	(2)
1050	Alico Rd.	Green Meadows Dr.	Corkscrew Rd.	2LN	E	140	800	860	860
6900	Corkscrew Rd.	Ben Hill Griffin Blvd.	Alico Rd.	4LD	E	250	1840	1960	1960
7000	Corkscrew Rd.	Alico Rd.	6 Ls Farm Rd.	2LN	E	140	800	860	860
7000	Corkscrew Rd.	6 Ls Farm Rd.	Project Entrance	2LN	E	140	800	860	860
7000	Corkscrew Rd.	Project Entrance	County Line	2LN	E	140	800	860	860

Notes: 1) Appendix E

2) Appendix G

For the rezone analysis, the segments analyzed are those on which the project traffic exceeds ten percent of the LOS C service volume using the Generalized Service Volume tables. **Table 10** contains the project traffic peak hour directional volumes (AM and PM) on area roadway segments. The percentage of project traffic assumed on each segment is the maximum of the values found at the endpoints (1 is S or W end, 2 is N or E end) of the segments as shown in **Figure 3**. Those percentages are then multiplied by the total AM and PM peak hour volumes in **Table 1**. The peak directional project traffic volume is expressed as a percentage of the LOS C service volume from **Table 9**. Analyses that follow are confined to those segments on which peak direction project traffic exceeds ten percent, and also the segment of Corkscrew Rd east of the entrance (though it is not significantly impacted).

Table 10 - Project Traffic Significance

Signif- icant	Impact Y/N	z	z	>	>	z	
Signif- Signore	Level II	1.9%	8.3%	22.4%	76.6%	9.8%	
LOS C Serv- ice Vol-	ume (3)	800	1840	800	800	800	
	Туре (2)	2LN	4LD	2LN	2LN	2LN	
PM Project	Traffic S/W	15	106	125	150	78	
PM Project	Traffic N/E	10	152	179	213	54	υ.
Per- Per- Analy- cent of cent of sis Per- Total Total cent of AM AM PM PM Project Project Project Project Project	Traffic- Traffic- Project Traffic Traffic Traffic 1(1) 2(1) Traffic N/E S/W N/E	7	112	132	158	39	e Volume
, AM Project	Traffic N/E	11	92	68	106	57	C Service
Per- Analy- cent of sis Per- Total cent of Project Total	Project Traffic	5.0	52.2	61.5	73.3	26.7	the LOS
Per- Per- Analy- cent of cent of sis Per- Total Total cent of Project Project Total	Traffic- 2 (1)	4.9	52.2	61.5	73.3	14.8	ntage of
Per- cent of Total Project	Traffic- 1 (1)	5.0	41.2	57.2	70.0	26.7	s a Perce
	То	Corkscrew Rd.	Alico Rd.	6 Ls Farm Rd.	Project Entrance	County Line	 Figure 3 And Appendix D Appendix E Table 9 Peak Direction PM Project Traffic as a Percentage of the LOS C Service Volume
	From	Green Meadows Dr.	Ben Hill Griffin Pkwy.	Alico Rd.	Corkscrew 6 Ls Farm Project Rd. Rd. Entranc	ë	and Appendi) E ction PM Pro
	Link	1050 Alico Rd.	Corkscrew Rd.	Corkscrew Rd.		Corkscrew Project Rd. Entranc	Notes: 1) Figure 3 And Appendix D 2) Appendix E 3) Table 9 4) Peak Direction PM Projec
	Link No.	1050	0069	7000	7000	7000	Notes:

Rezone - Background Traffic Characteristics

Table 11 contains information about the background traffic on the analyzed segments. The directional splits are from Permanent Count Station (PCS) #70 (**Appendix F**). The 2021 existing year volume is from the 2022 Concurrency Report (**Appendix E**). The only count station with sufficient data to deduce a volume trend is also station 70. That five-year trend is downward (see **Appendix F**) so two percent is the assumed short term growth rate. It also is the source of the AM/PM Ratio which divides the total percentage of daily traffic in the 7 AM to 9 AM period (12.15%) by the total percentage in the 4 PM to 6 PM period (14.68%). It is used to convert PM peak hour two-way volume estimates to AM peak hour two-way volume estimates.

Table 11 - Background Traffic Information

Link No.	Link	From	То	AM Direct- ional Split N/E (1)	AM Direct- ional Split S/W (1)	PM Direct- ional Split N/E (1)	PM Direct- ional Split S/W (1)	LOS Report Year Peak Hour Peak Direct- ion Vol- ume (2)	Annual Growth Rate G	AM/ PM Ratio (1)
7000	Corkscrew Rd.	Alico Rd.	6 Ls Farm Rd.	0.41	0.59	0.62	0.38	464	2.0%	0.83
7000	Corkscrew Rd.	6 Ls Farm Rd.	Project Entrance	0.41	0.59	0.62	0.38	464	2.0%	0.83
7000	Corkscrew Rd.	Project Entrance	County Line	0.41	0.59	0.62	0.38	464	2.0%	0.83

Notes: 1) Appendix F

2) Appendix E

Rezone Level of Service Analysis

Table 12 displays PM peak period conditions in 2027 under background and total traffic. The Concurrency Report PM peak hour volume is inflated to the analysis year using the growth rate from **Table 11**. The directional components of the background traffic are consistent with the directional splits contained in **Table 11**. PM peak background traffic in 2027 is projected to achieve acceptable level of service using the LOS E capacity from **Table 9**. The PM peak project traffic from **Table 10** is added to the directional components of the background traffic. The resulting peak direction total traffic is projected to achieve acceptable level of service in 2027.

Table 13 displays AM peak period conditions in 2027 under background and total traffic. The analysis year PM peak period two-way volume developed in **Table 12** is converted to AM peak condition using the AM/PM Ratio from **Table 11**. The directional components of the background traffic are consistent with the directional splits contained in **Table 11**. AM peak background traffic in 2027 is projected to achieve acceptable level of service using the LOS E capacity from **Table 9**. The AM peak project traffic from **Table 10** is added to the directional components of the background traffic. The resulting peak direction total traffic is projected to achieve acceptable level of service in 2027.

The calculations that the tables contain are performed with more decimal places than those displayed. Using only the displayed decimals will yield slightly different results.

Table 12 - Rezone 2027 PM Peak Period Analysis

_			aL	le	12	_ [.027	PIVIP	eak Pe	illou A	IIIaiy	7313		
2027			PM	Future	Year	Total	Traffic	Defic-	ient	Y/N	Z	z	z				
2027					PM	Future	Year	Total	Traffic Traffic Traffic Traffic	۸/ر	0.82	0.86	0.67				
2027							PM	Total	Traffic	s/w	446	471	399				
2027							PM	Total	Traffic	N/E	702	736	577				
							PM	Project	Traffic	N/E (4) S/W (4) N/E	125	150	78				
							PM	Defic- Project Project Total	Traffic	N/E (4)	179	213	54				
2027			PM	Future	Year	Back-	round	Defic-	ient	Y/N	z	z	z				
2027					PM	Future	Year	Back-	ground	v/c	0.61	0.61	0.61		9		
					LOS E	Serv-	ice	-lo/	nme	(3)	098	098	098		(1+G)^(
2027			PM	Future	Year	Back-	ground	2-Way	Traffic	(2)	844	844	844		= V(21) *		
2027				P	Future	Year	Back-	ground	Traffic	S/W (2)	321	321	321		ar : V(27)		
2027				Δ	Future	Year	Back-	ground	Traffic	N/E (2)	523	523	523		alysis ye		
							Annual	Growth	Rate G	(1)	2.0%	2.0%	2.0%		owth to ar		
2021	ros	Report	Year	Peak	Hour	Peak	Direct-	ion	Volume	(1)	464	464	464		nential gr		
										То	6 Ls Farm Rd.	Project Entrance	County Line		e with expo		
										From	Alico Rd.	6 Ls Farm Project Rd. Entrand	a		Year Volum		
										Link	Corkscrew Rd.	Corkscrew Rd.	Corkscrew Rd.	Notes: 1) Table 11	2) LOS Report Year Volume with exponential growth to analysis year : $V(27) = V(21) * (1+G)^{A}$	3) Table 9	4) Table 10
									Link	No.	7000	7000	7000	Notes:	. ,	. ,	,

Table 13 – Rezone 2027 AM Peak Period Analysis

				2027		2027	2027	2027		2027	2027			2027	2027	2027	2027
				Z							2						Z
				Future		AM	AM	AM			Future						Future
				Year		Future	a	a	LOS E	AM	Year					AM	Year
				Back-		Year	Year	Year	Serv-	Future	Back-					Future	Total
				ground	AM/	Back-	Back-	Back-	ice	Year	ground	ΑM	AM	AM	AM	Year	Traffic
				2-Way	P	ground	ground	ground	-lo/	Back-	Defic-	Project Project		Total	Total	Total	Defic-
Link				Traffic	Ratio	2-Way	Traffic	Traffic	ame	ground	ient	Traffic	Traffic	Traffic		Traffic Traffic	ient
No.	Link	From	То	(1)	(2)	Traffic	N/E	s/w	(3)	v/c	Y/N	N/E (4)	N/E (4) S/W (4)	N/E	s/w	v/c	Y/N
7000	Corkscrew Rd.	Alico Rd.	6 Ls Farm Rd.	844	0.83	704	289	415	098	0.48	Z	68	132	378	547	0.64	z
7000	Corkscrew 6 Ls Farm Project Rd. Rd. Entranc	6 Ls Farm Rd.	Project Entrance	844	0.83	704	289	415	860	0.48	z	106	158	395	573	0.67	z
7000	Corkscrew Project Rd. Entrance	Project Entrance	County Line	844	0.83	704	289	415	860	0.48	Z	57	39	346	454	0.53	z
Notes:	Notes: 1) Table 12																
	2) Table 11																
	3) Table 9																
	4) Table 10																

Access Management and Intersection Analyses

Analysis of turn lane requirements per AC-11-4 and connection spacing per LDC Section 10-285 will be included in a companion document titled **TIS Section 2 – Traffic Operational Analysis**, which will also include an analysis of the intersection of Corkscrew Rd. with Alico Rd.

Improvement Analysis

Based on the link analysis and trip distribution, the proposed project is a significant traffic generator for the roadway network at this location. There is sufficient roadway capacity to accommodate the proposed development buildout condition in 2027 and 2045.


Mitigation of Impact

The developer proposes to pay the appropriate Lee County transportation impact fees as building permits are issued for the project.

Appendix A:

Project Master Site Plan and Location





Preserve Sporting Club & Residences at Pepper Place – LPA and Rezone– TIS Section 1— February 2023	
, , , , , , , , , , , , , , , , , , ,	

Appendix B:

Initial Meeting Checklist (Methodology Meeting)

METHODOLOGY - INITIAL MEETING CHECKLIST

Date: September 26, 2022, revised January 23, 2023.

Location: N/A - Via Email

People Attending:

Name, Organization, and Telephone Numbers

- 1) Marcus Evans, Lee County Department of Community Development
- 2) Norman Trebilcock, TCS
- 3) Ciprian Malaescu, TCS
- 4) Gavin Jones, TCS

Study Preparer:

Preparer's Name and Title: Norman Trebilcock, AICP, PTOE, PE

Organization: Trebilcock Consulting Solutions, PA

Address & Telephone Number: 2800 Davis Boulevard, Suite 200, Naples, FL 34104;

ph.:239-566-9551

Reviewer(s):

Reviewer's Name & Title: Marcus Evans, PE

Organization: Lee County Department of Community Development

Address: 1500 Monroe Street, Fort Myers, FL 33901

Telephone Number: 239-533-8355

Applicant:

Applicant's Name: JR Evans Engineering

Address: 9351 Corkscrew Road, Suite 102, Estero, FL 33928

Telephone Number: 239-405-9148

Proposed Development:

Name: Preserve Sporting Club and Residences at Pepper Place

Location: South of Corkscrew Road, the main entrance approximately 1.6 miles east of the Carter Road and Corkscrew Road intersection, in unincorporated Lee County, Florida – refer to Figure 1.

Page 1 of 6



Figure 1 - Location Map

Description: The project site is currently vacant or agricultural. The proposed project is a members only residential/recreational complex. The proposed uses subject to this application include:

- 121 single family detached homes
- 172 single family attached homes
- 108 multi-family homes
- 225,000 square foot (SF) clubhouse containing spa (15,000 SF), health club (10,000 SF), and restaurant (7,500 SF).
- 29,800 SF retail shop -open to the public
- 18 hole golf course
- 1000 yard rifle range
- Trap and skeet ranges
- Equestrian Center
- Tennis courts
- Fishing ponds
- Hiking, biking and all terrain trails

Also included in the development plan, not part of this application, but included in the analysis at the request of county staff is a restaurant (10,200 SF/314 seats - to include related retail sales) that is allowed under the existing zoning on the parcel.

Page 2 of 6

Findings of the Preliminary Study:

Given the private nature of the development, the proposed trip generation assumes that the source of trips to and from all the recreational uses will be the occupants of the dwelling units. The retail shop is intended for public access and thus added as a contributing use. The proposed ITE land use code (LUC) (822 - Strip Retail Plaza <40K) appears the most appropriate.

Because no separate trip generation estimates are being developed for the various recreational uses (many of which do not have any exact or similar ITE LUC), no internal capture is proposed between them and the residential uses. Golf Course, Spa, and Fitness Club, although all available only to residents, were added as trip generation contributors to provide a conservative estimate of staff related trip generation. The Spa and Fitness Club areas are combined in Table 1.

The by-right restaurant and the strip retail will both be open to the public and internal capture between them and the residential uses will be reflected, along with pass by capture rates for each consistent with the ITE Trip Generation Handbook 3rd ed.

The estimated net new trip generation for the project is greater than 300 peak hour trips.

<u>Trip Generation – ITE Trip Generation Manual 11th Edition.</u> <u>Internal capture – ITE Trip Generation Handbook 3rd Ed.</u> <u>Pass-by Traffic – ITE Trip Generation Handbook 3rd Ed.</u>

Concurrency analysis – based on AM and PM peak hour new external trips within the area of influence. LOS determination based on the Lee County Generalized Level of Service tables.

Operational - Site access turn lanes and offsite intersection analyses will be provided in a separate document called Section 2 – Operational Analysis.

Study Area:

Roadway Links: Corkscrew Road

Additional intersections to be analyzed: Corkscrew Rd. at Alico Rd.

Build Out Year: 2026 Horizon Year: 2027

Analysis Time Period(s): AM/PM Peak Hour,

Future Off-Site Developments: N/A

Source of Trip Generation Rates: ITE 11th Edition

Reductions in Trip Generation Rates:

None: N/A

Pass-by trips: <u>see above</u>
Internal trips: <u>see above</u>
Transit use: <u>N/A</u>

Page 3 of 6

Horizon Year Roadway Network Improvements: 2027

Methodology & Assumptions:


Non-site traffic estimates: Lee County 2022 Concurrency Report Inventory and

Projections; 2021 Traffic Count Report

Site-trip generation: ITE Trip Generation Manual 11th Edition

Trip distribution - assignment method: <u>Based on FDOT District 1 Regional Planning Model (D1RPM)</u>, see **Figure 2**.

Page 4 of 6



Page 5 of 6

Special Features: (from preliminary study or prior experience)

Accident locations: <u>N/A</u>
Sight distance: <u>N/A</u>
Queuing: to be determined

Access location & configuration: N/A

Traffic control: MUTCD

Signal system location & progression needs: N/A

On-site parking needs: N/A

Data Sources: ITE Trip Generation Manual 11th Edition

Base maps: N/A

Prior study reports: N/A

Access policy and jurisdiction: N/A

Review process: $\underline{N/A}$ Requirements: $\underline{N/A}$ Miscellaneous: $\underline{N/A}$

SIGNATURES

Norman Trebilcock

Study Preparer—Norman Trebilcock

Page 6 of 6



Gavin Jones <gjones@trebilcock.biz>

RE: [EXTERNAL] Pepper Place Traffic Impact Methodology

1 message

Evans, Marcus <MEvans@leegov.com>

Fri, Oct 21, 2022 at 1:13 PM

To: Gavin Jones <gjones@trebilcock.biz>

Cc: "Wu, Lili" <LWu@leegov.com>, "Butt, Farhan" <FButt@leegov.com>, "Dunn, Brandon" <BDunn@leegov.com>

Gavin,

Just a quick correction to (C) below: the latter portion of the sentence should reference that the model volumes may be used for the long-term analysis. If you have questions regarding this, please let me know. Thanks.

Marcus

From: Evans, Marcus

Sent: Friday, October 21, 2022 7:48 AM
To: 'Gavin Jones' <gjones@trebilcock.biz>

Cc: Wu, Lili <LWu@leegov.com>; Butt, Farhan <FButt@leegov.com>; Dunn, Brandon <BDunn@leegov.com>

Subject: RE: [EXTERNAL] Pepper Place Traffic Impact Methodology

Gavin,

Staff has reviewed the subject project traffic study methodology and provides the following comments for your consideration with respect to a proposed comprehensive plan amendment:

- (A) study area: all arterials and collectors within a 3-mile radius of the project shall be included in the analysis
- (B) analysis horizon year: a short-term (5-year) and long-term (year 2045) analysis is required
- (C) background traffic: historical growth rates may be used for the short-term analysis and growth rates derived from the current 2045 FSUTMS model traffic volumes may be used for long-term analysis
- (D) service volumes: Lee County's generalized service volumes shall be used for the both the short-term and long-term analyses
- (E) trip generation: ITE's 11th Edition *Trip Generation Manual* shall be used for the analysis
- (F) trip distribution: the FSUTMS model should be used to determine project trip distributions
- (G) analysis time period(s): AM/PM peak hour; the appropriate Lee County K-100 and D-factors shall be used for the analysis

Staff has reviewed the subject project zoning traffic study methodology and provides the following comments for your consideration with respect to a proposed <u>rezoning</u>:

- (1) Lee County's current generalized service volume tables must be used for determining future roadway levels of service
- (2) project trip distribution should be determined by use of the Florida Department of Transportation's FSUTMS travel demand model
- (3) the AM/PM peak hour trip generation calculations for ITE Land Use Code 330 appear incorrect
- (4) the traffic study must comply with the requirements of the current Lee County Land Development Code and related codes/policies (including Lee County Administrative Code AC-13-17)

Hopefully, the above proves useful. If you have questions regarding any of the comments, please let me know. Thanks.

Marcus

Marcus Evans

Lee County Department of Community Development

(239) 533-8355

From: Gavin Jones <gjones@trebilcock.biz>
Sent: Tuesday, October 11, 2022 4:59 PM
To: Evans, Marcus <MEvans@leegov.com>

Cc: Norman Trebilcock cc: Norman Trebilcock cc: Norman Trebilcock cc: Norman Trebilcock cc: Norman Trebilcock cream.com/rebilcock/biz>

Subject: [EXTERNAL] Pepper Place Traffic Impact Methodology

Good afternoon Marcus,

Attached for your review is a methodology memo for the traffic analysis of a residential/recreation complex along with the estimated trip generation reflecting the current thinking on the uses involved, and a conceptual plan of the complex.

Thank you,

Gavin Jones, PE, AICP

Trebilcock Consulting Solutions, PA

2800 Davis Blvd, Suite 200

Naples, FL 34104

O 239.566.9551 / F 239.566.9553 / M 239.775.6026

www.trebilcock.biz

Receive updates from Lee County Government by subscribing to our newsletter

Appendix C:

ITE Trip Generation

Trip Generation

				Rate	(1) or (2)	Eqn.				PM	Peak I	lour		AM	Peak I	lour
Use	ITE LU#	Measure- ment Unit	# of Units	Daily	AM	PM	Trips	Daily Traffic	Reduct-	In	Out	Total	Reduct-	In	Out	Total
Strip Retail Plaza <40K	822	1000 SF	29.8	2	2	2	Total	1,487		85	84	169		35	24	59
1011							Internal		34.9	22	37	59	11.9	3	4	7
							External			63	47	110		32	20	52
							Pass-By		34.0	21	16	37	34.0	11	7	18
							Net New			42	31	73		21	13	34
Single-Family Detached Housing	210	Dwelling Units	121	2	2	2		1,202		75	44	119		23	66	89
Single-Family Attached Housing	215	Dwelling Units	172	2	2	2		1,260		56	43	99		26	58	84
Multifamily Housing (Low- Rise) Not Close to Rail Transit	220	Dwelling Units	108	2	2	2		768		42	25	67		13	43	56
			401				Total	3,230		173	112	285		62	167	229
Residential Total							Internal		14.7	27	15	42	5.7	2	11	13
							External			146	97	243		60	156	216
High Turnover Sit Down Restaurant	932-A	1000 SF	10.2	1	1	1	Total	1,093		56	36	92		54	44	98
							Internal		46.7	23	20	43	16.3	13	3	16
							External			33	16	49		41	41	82
							Pass-By		43.0	14	7	21	43.0	18	17	35
							Net New			19	9	28		23	24	47
Golf Course	430	Holes	18	2	2	1		526		28	24	52		24	6	30
Health/ Fitness Club	492	1000 SF	25	2	1	2		-		56	43	99		17	16	33
							Total	6,336		398	299	697		192	257	449
							Internal		20.7	72	72	144	8.0	18	18	36
Project Total							External			326	227	553		174	239	413
							Pass-By		10.5	35	23	58	12.8	29	24	53
							Net New			291	204	495		145	215	360
LPA/Rezone Total:	: Project	t Total Includ	ing the B	y-right	Resta	urant				291	204	495	0	145	215	360

Trip Generation Rates from ITE Trip Generation Manual 11th Ed.

Pass-by Capture volume based on lesser of: A) Rate per ITE Trip Generation Handbook 3rd Ed.; or B) County maximum allowable rate

AM Internal Capture

Unco	nstrained	Internal	Trip Capt	ure Rates	for Origi	ns	
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel	
Office		28	63	0	1	0	
Retail	29		13	0	14	0	
Restaurant	31	14		0	4	3	
Cinema/ Entertain- ment	0	0	0		0	0	
Residential	2	1	20	0		0	
Hotel 75 14 9 0 0							
Source: ITE T	rip Genera	tion Handl	book 3rd E	d. Table 6.	1		

Unconst	rained Int	ternal Tri	p Capture	Rates fo	r Destina	tions
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel
Office		32	23	0	0	0
Retail	4		50	0	2	0
Restaurant	14	8		0	5	4
Cinema/ Entertain- ment	0	0	0		0	0
Residential	3	17	20	0		0
Hotel	3	4	6	0	0	
Source: ITE Tri	p Generat	ion Handb	ook 3rd Ed	l. Table 6.2	!	

	Internal Exiting Trips										
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel	Total Exiting Trips				
Office		0.0	0.0	0.0	0.0	0.0	0				
Retail	7.0		3.1	0.0	3.4	0.0	24				
Restaurant	13.6	6.2		0.0	1.8	1.3	44				
Cinema/ Entertain- ment	0.0	0.0	0.0		0.0	0.0	22				
Residential	3.3	1.7	33.4	0.0		0.0	167				
Hotel	0.0	0.0	0.0	0.0	0.0		0				

		Internal	Entering	Trips		
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel
Office		11.2	12.4	0.0	0.0	0.0
Retail	0.0		27.0	0.0	1.2	0.0
Restaurant	0.0	2.8		0.0	3.1	0.0
Cinema/ Entertain- ment	0.0	0.0	0.0		0.0	0.0
Residential	0.0	6.0	10.8	0.0		0.0
Hotel	0.0	1.4	3.2	0.0	0.0	
Total Entering Trips	0	35	54	41	62	0

	Constrained Internal Trips									
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel	Internal Exiting			
Office		0	0	0	0	0	0			
Retail	0		3	0	1	0	4			
Restaurant	0	2		0	1	0	3			
Cinema/ Entertain- ment	0	0	0		0	0	0			
Residential	0	1	10	0		0	11			
Hotel	0	0	0	0	0		0			
Internal Entering	0	3	13	0	2	0	18			

Use	Total Enter- ing	Total Exiting	Internal Enter- ing	Internal Exiting	Internal Cap- ture Rate
Office	0	0	0	0	0.0
Retail	35	24	3	4	11.9
Restaurant	54	44	13	3	16.3
Cinema/ Entertain- ment	41	22	0	0	0.0
Residential	62	167	2	11	5.7
Hotel	0	0	0	0	0.0
Total	192	257	18	18	8.0

PM Internal Capture

Unco	nstrained	Internal	Trip Capt	ure Rates	for Origi	ns
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel
Office		20	4	0	2	0
Retail	2		29	4	26	5
Restaurant	3	41		8	18	7
Cinema/ Entertain- ment	2	21	31		8	2
Residential	4	42	21	0		3
Hotel	0	16	68	0	2	
Source: ITE Ti	rip Genera	tion Hand	book 3rd E	d. Table 6.	1	

Internal Exiting Trips										
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel	Total Exiting Trips			
Office		0.0	0.0	0.0	0.0	0.0	0			
Retail	1.7		24.4	0.0	21.8	4.2	84			
Restaurant	1.1	14.8		0.0	6.5	2.5	36			
Cinema/ Entertain- ment	0.0	0.0	0.0		0.0	0.0	67			
Residential	4.5	47.0	23.5	0.0		3.4	112			
Hotel	0.0	0.0	0.0	0.0	0.0		0			

		Cons	trained Ir	nternal Tr	ips		
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel	Internal Exiting
Office		0	0	0	0	0	0
Retail	0		16	0	21	0	37
Restaurant	0	14		0	6	0	20
Cinema/ Entertain- ment	0	0	0		0	0	0
Residential	0	8	7	0		0	15
Hotel	0	0	0	0	0		0
Internal Entering	0	22	23	0	27	0	72

Unconst	Unconstrained Internal Trip Capture Rates for Destinations								
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel			
Office		8	2	1	4	0			
Retail	31		29	26	46	17			
Restaurant	30	50		32	16	71			
Cinema/ Entertain- ment	6	4	3		4	1			
Residential	57	10	14	0		12			
Hotel	0	2	5	0	0				
Source: ITE Tri	ource: ITE Trip Generation Handbook 3rd Ed. Table 6.2								
	1 000	1 000	1	1	1	1			

		Internal	Entering	Trips		
Use	Office	Retail	Restaurant	Cinema/ Entertain- ment	Residential	Hotel
Office		6.8	1.1	0.0	6.9	0.0
Retail	0.0		16.2	0.0	79.6	0.0
Restaurant	0.0	42.5		0.0	27.7	0.0
Cinema/ Entertain- ment	0.0	0.0	0.0		0.0	0.0
Residential	0.0	8.5	7.8	0.0		0.0
Hotel	0.0	1.7	2.8	0.0	0.0	_
Total Entering Trips	0	85	56	84	173	0

Use	Total Enter- ing	Total Exiting	Internal Enter- ing	Internal Exiting	Internal Cap- ture Rate
Office	0	0	0	0	0.0
Retail	85	84	22	37	34.9
Restaurant	56	36	23	20	46.7
Cinema/ Entertain- ment	84	67	0	0	0.0
Residential	173	112	27	15	14.7
Hotel	0	0	0	0	0.0
Total	398	299	72	72	20.7

			4	vg. Dai	Avg. Daily Traffic			AM F	AM Peak Hour	ır			PI	PM Peak Hour	ur	
ITE	Description	Independent Variable	L Avg. Rate	Eqn. Linear (1) or Exp (2) (3	Coeff. A	Coeff. B	Avg. Rate	Eqn. Linear (1) or Exp (2)	Coeff. A	Coeff. B	Enter- ing Split	Avg. Rate	Eqn. Linear (1) or Exp (2)	Coeff. A	Coeff. B	Enter- ing Split
210	Single-Family Detached Housing	Dwelling Units	9.43	2	0.92	2.68	0.70	2	0.91	0.12	0.26	0.94	2	0.94	0.27	0.63
215	Single-Family Attached Housing	Dwelling Units	7.20	_	7.62	-50.48	0.48	-	0.52	-5.70	0.31	0.57	1	09:0	-3.93	0.57
220	Multifamily Housing (Low-Rise) Not Close to Rail Transit	Dwelling Units	6.74	-	6.41	75.31	0.40	-	0.31	22.85	0.24	0.51	-	0.43	20.55	0.63
430	Golf Course	Holes	30.38	-	34.93	-102.33	1.76	2	0.91	0.77	0.79	2.91				0.53
492	Health/ Fitness Club	1000 SF					1.31				0.51	3.45	2	0.67	2.44	0.57
822	Strip Retail Plaza <40K	1000 SF	54.45	-	42.20	229.68	2.36	2	99.0	1.84	09.0	6.59	2	0.71	2.72	0.50
932-A	932-A High Turnover Sit Down Restaurant	1000 SF	107.20				9.57				0.55	9.05				0.61

Land Use: 210 Single-Family Detached Housing

Description

A single-family detached housing site includes any single-family detached home on an individual lot. A typical site surveyed is a suburban subdivision.

Specialized Land Use

Data have been submitted for several single-family detached housing developments with homes that are commonly referred to as patio homes. A patio home is a detached housing unit that is located on a small lot with little (or no) front or back yard. In some subdivisions, communal maintenance of outside grounds is provided for the patio homes. The three patio home sites total 299 dwelling units with overall weighted average trip generation rates of 5.35 vehicle trips per dwelling unit for weekday, 0.26 for the AM adjacent street peak hour, and 0.47 for the PM adjacent street peak hour. These patio home rates based on a small sample of sites are lower than those for single-family detached housing (Land Use 210), lower than those for single-family attached housing (Land Use 251), and higher than those for senior adult housing -- single-family (Land Use 251). Further analysis of this housing type will be conducted in a future edition of *Trip Generation Manual*.

Additional Data

The technical appendices provide supporting information on time-of-day distributions for this land use. The appendices can be accessed through either the ITETripGen web app or the trip generation resource page on the ITE website (https://www.ite.org/technical-resources/topics/trip-and-parking-generation/).

For 30 of the study sites, data on the number of residents and number of household vehicles are available. The overall averages for the 30 sites are 3.6 residents per dwelling unit and 1.5 vehicles per dwelling unit.

The sites were surveyed in the 1980s, the 1990s, the 2000s, and the 2010s in Arizona, California, Connecticut, Delaware, Illinois, Indiana, Kentucky, Maryland, Massachusetts, Minnesota, Montana, New Jersey, North Carolina, Ohio, Ontario (CAN), Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Vermont, Virginia, and West Virginia.

Source Numbers

100, 105, 114, 126, 157, 167, 177, 197, 207, 211, 217, 267, 275, 293, 300, 319, 320, 356, 357, 367, 384, 387, 407, 435, 522, 550, 552, 579, 598, 601, 603, 614, 637, 711, 716, 720, 728, 735, 868, 869, 903, 925, 936, 1005, 1007, 1008, 1010, 1033, 1066, 1077,1078, 1079

218 Trip Generation Manual 11th Edition • Volume 3



Single-Family Detached Housing (210)

Vehicle Trip Ends vs: Dwelling Units On a: Weekday

Setting/Location: General Urban/Suburban


Number of Studies: 174 Avg. Num. of Dwelling Units: 246

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
9.43	4.45 - 22.61	2.13

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 000-399) 219

Single-Family Detached Housing (210)

Vehicle Trip Ends vs: Dwelling Units

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 192 Avg. Num. of Dwelling Units: 226

Directional Distribution: 26% entering, 74% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.70	0.27 - 2.27	0.24

Data Plot and Equation



220 Trip Generation Manual 11th Edition • Volume 3



Single-Family Detached Housing (210)

Vehicle Trip Ends vs: Dwelling Units

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 208 Avg. Num. of Dwelling Units: 248

Directional Distribution: 63% entering, 37% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.94	0.35 - 2.98	0.31

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 000-399) 221

Land Use: 215 Single-Family Attached Housing

Description

Single-family attached housing includes any single-family housing unit that shares a wall with an adjoining dwelling unit, whether the walls are for living space, a vehicle garage, or storage space.

Additional Data

The database for this land use includes duplexes (defined as a single structure with two distinct dwelling units, typically joined side-by-side and each with at least one outside entrance) and townhouses/rowhouses (defined as a single structure with three or more distinct dwelling units, joined side-by-side in a row and each with an outside entrance).

The technical appendices provide supporting information on time-of-day distributions for this land use. The appendices can be accessed through either the ITETripGen web app or the trip generation resource page on the ITE website (https://www.ite.org/technical-resources/topics/tripand-parking-generation/).

The sites were surveyed in the 1980s, the 1990s, the 2000s, and the 2010s in British Columbia (CAN), California, Georgia, Illinois, Maryland, Massachusetts, Minnesota, New Jersey, Ontario (CAN), Oregon, Pennsylvania, South Dakota, Utah, Virginia, and Wisconsin.

Source Numbers

168, 204, 211, 237, 305, 306, 319, 321, 357, 390, 418, 525, 571, 583, 638, 735, 868, 869, 870, 896, 912, 959, 1009, 1046, 1056, 1058, 1077



General Urban/Suburban and Rural (Land Uses 000-399) 237

Single-Family Attached Housing (215)

Vehicle Trip Ends vs: Dwelling Units On a: Weekday

Setting/Location: General Urban/Suburban


Number of Studies: 22 Avg. Num. of Dwelling Units: 120

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
7.20	4.70 - 10.97	1.61

Data Plot and Equation





Single-Family Attached Housing (215)

Vehicle Trip Ends vs: Dwelling Units

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 46 Avg. Num. of Dwelling Units: 135

Directional Distribution: 31% entering, 69% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.48	0.12 - 0.74	0.14

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 000-399) 239

Single-Family Attached Housing (215)

Vehicle Trip Ends vs: Dwelling Units

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 51 Avg. Num. of Dwelling Units: 136

Directional Distribution: 57% entering, 43% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.57	0.17 - 1.25	0.18

Data Plot and Equation





Land Use: 220 Multifamily Housing (Low-Rise)

Description

Low-rise multifamily housing includes apartments, townhouses, and condominiums located within the same building with at least three other dwelling units and that have two or three floors (levels). Various configurations fit this description, including walkup apartment, mansion apartment, and stacked townhouse.

- A walkup apartment typically is two or three floors in height with dwelling units that are accessed by a single or multiple entrances with stairways and hallways.
- A mansion apartment is a single structure that contains several apartments within what appears to be a single-family dwelling unit.
- A fourplex is a single two-story structure with two matching dwelling units on the ground and second floors. Access to the individual units is typically internal to the structure and provided through a central entry and stairway.
- A stacked townhouse is designed to match the external appearance of a townhouse. But, unlike
 a townhouse dwelling unit that only shares walls with an adjoining unit, the stacked townhouse
 units share both floors and walls. Access to the individual units is typically internal to the
 structure and provided through a central entry and stairway.

Multifamily housing (mid-rise) (Land Use 221), multifamily housing (high-rise) (Land Use 222), affordable housing (Land Use 223), and off-campus student apartment (low-rise) (Land Use 225) are related land uses.

Land Use Subcategory

Data are presented for two subcategories for this land use: (1) not close to rail transit and (2) close to rail transit. A site is considered close to rail transit if the walking distance between the residential site entrance and the closest rail transit station entrance is ½ mile or less.

Additional Data

For the three sites for which both the number of residents and the number of occupied dwelling units were available, there were an average of 2.72 residents per occupied dwelling unit.

For the two sites for which the numbers of both total dwelling units and occupied dwelling units were available, an average of 96.2 percent of the total dwelling units were occupied.

The technical appendices provide supporting information on time-of-day distributions for this land use. The appendices can be accessed through either the ITETripGen web app or the trip



generation resource page on the ITE website (https://www.ite.org/technical-resources/topics/trip-and-parking-generation/).

For the three sites for which data were provided for both occupied dwelling units and residents, there was an average of 2.72 residents per occupied dwelling unit.

It is expected that the number of bedrooms and number of residents are likely correlated to the trips generated by a residential site. To assist in future analysis, trip generation studies of all multifamily housing should attempt to obtain information on occupancy rate and on the mix of residential unit sizes (i.e., number of units by number of bedrooms at the site complex).

The sites were surveyed in the 1980s, the 1990s, the 2000s, the 2010s, and the 2020s in British Columbia (CAN), California, Delaware, Florida, Georgia, Illinois, Indiana, Maine, Maryland, Massachusetts, Minnesota, New Jersey, Ontario (CAN), Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, and Washington.

Source Numbers

188, 204, 237, 300, 305, 306, 320, 321, 357, 390, 412, 525, 530, 579, 583, 638, 864, 866, 896, 901, 903, 904, 936, 939, 944, 946, 947, 948, 963, 964, 966, 967, 1012, 1013, 1014, 1036, 1047, 1056, 1071, 1076



General Urban/Suburban and Rural (Land Uses 000-399) 253

Multifamily Housing (Low-Rise) Not Close to Rail Transit (220)

Vehicle Trip Ends vs: Dwelling Units On a: Weekday

Setting/Location: General Urban/Suburban


Number of Studies: 22 Avg. Num. of Dwelling Units: 229

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
6.74	2.46 - 12.50	1.79

Data Plot and Equation





Multifamily Housing (Low-Rise) Not Close to Rail Transit (220)

Vehicle Trip Ends vs: Dwelling Units

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 49 Avg. Num. of Dwelling Units: 249

Directional Distribution: 24% entering, 76% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.40	0.13 - 0.73	0.12

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 000-399) 255

Multifamily Housing (Low-Rise) Not Close to Rail Transit (220)

Vehicle Trip Ends vs: Dwelling Units

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 59 Avg. Num. of Dwelling Units: 241

Directional Distribution: 63% entering, 37% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.51	0.08 - 1.04	0.15

Data Plot and Equation





Land Use: 430 **Golf Course**

Description

A golf course is an expansive landscaped area that includes a series of golf holes, each consisting of a tee, fairway, and putting green. The site may have a driving range, clubhouse with a pro shop, restaurant, lounge, or banquet facility. Miniature golf course (Land Use 431), golf driving range (Land Use 432), and multipurpose recreational facility (Land Use 435) are related uses.

Additional Data

The golf courses in this land use are 9-, 18-, and 36-hole municipal courses.

The sites were surveyed in the 1980s, the 1990s, the 2000s, and the 2010s in Alberta (CAN), California, New Jersey, New York, Oregon, Pennsylvania, and Vermont.

Source Numbers

378, 407, 440, 629, 728, 925, 940, 970



Golf Course (430)

Vehicle Trip Ends vs: Holes On a: Weekday

Setting/Location: General Urban/Suburban


Number of Studies: 4 Avg. Num. of Holes: 23

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per Hole

Average Rate	Range of Rates	Standard Deviation
30.38	14.50 - 40.50	9.88

Data Plot and Equation





Golf Course (430)

Vehicle Trip Ends vs: Holes

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 15 Avg. Num. of Holes: 18

Directional Distribution: 79% entering, 21% exiting

Vehicle Trip Generation per Hole

Average Rate	Range of Rates	Standard Deviation
1.76	0.61 - 3.06	0.64

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 400-799)

Golf Course (430)

Vehicle Trip Ends vs: Holes

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 14 Avg. Num. of Holes: 19

Directional Distribution: 53% entering, 47% exiting

Vehicle Trip Generation per Hole

Average Rate	Range of Rates	Standard Deviation
2.91	1.67 - 5.00	0.93

Data Plot and Equation





Land Use: 492 Health/Fitness Club

Description

A health/fitness club is a privately-owned facility that primarily focuses on individual fitness or training. It typically provides exercise classes, fitness equipment, a weight room, spa, lockers rooms, and a small restaurant or snack bar. This land use may also include ancillary facilities, such as a swimming pool, whirlpool, sauna, limited retail, and tennis, pickle ball, racquetball, or handball courts. These facilities are membership clubs that may allow access to the general public for a fee. Racquet/tennis club (Land Use 491), athletic club (Land Use 493), and recreational community center (Land Use 495) are related uses.

Additional Data

The sites were surveyed in the 1980s, the 1990s, the 2000s, and the 2010s in Alberta (CAN), Connecticut, New Jersey, Pennsylvania, Vermont, and Wisconsin.

Source Numbers

253, 571, 588, 598, 728, 926, 959, 971



General Urban/Suburban and Rural (Land Uses 400-799) 267

Health/Fitness Club (492)

Vehicle Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 6 Avg. 1000 Sq. Ft. GFA: 44

Directional Distribution: 51% entering, 49% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
1.31	0.30 - 2.00	0.64

Data Plot and Equation





Health/Fitness Club (492)

Vehicle Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic, One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 8 Avg. 1000 Sq. Ft. GFA: 37

Directional Distribution: 57% entering, 43% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
3.45	1.48 - 8.37	1.57

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 400-799) 269

Land Use: 822 Strip Retail Plaza (<40k)

Description

A strip retail plaza is an integrated group of commercial establishments that is planned, developed, owned, and managed as a unit. Each study site in this land use has less than 40,000 square feet of gross leasable area (GLA). Because a strip retail plaza is open-air, the GLA is the same as the gross floor area of the building.

The 40,000 square feet GFA threshold between strip retail plaza and shopping plaza (Land Use 821) was selected based on an examination of the overall shopping center/plaza database. No shopping plaza with a supermarket as its anchor is smaller than 40,000 square feet GLA.

Shopping center (>150k) (Land use 820), shopping plaza (40-150k) (Land Use 821), and factory outlet center (Land Use 823) are related uses.

Additional Data

The technical appendices provide supporting information on time-of-day distributions for this land use. The appendices can be accessed through either the ITETripGen web app or the trip generation resource page on the ITE website (https://www.ite.org/technical-resources/topics/trip-and-parking-generation/).

The sites were surveyed in the 1980s, the 1990s, the 2000s, and the 2010s in Alberta (CAN), California, Delaware, Florida, New Jersey, Ontario (CAN), South Dakota, Vermont, Washington, and Wisconsin.

Source Numbers

304, 358, 423, 428, 437, 507, 715, 728, 936, 960, 961, 974, 1009



Strip Retail Plaza (<40k) (822)

Vehicle Trip Ends vs: 1000 Sq. Ft. GLA On a: Weekday

Setting/Location: General Urban/Suburban


Number of Studies: 4 Avg. 1000 Sq. Ft. GLA: 19

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
54.45	47.86 - 65.07	7.81

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 800-999) 229

Strip Retail Plaza (<40k) (822)

Vehicle Trip Ends vs: 1000 Sq. Ft. GLA

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 5 Avg. 1000 Sq. Ft. GLA: 18

Directional Distribution: 60% entering, 40% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
2.36	1.60 - 3.73	0.94

Data Plot and Equation





Strip Retail Plaza (<40k) (822)

Vehicle Trip Ends vs: 1000 Sq. Ft. GLA

On a: Weekday,

Peak Hour of Adjacent Street Traffic, One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 25 Avg. 1000 Sq. Ft. GLA: 21

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
6.59	2.81 - 15.20	2.94

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 800-999) 231

Land Use: 932 High-Turnover (Sit-Down) Restaurant

Description

This land use consists of sit-down, full-service eating establishments with a typical duration of stay of 60 minutes or less. This type of restaurant is usually moderately priced, frequently belongs to a restaurant chain, and is commonly referred to as casual dining. Generally, these restaurants serve lunch and dinner; they may also be open for breakfast and are sometimes open 24 hours a day. These restaurants typically do not accept reservations. A patron commonly waits to be seated, is served by wait staff, orders from a menu, and pays after the meal.

Some facilities offer carry-out for a small proportion of its customers. Some facilities within this land use may also contain a bar area for serving food and alcoholic drinks.

Fast casual restaurant (Land Use 930), fine dining restaurant (Land Use 931), fast-food restaurant without drive-through window (Land Use 933), and fast-food restaurant with drive-through window (Land Use 934) are related uses.

Additional Data

Users should exercise caution when applying statistics during the AM peak periods, as the sites contained in the database for this land use may or may not be open for breakfast. In cases where it was confirmed that the sites were not open for breakfast, data for the AM peak hour of the adjacent street traffic were removed from the database.

If the restaurant has outdoor seating, its area is not included in the overall gross floor area. For a restaurant that has significant outdoor seating, the number of seats may be more reliable than GFA as an independent variable on which to establish a trip generation rate.

The technical appendices provide supporting information on time-of-day distributions for this land use. The appendices can be accessed through either the ITETripGen web app or the trip generation resource page on the ITE website (https://www.ite.org/technical-resources/topics/trip-and-parking-generation/).

The sites were surveyed in the 1980s, the 1990s, the 2000s, and the 2010s in Alberta (CAN), California, Florida, Georgia, Indiana, Kentucky, Massachusetts, Minnesota, New Hampshire, New Jersey, New York, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Texas, Vermont, and Wisconsin.

Source Numbers

126, 269, 275, 280, 300, 301, 305, 338, 340, 341, 358, 384, 424, 432, 437, 438, 444, 507, 555, 577, 589, 617, 618, 728, 868, 884, 885, 903, 927, 939, 944, 961, 962, 977, 1048



Vehicle Trip Ends vs: 1000 Sq. Ft. GFA On a: Weekday

Setting/Location: General Urban/Suburban


Number of Studies: 50 Avg. 1000 Sq. Ft. GFA: 5

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
107.20	13.04 - 742.41	66.72

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 800-999) 673

Vehicle Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic, One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 37 Avg. 1000 Sq. Ft. GFA: 5

Directional Distribution: 55% entering, 45% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
9.57	0.76 - 102.39	11.61

Data Plot and Equation





Vehicle Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic, One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 104 Avg. 1000 Sq. Ft. GFA: 6

Directional Distribution: 61% entering, 39% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
9.05	0.92 - 62.00	6.18

Data Plot and Equation





General Urban/Suburban and Rural (Land Uses 800-999)

Vehicle Trip Ends vs: Seats On a: Weekday


Setting/Location: General Urban/Suburban

Number of Studies: 1 Avg. Num. of Seats: 148

Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per Seat

Average Rate	Range of Rates	Standard Deviation
4.37	4.37 - 4.37	***



HEF

General Urban/Suburban and Rural (Land Uses 800-999) 685

Vehicle Trip Ends vs: Seats

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 7 Avg. Num. of Seats: 159

Directional Distribution: 52% entering, 48% exiting

Vehicle Trip Generation per Seat

Average Rate	Range of Rates	Standard Deviation
0.45	0.30 - 0.65	0.13

Data Plot and Equation





Vehicle Trip Ends vs: Seats

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 14 Avg. Num. of Seats: 142

Directional Distribution: 57% entering, 43% exiting

Vehicle Trip Generation per Seat

Average Rate	Range of Rates	Standard Deviation
0.39	0.16 - 1.73	0.39

Data Plot and Equation






General Urban/Suburban and Rural (Land Uses 800-999) 687

Appendix D:

D1RPM Inputs and Outputs



			Employ-			Indust- rial	Indust- Com- rial mercial Service	Service	
Land Use	Total Size	Units	Unit	SF	MF	ees	ees	ees	Students
Single Family Detached Dus	009	DUs		200					
Retail	15,000	SF	3				45		
Resort Hotel	100	Rooms	1					100	
Golf Course	18	Holes	1					18	
			Total	200	0	0	45	118	0
Employees per Unit from FDOT 1	FDOT Transportation Site Impact Handbook Exhibit 19	ion Site Ir	npact Han	dbook E	chibit 19				

Exhibit 19

Land Use Conversion Rates for Traffic Impact Assessments


Land Use	Conversion Rate*
Single-Family Dwelling Unit	3 persons per DU
Multi-Family Dwelling Unit	2 persons per DU
Office	4 service employees per 1,000 sq ft
Hospital	3 service employees per 1,000 sq ft
Retail <200k sq ft	2 - 3 commercial employees per 1,000 sq ft
Large Retail	1.5 - 2 commercial employees per 1,000 sq ft
Industrial	2 industrial employees per 1,000 sq ft
Warehousing	1 industrial employee per 1,000 sq ft
Hotel	.5 - 1 service employee per room

*This data is a compilation of "Rules of Thumb" and calculations using the ITE Trip Generation Manual. These conversion rates should only be considered when local data, FDOT District guidance or more specific knowledge is not available.


TAZ 15 TAZ 10 CC COUNTY	TAZ 10 CC	3 - 3	ō -	COUNTY	ZONE	ST	SFDU	SF PCT VAC	SF PCT	SF POP	SF POP UU	SF 0 SF 1 SF 2 AUTO AUTO AUTO	SF 1 AUTO	SF 2 AUTO	MF	MF PCT VAC	MF PCT VNP	MF	MF POP DU	MF 0 AUTO	MF1 AUTO	MF 2 AUTO
4432 4007 9 LEE 4432 12071 1571	4007 9 LEE 4432 12071	9 LEE 4432 12071	4432 12071	12071	12071	157	1,	15	17	3284	2.09	5	30	65	0	17	21	0	1	0	29	71
4433 4007 9 LEE 4433 12071 387	4007 9 LEE 4433 12071	9 LEE 4433 12071	4433 12071	12071	12071	387		15	17	818	2.11	2	30	9	2	17	21	9	3	0	29	71
4230 3728 9 LEE 4230 12071 668	3728 9 LEE 4230 12071	LEE 4230 12071	4230 12071	12071	12071	399	~	7	7	1393	2.09	0	53	47	0	0	0	0	2	8	43	49
12071	12071	12071	12071	12071	12071			12	14		2.1	3	38	29		11	14		2	3	34	64
4496 9 LEE 4496 12071 500	LEE 4496 12071	LEE 4496 12071	4496 12071	12071	12071	500		12	14	1050	2.1	33	38	59	0	11	14	0	2	3	34	64

NOTES	0	0			0
T LONG	0	0	0		0
SHORT	0	0	0		0
UNI- VERS- ITY	0	0	0		0
SCHOOL VERS-	0	0	0		0
НМ	0	0	0		174
НМ	0	0	0		87
HM	0	0	0		100
TOT	31	46	16		163
SERV	31	17	16		118
СОММ	0	7	0		45
IND	0	22	0		0
WORK- IND ERS EMP	1194	467	268		470
WRKR P HHLD	0.76	1.2	0.85	0.94	0.94
INC HHLD DEX SIZE	1.5	2.1	1.73	1.78	1.78
HH INC INDEX	1023	1023	760	935	935
POP P HH IN- HH	2.09 40027	40027	2.09 47014	42356	42356
РОР Р	2.09	2.12			2.1
RESD	3284	824	1393		1050
RESD	1571	389	899		500
TAZ 15	4432	4433	4230		4496
Year	2045	2045	2045	Source AVERAGE	New

Project Traffic Distribution Percentage



D1RPM 2045 AADT in 100s



Appendix E:

Lee County 2022 Concurrency Report Excerpt

Table 21 b): Link-Level Service Volumes and LOS Table
Table 21 b) 2 of 7

			-			REORMANCE	2	2021 100TH		FUTURE FORECAST		RECAST		
ink No.	NAME	ROADWAY LINK	F. Class	ROAD	STANDARD		HIGHEST HOUR		OUR	(2026))	Notes	
		FROM	то		TYPE	LOS	DIRECTIONAL CAPACITY	LOS	VOL	v/c	LOS	VOL	v/c	
1800	CEMETERY RD	BUCKINGHAM RD	HIGGINS AVE	Maj. Col	2LN	E	860	C	308	0.36	C	323	0.38	PARAMAN S
1900	CHAMBERLIN PKWY	AIRPORT ENT	DANIELS PKWY	Maj. Col	4LN	E	1,790	C	105	0.06	C	150	0.08	Port Authority maintained
5000	COCONUT RD	WEST END	VIÀ VENETTO BLVD	Maj. Col	2LN	E	860	C	268	0.31	C	420	0.49	Estero maintains to east
5100	COLLEGE PKWY	McGREGOR BLVD	WINKLER RD	P. Art	6LD	E	2,980	D	2,292	0.77	D	2,409	0.81	,
5200	COLLEGE PKWY	WINKLER RD	WHISKEY CREEK DR	P. Art	6LD	E	2,980	D	2,059	0.69	D	2,164	0.73	
5300	COLLEGE PKWY	WHISKEY CREEK DR	SUMMERLIN RD	P. Art	6LD	E	2,980	D	2,059	0.69	D	2,164	0.73	
5400	COLLEGE PKWY	SUMMERLIN RD	US 41	P. Art	6LD	E	2,980	D	1,898	0.64	D	1,995	0.67	
5500	COLONIAL BLVD	McGREGOR BLVD	SUMMERLIN RD	P. Art	6LD	E	2,840	F	3,049	1.07	F	3,204	1.13	
5600	COLONIAL BLVD	SUMMERLIN RD	US 41	P. Art	6LD	E	2,840	D	2,650	0.93	D	2,785	0.98	
6200	COLONIAL BLVD	DYNASTY DR	SR 82	P. Art	6LD	D	3,040	В	2,070	0.68	C	2,175	0.72	
6300	COLUMBUS BLVD	SR 82	MILWAUKEE BLVD	Maj. Col	2LN	E	860	С	100	0.12	С	105	0.12	old count
6400	CONSTITUTION BLVD	US 41	CONSTITUTION CIR	Maj. Col	2LN	E	860	C	217	0.25	C	245	0.28	old count projection(2010)
6500	CORBETT RD	SR 78 (PINE ISLAND RD)	LITTLETON RD	Maj. Col	2LN	E	860	C	22	0.03	C	226	0.26	old count, added VA clinic(200
6600	CORKSCREW RD	US 41	THREE OAKS PKWY	P. Art	4LD	E	1,900	C	1.047	0.55	C	1,312	0.69	Galleria at Corkscrew
6700	CORKSCREW RD	THREE OAKS PKWY	W OF I-75	P. Art	4LD	E	1,900	F	2.129	1.12	F	2,368	1.25	Estero Crossing
6800	CORKSCREW RD	E OF 1-75	BEN HILL GRIFFIN BLVD	P. Art	4LD	E	1,900	С	1.069	0.56	C	1.281	0.67	
6900	CORKSCREW RD	BEN HILL GRIFFIN BLVD	ALICO RD	P. Art	4LD	E	1,960	c	1.186	0.61	č	1.398	0.71	
7000	CORKSCREW RD	ALICO RD	COUNTY LINE	P. Art	2LN	E	1,140	č	464	0.41	-	1.244	1.09	EEPCO Study, The Place
7100	COUNTRY LAKES BLVD	LUCKETT RD	TICE ST	Maj. Col	2LN	E	860	C	143	0.17	С	293	0.34	old count projection(2010)
7200	CRYSTAL DR	US 41	METRO PKWY	Maj. Col	2LN	E	860	C	360	0.42	C	379	0.44	old count projection(2010)
	CRYSTAL DR	METRO PKWY	PLANTATION RD	Maj. Col	2LN	E	860	c	242	0.28	c	254	0.30	
7400	CYPRESS LAKE DR	McGREGOR BLVD	SOUTH POINT BLVD	P. Art	4LD	E	1,940	D	1.129	0.58	D	1.186	0.61	
7500	CYPRESS LAKE DR	SOUTH POINT BLVD	WINKLER RD	P. Art	4LD	E	1,940	D	1,125	0.73	D	1,491	0.01	
7600	CYPRESS LAKE DR	WINKLER RD	SUMMERLIN RD	P. Art	4LD	E	1,940	D	1,419	0.73	D	1,491	0.77	
7700	CYPRESS LAKE DR	SUMMERLIN RD	US 41	P. Art	6LD	E	2,940	D	2,085	0.73	D	2.191	0.77	
		THE R. LEWIS CO., LANSING MICHIGANIA	COLUMN CONTRACTOR CO.		6LD	E	The same of the same	D	2,288	0.71	D	-,	0.75	
7800	DANIELS PKWY	US 41	METRO PKWY	Controlled xs	6LD	E	2,680	D	2,288	0.85	E	2,405	0.90	pataners
7900	DANIELS PKWY	METRO PKWY	SIX MILE PKWY	Controlled xs		F	2,680	E	1000			2,520		Constrained
8000	DANIELS PKWY	SIX MILE PKWY	PALOMINO LN	Controlled xs	6LD	-	3,040	-	2,985	0.98		3,256	1.07	Constrained
8100	DANIELS PKWY	PALOMINO LN	I-75	Controlled xs	6LD	E	3,040	E	2,985	0.98		3,137	1.03	Constrained
8200	DANIELS PKWY	1-75	TREELINE AVE	Controlled xs	6LD	E	3,260	В	2,996	0.92	В	3,149	0.97	
8300	DANIELS PKWY	TREELINE AVE	CHAMBERLIN PKWY	Controlled xs	6LD	E	3,260	В	2,996	0.92	В	3,149	0.97	
8400	DANIELS PKWY	CHAMBERLIN PKWY	GATEWAY BLVD	Controlled xs	6LD	E	3,260	В	2,765	0.85	В	2,906	0.89	
8500	DANIELS PKWY	GATEWAY BLVD	SR 82	Controlled xs	4LD	E	2,160	F	2,163	1.00	100	2,307	1.07	SKY Walk *
8600	DANLEY DR	US 41	METRO PKWY	Maj. Col	2LN	E	860	C	255	0.30	C	286	0.33	
8700	DAVIS RD	McGREGOR BLVD	IONA RD	Maj. Col	2LN	E	860	C	15	0.02	С	29	0.03	old count projection(2010)
8800	DEL PRADO BLVD	CAPE CORAL PKWY	SE 46TH ST	P. Art	6LD	E	2,660	C	1,404	0.53	C	1,586	0.60	old count projection(2009)
8900	DEL PRADO BLVD	SE 46TH ST	CORONADO PKWY	P. Art	6LD	E	2,660	C	1,404	0.53	C	1,586	0.60	old count projection(2009)
9000	DEL PRADO BLVD	CORONADO PKWY	CORNWALLIS PKWY	P. Art	6LD	E	2,660	D	1,869	0.70	D	1,964	0.74	
9100	DEL PRADO BLVD	CORNWALLIS PKWY	CORAL POINT DR	P. Art	6LD	E	2,660	D	2,565	0.96	E	2,696	1.01	
9200	DEL PRADO BLVD	CORAL POINT DR	HANCOCK B. PKWY	P. Art	6LD	E	2,800	D	1,997	0.71	D	2,098	0.75	
9300	DEL PRADO BLVD	HANCOCK B. PKWY	SR 78	P. Art	6LD	E	2,800	C	1,642	0.59	C	1,725	0.62	
9400	DEL PRADO BLVD	US 41	SLATER RD	M. Art	2LN	E	860	C	489	0.57	D	742	0.86	Crane Landing
9700	EAST 21ST ST	JOEL BLVD	GRANT AVE	Min. Col	2LN	E	860	C	31	0.04	C	33	0.04	
9800	ESTERO BLVD	BIG CARLOS PASS BRIDGE	PESCADORA AVE	M. Art	2LN	E	726	A	356	0.49	A	374	0.52	Constrained*
9900	ESTERO BLVD	PESCADORA AVE	VOORHIS ST	M. Art	2LN	E	726	В	602	0.83	C	633	0.87	Constrained*
0000	ESTERO BLVD	VOORHIS ST	TROPICAL SHORES WAY	M. Art	2LN	E	726	В	602	0.83	C	633	0.87	Constrained*
0100	ESTERO BLVD	TROPICAL SHORES WAY	CENTER ST	M. Art	2LN	E	671	-F	716	1.07	F	779	1.16	Constrained, old count(2010
	ESTERO PKWY	US 41	THREE OAKS PKWY	P. Art	4LD	E	2.000	В	861	0.43	В	1.154	0.58	Not County Mntnd

Preserve Sporting Club & Residences at Pepper Place – LPA and Rezone– TIS Section 1— February 2023

Appendix F:

Lee County 2021 Traffic Count Report (Excerpts)

Updated 3/31/22						Daily Traffic Volume (AADT)						
STREET	LOCATION	Station #	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
COLLEGE PKWY	W OF SOUTH POINTE BLVD	83				38000	40900					
COLLEGE PKWY	E OF WINKLER RD	43	30400	31700	32300	36100	37600	37100	37200	37500		
COLLEGE PKWY	W OF NEW BRITTANY	87				33500	33300			32200	28900	
COLLEGE PKWY	E OF KENWOOD LN	237			26900							
COLONIAL BLVD	E OF SUMMERLIN RD	14	51500	52500	53100	54600	55600	55900	56900	56500	51100	57700
COLONIAL BLVD	W OF WINKLER AVE	78				56000						
COLONIAL BLVD	W OF TREELINE AVE	91				45100	45500			48300	53400	
COLONIAL BLVD	W OF IMMOKALEE RD	246		35400	39500	41500		43000				44500
CORKSCREW RD	E OF US 41	247		14300		16600		17000		20000		20800
CORKSCREW RD	W OF I - 75	<u>15</u>	29500	28800	30600	31600	33400	34200	36500	39500		
CORKSCREW RD	E OF 1 - 75			13000								
CORKSCREW RD	E OF I-75	<u>70</u>		21900	21900	22000	22200	22000	22900	20300	16900	17600
CORKSCREW RD	E OF BEN HILL GRIFFIN PKWAY	249				15600		18900		20900		
CORKSCREW RD	W OF ALICO RD	248		3800								
CORKSCREW RD	E OF ALICO RD	250			3100		4400		6700			
CRYSTAL DR	E OF US 41	254		8600	11200		12300		12100		8200	
CRYSTAL DR	E OF METRO PKWY	255			6100		6400		7900		5500	
CYPRESS LAKE DR	E OF SOUTH POINTE BLVD	<u>81</u>				20300	22300	22300		20900	18200	20000
CYPRESS LAKE DR	E OF OVERLOOK DR	<u>73</u>		29400	24700	25800	24200	27100	27200	27100	22600	25400
CYPRESS LAKE DR	W OF SUMMERLIN RD	259	27900	27800				27700		29000		28900
CYPRESS LAKE DR	E OF REFLECTION PKWY	<u>82</u>				42300	38900	39900	40700		35100	39800
CYPRESS LAKE DR	W OF US 41	258	31700	34000	35900	35200				36000		35400
DANIELS PKWY	W OF METRO PKWY	<u>30</u>	40500	40100	46400	47400	48300	48300	49400	49900	41900	49300
DANIELS PKWY	W OF PLANTATION RD	263			48000		47600					
DANIELS PKWY	E OF SIX MILE PKWY	31	52200	53200	51800	53200	59700		60700	62500	54100	63100

Preserve Sporting Club & Residences at Pepper Place — LPA and Rezone—TIS Section 1— February 2023

PCS 70 - Corkscrew Rd west of Ben Hill Griffin Pkwy

2021 AADT =

17,600 VPD

Hour	EB	WB	Total
0	0.31%	0.17%	0.47%
1	0.16%	0.10%	0.26%
2	0.13%	0.08%	0.21%
3	0.13%	0.07%	0.20%
4	0.20%	0.19%	0.39%
5	0.61%	0.58%	1.20%
6	1.41%	2.05%	3.47%
7	2.70%	3.26%	5.98%
8	2.96%	3.20%	6.17%
9	3.17%	2.87%	6.05%
10	3.44%	2.94%	6.39%
11	3.80%	2.95%	6.75%
12	4.06%	3.01%	7.07%
13	4.13%	3.08%	7.20%
14	4.15%	3.15%	7.30%
15	4.34%	2.93%	7.26%
16	4.61%	2.81%	7.40%
17	4.69%	2.60%	7.28%
18	3.83%	2.06%	5.89%
19	2.84%	1.53%	4.36%
20	2.30%	1.17%	3.47%
21	1.69%	0.86%	2.55%
22	1.12%	0.63%	1.76%
23	0.60%	0.31%	0.91%

Month of Year	Fraction
January	1.15
February	1.19
March	1.19
April	1.08
May	0.95
June	0.86
July	0.78
August	0.81
September	0.8
October	
November	
December	·

Day of Week

Sunday

Monday

Tuesday

Wednesday

Thursday Friday

Saturday

Fraction

0.71

1.01

1.05

1.08


1.11


1.12

0.91

	Directional							
Factor								
AM	0.59	WB						
PM	0.62	EB						

n	Design Hour Volume									
]	#	Volume	Factor							
	5	1885	0.107							
	10	1867	0.106							
	20	1844	0.105							
	30	1820	0.103							
	50	1780	0.101							
	100	1731	0.098							
	150	1693	0.096							
	200	1664	0.095							





Preserve Sporting Club & Residences at Pepper Place – LPA and Rezone– TIS Section 1— February 2023
Appendix G:
Lee County Generalized Peak Hour Directional Service Volumes

Lee County Generalized Peak Hour Directional Service Volumes Urbanized Areas

April 2016	c:\input5
------------	-----------

Level of Service	April 2016 C:\input5										
Lane	Uninterrupted Flow Highway										
1											
Divided 1,060 1,810 2,560 3,240 3,590	Lane						E				
Arterials Class (40 mph or higher posted speed limit) Level of Service		Undivided	130	420	850	1,210	1,640				
Class (40 mph or higher posted speed limit) Level of Service		Divided	1,060	1,810	2,560	3,240	3,590				
Class (40 mph or higher posted speed limit) Level of Service	3	Divided	1,600	2,720	3,840	4,860	5,380				
Class (40 mph or higher posted speed limit) Level of Service											
Level of Service Lane Divided A B C D E											
Lane	, , ,										
1	Lane	Divided	Α			D	F				
2											
3			*								
Class II (35 mph or slower posted speed limit) Level of Service			*			·	·				
Class II (35 mph or slower posted speed limit) Level of Service Lane			*		·						
Level of Service Lane		21116.66		0.0	0,000	0,010	3,010				
Level of Service Lane	Class II (3	5 mph or slov	wer posted	speed limit)							
Lane Divided A B C D E 1 Undivided * * 330 710 780 2 Divided * * 710 1,590 1,660 3 Divided * * 1,150 2,450 2,500 4 Divided * * 1,580 3,310 3,340 Controlled Access Facilities Level of Service Lane Divided A B C D E 1 Undivided * 160 880 940 940 2 Divided * 270 1,970 2,100 2,100 3 Divided * 430 3,050 3,180 3,180 Collectors Level of Service Level of Service Lane Divided A B C D E 1 Undivided	(0			•	vice						
1 Undivided * * 330 710 780 2 Divided * * 710 1,590 1,660 3 Divided * * 1,150 2,450 2,500 4 Divided * 1,580 3,310 3,340 Controlled Access Facilities Level of Service Lane Divided A B C D E 1 Undivided * 430 3,050 3,180 940 940 940 940 2,100 2,100 3,180 3,180 3,180 Collectors Level of Service Lane Divided A B C D E 1 Undivided * 310 660 740 1 Divided * 330 700 780 2 Undivided * 730 1,440 1,520 2 Divided * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,	Lane	Divided	А			D	Е				
3				*	330	710	780				
3	2	Divided	*	*	710	1,590	1,660				
Controlled Access Facilities Lane Divided A B C D E 1 Undivided * 160 880 940 940 2 Divided * 270 1,970 2,100 2,100 3 Divided * 430 3,050 3,180 3,180 Collectors Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,	3	Divided	*	*	1,150	2,450					
Lane Divided A B C D E 1 Undivided * 160 880 940 940 2 Divided * 270 1,970 2,100 2,100 3 Divided * 430 3,050 3,180 3,180 Collectors Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,	4	Divided	*	*	1,580	3,310	3,340				
Lane Divided A B C D E 1 Undivided * 160 880 940 940 2 Divided * 270 1,970 2,100 2,100 3 Divided * 430 3,050 3,180 3,180 Collectors Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,		-									
Lane Divided A B C D E 1 Undivided * 160 880 940 940 2 Divided * 270 1,970 2,100 2,100 3 Divided * 430 3,050 3,180 3,180 Collectors Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,			Control	led Access	Facilities						
1 Undivided * 160 880 940 940 2 Divided * 270 1,970 2,100 2,100 3 Divided * 430 3,050 3,180 3,180 Collectors Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,				Level of Ser	vice						
Divided * 270 1,970 2,100 2,100 3 Divided * 430 3,050 3,180 3,180	Lane	Divided	Α	В	С	D	E				
Collectors Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,		Undivided			880	940	940				
Collectors Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,	2	Divided	*	270	1,970	2,100	2,100				
Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,	3	Divided	*	430	3,050	3,180	3,180				
Level of Service Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,											
Lane Divided A B C D E 1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,											
1 Undivided * * 310 660 740 1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,	Level of Service										
1 Divided * * 330 700 780 2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,	Lane				_						
2 Undivided * * 730 1,440 1,520 2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,											
2 Divided * * 770 1,510 1,600 Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,											
Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,											
· · · · · · · · · · · · · · · · · · ·							•				
and bus mode should be from FDOT's most current version of LOS Handbook.	Note: the service volumes for I-75 (freeway), bicycle mode, pedestrian mode,										
	and bus m	and bus mode should be from FDOT's most current version of LOS Handbook.									